



Biodiversity Summary for NRM Regions Species List

What is the summary for and where does it come from?

This list has been produced by the Department of Sustainability, Environment, Water, Population and Communities (SEWPC) for the Natural Resource Management Spatial Information System.

The list was produced using the **Australian Natural Heritage Assessment Tool (ANHAT)**, which analyses data from a range of plant and animal surveys and collections from across Australia to automatically generate a report for each NRM region. Data sources (Appendix 2) include national and state herbaria, museums, state governments, CSIRO, Birds Australia and a range of surveys conducted by or for DEWHA.

For each family of plant and animal covered by ANHAT (Appendix 1), this document gives the number of species in the country and how many of them are found in the region. It also identifies species listed as Vulnerable, Critically Endangered, Endangered or Conservation Dependent under the EPBC Act.

A biodiversity summary for this region is also available.

For more information please see: www.environment.gov.au/heritage/anhath/index.html

Limitations

- ANHAT currently contains information on the distribution of over 30,000 Australian taxa. This includes all mammals, birds, reptiles, frogs and fish, 137 families of vascular plants (over 15,000 species) and a range of invertebrate groups. **Groups not yet covered in ANHAT are not included in the list.**
- The data used come from authoritative sources, but they are not perfect. All species names have been confirmed as valid species names, but it is not possible to confirm all species locations. The list summarises the input data, so errors in the data received would be reflected in this document.
- The scientific names and taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that found in government censuses, databases or other authoritative lists.



Species List for NRM Region Swan, Western Australia

This list was produced by the Department of Sustainability, Environment, Water, Population and Communities using the Australian Natural Heritage Assessment Tool (ANHAT). ANHAT is a database and decision support tool which uses over 33 million specimen and survey records for vertebrates, selected invertebrates and 137 vascular plant families (over 15,000 species). This species list does not include exotic or extinct species.

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.

	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Vertebrate fauna				
Actinopterygii				
Carangidae				
	Amberjacks, Jacks, Pilotfishes, Pompanos, Queenfishes, Runners, Scads, Trevallies		(1 out of 3 species in Australia)	
Pseudocaranx georgianus	Araara		4	
Clinidae				
	Snake Blennies, Weedfishes		(1 out of 1 species in Australia)	
Cristiceps australis	Southern Crested Weedfish		1	1971
Clupeidae				
	Herrings, Menhadens, Pilchards, Sardines, Shads, Sprats		(1 out of 11 species in Australia)	
Hyperlophus vittatus	Sandy sprat		4	2006
Engraulidae				
	Anchovies		(1 out of 12 species in Australia)	
Engraulis australis	Australian anchovy		4	2006
Galaxiidae				
	Galaxias, Salamanderfish		(1 out of 23 species in Australia)	
Galaxias occidentalis	Western Galaxias		20	1982
Gerreidae				
	Mojarras, Silver Biddies, Silver-bellies, Silverbellies, Silverbiddies		(1 out of 6 species in Australia)	
Gerres subfasciatus	Common Silverbiddy		3	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Gobiidae	Gobies	(1 out of 99 species in Australia)		
Favonigobius lateralis	Southern Longfin Goby		4	1993
Mugilidae	Mulletts	(1 out of 18 species in Australia)		
Mugil cephalus	Sea Mullet		<1	
Percichthyidae	Australian Freshwater Basses, Australian Freshwater Blackfish, Australian Freshwater Cods, Temperate Seabasses	(1 out of 17 species in Australia)		
Bostockia porosa	Nightfish		11	1982
Plotosidae	Eel-Tailed Catfishes	(1 out of 19 species in Australia)		
Tandanus bostocki	Freshwater Cobbler		100	1982
Pomatomidae	Bluefish, Tailor	(1 out of 1 species in Australia)		
Pomatomus saltatrix			4	
Sillaginidae	Sillagos, Whitings	(1 out of 6 species in Australia)		
Sillaginodes punctata	King George Whiting		1	
Terapontidae	Grunters	(1 out of 33 species in Australia)		
Pelates octolineatus	Western Striped Grunter		8	
Tetraodontidae	Blowfishes, Pufferfishes, Puffers, Toadfishes, Tobys	(2 out of 18 species in Australia)		
Contusus breviceaudus	Prickly Toadfish		2	
Polyspina piosae	Orangebarred Puffer		50	2006
Tetrarogidae	Fortesques, Sailback Scorpionfishes, Waspfish	(1 out of 4 species in Australia)		
Gymnapistes marmoratus	Soldier		1	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Amphibia				
Hylidae				
	Tree-Frogs	(5 out of 81 species in Australia)		
Cyclorana maini	Main's Frog		<1	
Cyclorana platycephala	Water-holding Frog		<1	
Litoria adelaidensis	Slender Tree Frog		15	2001
Litoria moorei	Motor-bike Frog		19	2001
Litoria rubella	Red Tree Frog		<1	
Myobatrachidae				
	Myobatrachid or Southern Frogs	(17 out of 121 species in Australia)		
Crinia georgiana	Quacking Frog		15	2002
Crinia glauerti	Glauerts Frog		24	2002
Crinia insignifera	Squelching Frog		50	2003
Crinia pseudinsignifera	Bleating Frog		13	2003
Geocrinia leai	Leas Frog		15	1993
Heleioporus albopunctatus	Western Spotted Frog		8	2002
Heleioporus barycragus	Western Marsh Frog		67	2002
Heleioporus eyrei	Moaning Frog		20	2003
Heleioporus inornatus	Plain Frog		36	2002
Heleioporus psammophilus	Sand Frog		27	2002
Limnodynastes dorsalis	Banjo Frog		12	2003
Myobatrachus gouldii	Turtle Frog		18	2002
Neobatrachus kunapalari	Kunapalari Frog		<1	2002
Neobatrachus pelobatoides	Humming Frog		10	2003
Neobatrachus sutor	Shoemaker Frog		<1	
Pseudophryne guentheri	Gunther's Froglet		10	2003
Pseudophryne occidentalis	Western Froglet		<1	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Aves				
Acanthizidae				
Scrubwrens, Thornbills (10 out of 43 species in Australia) and Allies				
<i>Acanthiza apicalis</i>	Inland Thornbill		2	2003
<i>Acanthiza chrysorrhoa</i>	Yellow-rumped Thornbill		<1	2003
<i>Acanthiza inornata</i>	Western Thornbill		17	2003
<i>Acanthiza uropygialis</i>	Chestnut-rumped Thornbill		<1	2001
<i>Calamanthus cautus</i>	Shy Heathwren		<1	1994
<i>Dasyornis longirostris</i>	Western Bristlebird	Vulnerable	4	1998
<i>Gerygone fusca</i>	Western Gerygone		3	2003
<i>Pyrrholaemus brunneus</i>	Redthroat		<1	1994
<i>Sericornis frontalis</i>	White-browed Scrubwren		1	2003
<i>Smicronis brevirostris</i>	Weebill		<1	2003
Accipitridae				
Eagles, Hawks and Kites (14 out of 19 species in Australia)				
<i>Accipiter cirrhocephalus</i>	Collared Sparrowhawk		1	2002
<i>Accipiter fasciatus</i>	Brown Goshawk		<1	2003
<i>Aquila audax</i>	Wedge-tailed Eagle		<1	2003
<i>Circus approximans</i>	Swamp Harrier		1	2002
<i>Circus assimilis</i>	Spotted Harrier		<1	2000
<i>Elanus axillaris</i>	Black-shouldered Kite		<1	2002
<i>Elanus scriptus</i>	Letter-winged Kite		<1	1980
<i>Haliaeetus leucogaster</i>	White-bellied Sea-Eagle		<1	2000
<i>Haliastur sphenurus</i>	Whistling Kite		<1	2002
<i>Hamirostra melanosternon</i>	Black-breasted Buzzard		<1	1976
<i>Hieraaetus morphnoides</i>	Little Eagle		1	2003
<i>Lophoictinia isura</i>	Square-tailed Kite		1	2002
<i>Milvus migrans</i>	Black Kite		<1	2001
<i>Pandion haliaetus</i>	Osprey		1	2002
Aegothelidae				
Owlet Nightjars (1 out of 1 species in Australia)				
<i>Aegotheles cristatus</i>	Australian Owlet-nightjar		<1	2003
Alcedinidae				
Kingfishers and Kookaburras (3 out of 10 species in Australia)				
<i>Dacelo novaeguineae</i>	Laughing Kookaburra		<1	2003
<i>Todiramphus pyrrhopygia</i>	Red-backed Kingfisher		<1	1980
<i>Todiramphus sanctus</i>	Sacred Kingfisher		<1	2005



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Anatidae	Swans, Ducks and Geese	(13 out of 20 species in Australia)		
<i>Anas castanea</i>	Chestnut Teal		<1	2000
<i>Anas gracilis</i>	Grey Teal		<1	2002
<i>Anas querquedula</i>	Garganey		2	1971
<i>Anas rhynchos</i>	Australasian Shoveler		2	2002
<i>Anas superciliosa</i>	Pacific Black Duck		<1	2002
<i>Aythya australis</i>	Hardhead		<1	2002
<i>Biziura lobata</i>	Musk Duck		2	2002
<i>Chenonetta jubata</i>	Australian Wood Duck		<1	2002
<i>Cygnus atratus</i>	Black Swan		<1	2002
<i>Malacorhynchus membranaceus</i>	Pink-eared Duck		<1	2002
<i>Oxyura australis</i>	Blue-billed Duck		2	2002
<i>Stictonetta naevosa</i>	Freckled Duck		1	2002
<i>Tadorna tadornoides</i>	Australian Shelduck		2	2002
Anhingidae	Darter	(1 out of 1 species in Australia)		
<i>Anhinga melanogaster</i>	Darter		<1	2002
Apodidae	Swifts and Swiftlets	(1 out of 4 species in Australia)		
<i>Apus pacificus</i>	Fork-tailed Swift		<1	2002
Ardeidae	Hérons, Egrets and Bitterns	(10 out of 14 species in Australia)		
<i>Ardea alba</i>	Great Egret		<1	2002
<i>Ardea pacifica</i>	White-necked Heron		<1	2002
<i>Botaurus poiciloptilus</i>	Australasian Bittern		2	1999
<i>Bubulcus ibis</i>	Cattle Egret		<1	2001
<i>Egretta garzetta</i>	Little Egret		<1	2002
<i>Egretta novaehollandiae</i>	White-faced Heron		<1	2002
<i>Egretta sacra</i>	Eastern Reef Egret		1	2002
<i>Ixobrychus flavicollis</i>	Black Bittern		<1	1981
<i>Ixobrychus minutus</i>	Little Bittern		4	2001
<i>Nycticorax caledonicus</i>	Nankeen Night Heron		<1	2002
Artamidae	Butcherbirds, Currawongs and Woodswallows	(7 out of 15 species in Australia)		
<i>Artamus cinereus</i>	Black-faced Woodswallow		<1	2003
<i>Artamus cyanopterus</i>	Dusky Woodswallow		<1	2002
<i>Artamus personatus</i>	Masked Woodswallow		<1	1991
<i>Cracticus nigrogularis</i>	Pied Butcherbird		<1	2001
<i>Cracticus torquatus</i>	Grey Butcherbird		<1	2003
<i>Gymnorhina tibicen</i>	Australian Magpie		<1	2005
<i>Strepera versicolor</i>	Grey Currawong		1	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Atrichornithidae	Scrub-birds	(1 out of 2 species in Australia)		
<i>Atrichornis clamosus</i>	Noisy Scrub-bird	Vulnerable	4	
Burhinidae	Thicknees (Stone-Curlews)	(1 out of 2 species in Australia)		
<i>Burhinus grallarius</i>	Bush Stone-curlew		<1	1978
Cacatuidae	Cockatoos	(9 out of 14 species in Australia)		
<i>Cacatua leadbeateri</i>	Major Mitchell's Cockatoo		<1	1969
<i>Cacatua pastinator</i>	Western Corella		15	2003
<i>Cacatua sanguinea</i>	Little Corella		<1	2002
<i>Cacatua tenuirostris</i>	Long-billed Corella		<1	1980
<i>Calyptorhynchus banksii</i>	Red-tailed Black-Cockatoo		<1	2003
<i>Calyptorhynchus baudinii</i>	Long-billed Black-Cockatoo	Vulnerable	12	2001
<i>Calyptorhynchus latirostris</i>	Short-billed Black-Cockatoo	Endangered	23	2002
<i>Eolophus roseicapillus</i>	Galah		<1	2002
<i>Nymphicus hollandicus</i>	Cockatiel		<1	2001
Campephagidae	Cuckoo-shrikes, Trillers and Minivets	(2 out of 8 species in Australia)		
<i>Coracina novaehollandiae</i>	Black-faced Cuckoo-shrike		<1	2003
<i>Lalage tricolor</i>	White-winged Triller		<1	2002
Caprimulgidae	Nightjars	(1 out of 3 species in Australia)		
<i>Eurostopodus argus</i>	Spotted Nightjar		<1	1999
Casuariidae	Cassowary and Emus	(1 out of 2 species in Australia)		
<i>Dromaius novaehollandiae</i>	Emu		<1	2003
Charadriidae	Plovers, Dotterels and Lapwings	(12 out of 15 species in Australia)		
<i>Charadrius australis</i>	Inland Plover		<1	1981
<i>Charadrius bicinctus</i>	Double-banded Plover		<1	1991
<i>Charadrius dubius</i>	Little Ringed Plover		11	1999
<i>Charadrius leschenaultii</i>	Greater Sand Plover		2	2002
<i>Charadrius mongolus</i>	Lesser Sand Plover		<1	2002
<i>Charadrius ruficapillus</i>	Red-capped Plover		1	2003
<i>Elseyonis melanops</i>	Black-fronted Dotterel		<1	2002
<i>Erythronyx cinctus</i>	Red-kneed Dotterel		<1	2001
<i>Pluvialis fulva</i>	Pacific Golden Plover		<1	2002
<i>Pluvialis squatarola</i>	Grey Plover		2	2002
<i>Thinornis rubricollis</i>	Hooded dotterel		<1	2000
<i>Vanellus tricolor</i>	Banded Lapwing		<1	2002



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Climacteridae	Treecreepers	(1 out of 6 species in Australia)		
<i>Climacteris rufa</i>	Rufous Treecreeper		6	2003
Columbidae	Pigeons and Doves	(4 out of 23 species in Australia)		
<i>Geopelia cuneata</i>	Diamond Dove		<1	1992
<i>Ocyphaps lophotes</i>	Crested Pigeon		<1	2003
<i>Phaps chalcoptera</i>	Common Bronzewing		<1	2003
<i>Phaps elegans</i>	Brush Bronzewing		1	2000
Corvidae	Crows and Jays	(2 out of 5 species in Australia)		
<i>Corvus bennetti</i>	Little Crow		<1	1981
<i>Corvus coronoides</i>	Australian Raven		<1	2004
Cuculidae	Cuckoos	(5 out of 12 species in Australia)		
<i>Cacomantis flabelliformis</i>	Fan-tailed Cuckoo		1	2003
<i>Cacomantis pallidus</i>	Pallid Cuckoo		<1	2002
<i>Chrysococcyx basalis</i>	Horsfield's Bronze-Cuckoo		<1	2001
<i>Chrysococcyx lucidus</i>	Shining Bronze-Cuckoo		2	2002
<i>Chrysococcyx osculans</i>	Black-eared Cuckoo		<1	2000
Dicaeidae	Flower-peckers	(1 out of 2 species in Australia)		
<i>Dicaeum hirundinaceum</i>	Mistletoebird		<1	2002
Dicruridae	Fan-tails, Drongos and Monarchs	(5 out of 23 species in Australia)		
<i>Grallina cyanoleuca</i>	Magpie-lark		<1	2003
<i>Myiagra inquieta</i>	Restless Flycatcher		<1	2001
<i>Rhipidura albiscapa</i>	Grey Fantail		<1	2003
<i>Rhipidura fuliginosa</i>	New Zealand Fantail		1	2003
<i>Rhipidura leucophrys</i>	Willie Wagtail		<1	2003
Diomedeidae	Albatrosses	(4 out of 5 species in Australia)		
<i>Diomedea exulans</i>	Wandering Albatross	Vulnerable	1	1987
<i>Thalassarche cauta</i>	Shy Albatross		<1	1977
<i>Thalassarche chrysostoma</i>	Grey-headed Albatross	Vulnerable	22	1990
<i>Thalassarche melanophris</i>	Black-browed Albatross		1	1986
Estrildidae	Grass Finches	(2 out of 18 species in Australia)		
<i>Stagonopleura oculata</i>	Red-eared Firetail		4	2001
<i>Taeniopygia guttata</i>	Zebra Finch		<1	1999



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Eupetidae	Whipbirds, Quail-thrushes and Jewel-babblers	(2 out of 9 species in Australia)		
<i>Cinclosoma castanotus</i>	Chestnut Quail-thrush		<1	1989
<i>Psophodes nigrogularis</i>	Western Whipbird	Vulnerable	1	1992
Falconidae	Falcons and Kestrels	(5 out of 6 species in Australia)		
<i>Falco berigora</i>	Brown Falcon		<1	2003
<i>Falco cenchroides</i>	Nankeen Kestrel		<1	2004
<i>Falco longipennis</i>	Australian Hobby		<1	2004
<i>Falco peregrinus</i>	Peregrine Falcon		<1	2001
<i>Falco subniger</i>	Black Falcon		<1	1976
Glareolidae	Pratincoles	(1 out of 2 species in Australia)		
<i>Glareola maldivarum</i>	Oriental Pratincole		2	1981
Haematopodidae	Oystercatchers	(2 out of 2 species in Australia)		
<i>Haematopus fuliginosus</i>	Sooty Oystercatcher		<1	2001
<i>Haematopus longirostris</i>	Pied Oystercatcher		<1	2002
Hirundinidae	Swallows and Martins	(4 out of 6 species in Australia)		
<i>Cheramoeca leucosternus</i>	White-backed Swallow		<1	2001
<i>Hirundo neoxena</i>	Welcome Swallow		<1	2003
<i>Petrochelidon ariel</i>	Fairy Martin		<1	2002
<i>Petrochelidon nigricans</i>	Tree Martin		1	2003
Hydrobatidae	Storm-petrels	(1 out of 3 species in Australia)		
<i>Pelagodroma marina</i>	White-faced Storm-Petrel		2	1981
Laridae	Gulls, Terns, Skuas and Jaegers	(11 out of 18 species in Australia)		
<i>Chlidonias hybridus</i>	Whiskered Tern		<1	2002
<i>Chroicocephalus novaehollandiae</i>	Silver Gull		<1	2005
<i>Gelochelidon nilotica</i>	Gull-billed Tern		<1	1998
<i>Larus dominicanus</i>	Kelp Gull		<1	1966
<i>Larus pacificus</i>	Pacific Gull		<1	2005
<i>Onychoprion anaethetus</i>	Bridled Tern		6	2005
<i>Onychoprion fuscata</i>	Sooty Tern		3	2004
<i>Sterna albifrons</i>	Little Tern		<1	1967
<i>Sterna caspia</i>	Caspian Tern		<1	2002
<i>Sterna hirundo</i>	Common Tern		<1	1956
<i>Thalasseus bergii</i>	Crested Tern		1	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Maluridae	Fairy-wrens and Grasswrens	(6 out of 22 species in Australia)		
Malurus elegans	Red-winged Fairy-wren		11	2002
Malurus lamberti	Variegated Fairy-wren		<1	2003
Malurus leucopterus	White-winged Fairy-wren		<1	2003
Malurus pulcherrimus	Blue-breasted Fairy-wren		<1	2001
Malurus splendens	Splendid Fairy-wren		3	2003
Stipiturus malachurus	Southern Emu-wren		1	2000
Megapodiidae	Mound-builders	(1 out of 3 species in Australia)		
Leipoa ocellata	Malleefowl	Vulnerable	<1	1973
Meliphagidae	Honeyeaters and Australian Chats	(19 out of 72 species in Australia)		
Acanthagenys rufogularis	Spiny-cheeked Honeyeater		<1	2001
Acanthorhynchus superciliosus	Western Spinebill		16	2003
Anthochaera carunculata	Red Wattlebird		2	2004
Anthochaera lunulata	Western Wattlebird		45	2003
Epthianura albifrons	White-fronted Chat		1	2002
Epthianura aurifrons	Orange Chat		<1	
Epthianura tricolor	Crimson Chat		<1	1981
Gliciphila melanops	Tawny-crowned Honeyeater		3	2003
Lichenostomus leucotis	White-eared Honeyeater		<1	1999
Lichenostomus ornatus	Yellow-plumed Honeyeater		1	2003
Lichenostomus plumulus	Grey-fronted Honeyeater		<1	1990
Lichenostomus virescens	Singing Honeyeater		<1	2004
Lichmera indistincta	Brown Honeyeater		2	2004
Manorina flavigula	Yellow-throated Miner		<1	2003
Melithreptus brevirostris	Brown-headed Honeyeater		<1	2002
Melithreptus lunatus	White-naped Honeyeater		1	2002
Phylidonyris nigra	White-cheeked Honeyeater		6	2005
Phylidonyris novaehollandiae	New Holland Honeyeater		3	2005
Purnella albifrons	White-fronted Honeyeater		<1	1994
Meropidae	Rainbow Bee-eater	(1 out of 1 species in Australia)		
Merops ornatus	Rainbow Bee-eater		<1	2002
Motacillidae	Pipits and Wagtails	(1 out of 5 species in Australia)		
Anthus australis	Australian Pipit		<1	2003
Neosittidae	Australian Sittella	(1 out of 1 species in Australia)		
Daphoenositta chrysoptera	Varied Sittella		1	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Otididae	Australian Bustard	(1 out of 1 species in Australia)		
<i>Ardeotis australis</i>	Australian Bustard		<1	1980
Pachycephalidae	Whistlers, Shrike-thrushes and Allies	(6 out of 16 species in Australia)		
<i>Colluricincla harmonica</i>	Grey Shrike-thrush		<1	2003
<i>Falcunculus frontatus</i>	Eastern Shrike-tit		<1	2002
<i>Oreoica gutturalis</i>	Crested Bellbird		<1	2000
<i>Pachycephala inornata</i>	Gilbert's Whistler		<1	1994
<i>Pachycephala pectoralis</i>	Golden Whistler		1	2002
<i>Pachycephala rufiventris</i>	Rufous Whistler		<1	2003
Pardalotidae	Pardalotes	(2 out of 4 species in Australia)		
<i>Pardalotus punctatus</i>	Spotted Pardalote		<1	2002
<i>Pardalotus striatus</i>	Striated Pardalote		<1	2003
Pelecanidae	Pelicans	(1 out of 1 species in Australia)		
<i>Pelecanus conspicillatus</i>	Australian Pelican		<1	2002
Petroicidae	Australasian Robins	(8 out of 23 species in Australia)		
<i>Drymodes brunneopygia</i>	Southern Scrub-robin		<1	2001
<i>Eopsaltria australis</i>	Eastern Yellow Robin		<1	2003
<i>Eopsaltria georgiana</i>	White-breasted Robin		7	2003
<i>Eopsaltria griseogularis</i>	Western Yellow Robin		4	2002
<i>Melanodryas cucullata</i>	Hooded Robin		<1	2001
<i>Microeca fascinans</i>	Jacky Winter		<1	2001
<i>Petroica boodang</i>	Scarlet Robin		<1	2003
<i>Petroica goodenovii</i>	Red-capped Robin		<1	2003
Phaethonitidae	Tropicbirds	(1 out of 2 species in Australia)		
<i>Phaethon rubricauda</i>	Redtailed Tropicbird		3	1992
Phalacrocoracidae	Cormorants and Shags	(5 out of 6 species in Australia)		
<i>Microcarbo melanoleucos</i>	Little Pied Cormorant		<1	2002
<i>Phalacrocorax carbo</i>	Great Cormorant		<1	2002
<i>Phalacrocorax fuscescens</i>	Black-faced Cormorant		<1	2001
<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant		<1	2002
<i>Phalacrocorax varius</i>	Pied Cormorant		<1	2003
Phasianidae	Quail, Fowl and Allies	(2 out of 3 species in Australia)		
<i>Coturnix pectoralis</i>	Stubble Quail		<1	2002
<i>Coturnix ypsilophora</i>	Brown Quail		<1	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Podargidae	Frogmouths	(1 out of 3 species in Australia)		
Podargus strigoides	Tawny Frogmouth		<1	2003
Podicipedidae	Grebes	(3 out of 3 species in Australia)		
Podiceps cristatus	Great Crested Grebe		1	2002
Poliiocephalus poliocephalus	Hoary-headed Grebe		<1	2002
Tachybaptus novaehollandiae	Australasian Grebe		<1	2002
Pomatostomidae	Australasian Babblers	(1 out of 4 species in Australia)		
Pomatostomus superciliosus	White-browed Babbler		<1	2001
Procellariidae	Fulmars, Petrels, Prions and Shearwaters	(14 out of 22 species in Australia)		
Ardenna carneipes	Flesh-footed Shearwater		1	1999
Ardenna grisea	Sooty Shearwater		1	1989
Ardenna pacificus	Wedge-tailed Shearwater		3	2002
Daption capense	Cape Petrel		7	1999
Halobaena caerulea	Blue Petrel	Vulnerable	10	1999
Macronectes giganteus	Southern Giant-Petrel	Endangered	4	2001
Macronectes halli	Northern Giant-Petrel	Vulnerable	4	2002
Pachyptila desolata	Antarctic Prion		6	2000
Pachyptila turtur	Fairy Prion	Vulnerable	1	1993
Pachyptila vittata	Broad-billed Prion		10	1990
Pelecanoides urinatrix	Common Diving-Petrel		<1	1998
Pterodroma lessonii	White-headed Petrel		3	1999
Pterodroma macroptera	Great-winged Petrel		4	1989
Puffinus assimilis	Little Shearwater		9	2000
Psittacidae	Parrots	(11 out of 39 species in Australia)		
Barnardius zonarius	Australian Ringneck		1	2003
Glossopsitta porphyrocephala	Purple-crowned Lorikeet		2	2001
Melopsittacus undulatus	Budgerigar		<1	2002
Neophema elegans	Elegant Parrot		3	2003
Neophema petrophila	Rock Parrot		2	2002
Northiella haematogaster	Bluebonnet		<1	1989
Platycercus icterotis	Western Rosella		8	2002
Polytelis anthopeplus	Regent Parrot		3	2002
Psephotus varius	Mulga Parrot		<1	1994
Purpureicephalus spurius	Red-capped Parrot		15	2003
Trichoglossus haematodus	Rainbow Lorikeet		<1	2001
Ptilonorhynchidae	Bowerbirds	(1 out of 9 species in Australia)		
Ptilonorhynchus guttatus	Western Bowerbird		<1	1990

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Rallidae	Crakes, Moorhens, Rails and Allies	(8 out of 16 species in Australia)		
<i>Fulica atra</i>	Eurasian Coot		<1	2002
<i>Gallinula tenebrosa</i>	Dusky Moorhen		<1	2002
<i>Gallinula ventralis</i>	Black-tailed Native-hen		<1	2001
<i>Gallirallus philippensis</i>	Buff-banded Rail		2	2005
<i>Porphyrio porphyrio</i>	Purple Swamphen		1	2002
<i>Porzana fluminea</i>	Australian Spotted Crake		1	2002
<i>Porzana pusilla</i>	Baillon's Crake		1	2002
<i>Porzana tabuensis</i>	Spotless Crake		3	2003
Recurvirostridae	Stilts and Avocet	(3 out of 3 species in Australia)		
<i>Cladorhynchus leucocephalus</i>	Banded Stilt		3	2002
<i>Himantopus himantopus</i>	Black-winged Stilt		<1	2002
<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet		1	2002
Scolopacidae	Waders (Snipe, Godwits, Curlew, Sandpipers and Allies)	(24 out of 31 species in Australia)		
<i>Actitis hypoleucos</i>	Common Sandpiper		1	2002
<i>Arenaria interpres</i>	Ruddy Turnstone		2	2002
<i>Calidris acuminata</i>	Sharp-tailed Sandpiper		<1	2002
<i>Calidris alba</i>	Sanderling		3	2002
<i>Calidris canutus</i>	Red Knot		2	2002
<i>Calidris ferruginea</i>	Curlew Sandpiper		1	2002
<i>Calidris melanotos</i>	Pectoral Sandpiper		2	2002
<i>Calidris ruficollis</i>	Red-necked Stint		1	2004
<i>Calidris subminuta</i>	Long-toed Stint		3	2001
<i>Calidris tenuirostris</i>	Great Knot		1	2002
<i>Heteroscelus brevipes</i>	Grey-tailed Tattler		<1	2002
<i>Limicola falcinellus</i>	Broad-billed Sandpiper		1	1987
<i>Limosa lapponica</i>	Bar-tailed Godwit		1	2002
<i>Limosa limosa</i>	Black-tailed Godwit		1	2001
<i>Numenius madagascariensis</i>	Eastern Curlew		<1	2000
<i>Numenius minutus</i>	Little Curlew		<1	1964
<i>Numenius phaeopus</i>	Whimbrel		<1	2002
<i>Phalaropus lobatus</i>	Red-necked Phalarope		7	2002
<i>Philomachus pugnax</i>	Ruff		3	2001
<i>Tringa glareola</i>	Wood Sandpiper		2	2002
<i>Tringa nebularia</i>	Common Greenshank		1	2002
<i>Tringa stagnatilis</i>	Marsh Sandpiper		<1	2002
<i>Tringa totanus</i>	Common Redshank		3	1994
<i>Xenus cinereus</i>	Terek Sandpiper		1	2000

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Spheniscidae	Penguins	(3 out of 6 species in Australia)		
<i>Aptenodytes patagonicus</i>	King Penguin		5	1989
<i>Eudyptes chrysocome</i>	Rockhopper Penguin		9	1977
<i>Eudyptula minor</i>	Little Penguin		1	2004
Strigidae	Hawk-type Owls	(2 out of 5 species in Australia)		
<i>Ninox connivens</i>	Barking Owl		<1	2002
<i>Ninox novaeseelandiae</i>	Southern Boobook		<1	2002
Sylviidae	Old World Warblers	(4 out of 9 species in Australia)		
<i>Acrocephalus australis</i>	Australian Reed-Warbler		<1	2002
<i>Cincloramphus cruralis</i>	Brown Songlark		<1	2002
<i>Cincloramphus mathewsi</i>	Rufous Songlark		<1	2001
<i>Megalurus gramineus</i>	Little Grassbird		<1	2002
Threskiornithidae	Ibis and Spoonbills	(5 out of 5 species in Australia)		
<i>Platalea flavipes</i>	Yellow-billed Spoonbill		<1	2002
<i>Platalea regia</i>	Royal Spoonbill		<1	2002
<i>Plegadis falcinellus</i>	Glossy Ibis		<1	2002
<i>Threskiornis molucca</i>	Australian White Ibis		<1	2002
<i>Threskiornis spinicollis</i>	Straw-necked Ibis		<1	2002
Turnicidae	Button-quail	(2 out of 7 species in Australia)		
<i>Turnix varia</i>	Painted Button-quail		1	2002
<i>Turnix velox</i>	Little Button-quail		<1	1999
Tytonidae	Barn-type Owls	(2 out of 6 species in Australia)		
<i>Tyto alba</i>	Barn Owl		<1	2005
<i>Tyto novaehollandiae</i>	Masked Owl		<1	2005
Zosteropidae	White-eyes (Silvereyes)	(1 out of 6 species in Australia)		
<i>Zosterops lateralis</i>	Silvereye		2	2004



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Mammalia				
Burramyidae				
	Pygmy-possums	(1 out of 5 species in Australia)		
<i>Cercartetus concinnus</i>	Western pygmy-possum		3	
Dasyuridae				
	Dasyurids (Quolls, Antechinus, Dunnarts and Allies)	(8 out of 55 species in Australia)		
<i>Antechinus flavipes</i>	Yellow-footed antechinus		<1	2001
<i>Dasyurus geoffroii</i>	Western quoll	Vulnerable	19	2001
<i>Phascogale tapoatafa</i>	Brush-tailed phascogale		2	2006
<i>Sminthopsis crassicaudata</i>	Fat-tailed dunnart		<1	1972
<i>Sminthopsis dolichura</i>	Little long-tailed dunnart		2	2002
<i>Sminthopsis gilberti</i>	Gilbert's dunnart		12	2002
<i>Sminthopsis griseoventer</i>	Grey-bellied dunnart	Vulnerable	7	2004
<i>Sminthopsis murina</i>	Common dunnart		<1	
Macropodidae				
	Wallabies, Kangaroos and Tree-kangaroos	(6 out of 41 species in Australia)		
<i>Macropus eugenii</i>	Tammar wallaby		5	1998
<i>Macropus fuliginosus</i>	Western grey kangaroo		1	2003
<i>Macropus irma</i>	Western brush wallaby		19	2003
<i>Macropus robustus</i>	Common wallaroo		<1	
<i>Petrogale assimilis</i>	Allied rock-wallaby		<1	
<i>Setonix brachyurus</i>	Quokka	Vulnerable	9	1995
Molossidae				
	Free-tailed Bats	(2 out of 11 species in Australia)		
<i>Mormopterus planiceps</i>	Little mastiff-bat		<1	1986
<i>Tadarida australis</i>	White-striped Freetail Bat, White-striped		<1	1990
Muridae				
	Rats and Mice	(3 out of 60 species in Australia)		
<i>Hydromys chrysogaster</i>	Water-rat		<1	1983
<i>Pseudomys albocinereus</i>	Ash-grey Mouse		7	2000
<i>Rattus fuscipes</i>	Bush Rat		<1	2000
Myrmecobiidae				
	Numbat	(1 out of 1 species in Australia)		
<i>Myrmecobius fasciatus</i>	Numbat	Vulnerable	8	1976
Otariidae				
	Eared Seals	(1 out of 5 species in Australia)		
<i>Neophoca cinerea</i>	Australian sea-lion	Vulnerable	3	2002
Peramelidae				
	Bandicoots and Spiny Bandicoot	(1 out of 7 species in Australia)		
<i>Isodon obesulus</i>	Southern brown bandicoot	Endangered	6	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Phalangeridae	Brush-tail Possums, Cuscuses and Scaly-tailed Possum	(1 out of 6 species in Australia)		
<i>Trichosurus vulpecula</i>	Common brushtail possum		<1	2003
Phocidae	True Seals	(1 out of 4 species in Australia)		
<i>Hydrurga leptonyx</i>	Leopard seal		3	1977
Tachyglossidae	Echidna	(1 out of 1 species in Australia)		
<i>Tachyglossus aculeatus</i>	Short-beaked Echidna		<1	2003
Tarsipedidae	Honey Possum	(1 out of 1 species in Australia)		
<i>Tarsipes rostratus</i>	Honey-possum		11	2003
Thylacomyidae	Bilbies	(1 out of 1 species in Australia)		
<i>Macrotis lagotis</i>	Bilby	Vulnerable	<1	
Vespertilionidae	Vespertilionid Bats	(7 out of 37 species in Australia)		
<i>Chalinolobus gouldii</i>	Gould's wattled bat		<1	2001
<i>Chalinolobus morio</i>	Chocolate wattled bat		<1	1986
<i>Nyctophilus geoffroyi</i>	Lesser long-eared bat		<1	2002
<i>Nyctophilus gouldi</i>	Gould's long-eared bat		<1	1995
<i>Nyctophilus timoriensis</i>	Greater Long-eared Bat		2	1964
<i>Scotorepens balstoni</i>	Inland Broad-nosed Bat		<1	1969
<i>Vespadelus regulus</i>	Southern Forest Bat		2	1986



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Reptilia				
Agamidae				
	Dragon lizards	(6 out of 70 species in Australia)		
<i>Ctenophorus cristatus</i>	Bicycle Lizard		<1	
<i>Ctenophorus ornatus</i>	Ornate Dragon		10	2002
<i>Ctenophorus reticulatus</i>	Western Netted Dragon		<1	1958
<i>Moloch horridus</i>	Thorny Devil		1	1955
<i>Pogona minor</i>	Dwarf Bearded Dragon		<1	2002
<i>Rankinia adelaidensis</i>	Western Heath Dragon		16	2003
Boidae				
	Pythons	(2 out of 14 species in Australia)		
<i>Antaresia stimsoni</i>	Stimsons Python		3	2004
<i>Morelia spilota</i>	Python		2	2003
Chelidae				
	Side-necked Tortoises	(2 out of 26 species in Australia)		
<i>Chelodina oblonga</i>	Oblong Long-necked Turtle		43	2003
<i>Pseudemydura umbrina</i>	Western Swamp Turtle	Critically endangered	100	1980
Elapidae				
	Front fang snakes	(19 out of 90 species in Australia)		
<i>Acanthophis antarcticus</i>	Common Death Adder		2	1996
<i>Brachyuropis fasciolatus</i>	Narrow-banded Snake		11	1996
<i>Brachyuropis semifasciatus</i>	Half-girdled Snake		17	2003
<i>Demansia psammophis</i>	Yellow-faced Whipsnake		2	2000
<i>Echiopsis curta</i>	Bardick		10	2003
<i>Elapognathus coronata</i>	Crowned Snake		7	1994
<i>Elapognathus minor</i>	Short-nosed Snake		9	
<i>Neelaps bimaculatus</i>	Western Black-napped Snake		28	2003
<i>Neelaps calonotus</i>	Western Black-Striped Snake		80	2003
<i>Notechis scutatus</i>	Tiger Snake		<1	
<i>Parasuta gouldii</i>	Black-headed Snake		22	2003
<i>Parasuta monachus</i>	Monk Snake		<1	
<i>Parasuta nigriceps</i>	Mitchell's Short-tailed Snake		5	2003
<i>Pseudechis australis</i>	King Brown Snake		2	2003
<i>Pseudonaja affinis</i>	Dugite		14	2003
<i>Pseudonaja modesta</i>	Ringed Brown Snake		1	1964
<i>Pseudonaja nuchalis</i>	Gwardar		2	1992
<i>Simoselaps bertholdi</i>	Jans Banded Snake		7	2003
<i>Simoselaps littoralis</i>	West Coast Banded Snake		1	1961



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Gekkonidae	Geckos		(12 out of 114 species in Australia)	
<i>Christinus marmoratus</i>	Marbled Gecko		3	2003
<i>Crenadactylus ocellatus</i>	Clawless Gecko		6	2005
<i>Diplodactylus granariensis</i>	Western Stone Gecko		6	2003
<i>Diplodactylus polyophthalmus</i>	Speckled Stone Gecko		38	2001
<i>Diplodactylus pulcher</i>	Stone Gecko		3	1985
<i>Gehyra variegata</i>	Tree Dtella		<1	2002
<i>Heteronotia binoei</i>	Bynoes Gecko		<1	1985
<i>Lucasium alboguttatum</i>	White-spotted Ground Gecko		7	1994
<i>Lucasium maini</i>	Mains Stone Gecko		<1	
<i>Oedura reticulata</i>	Reticulated Velvet Gecko		6	2003
<i>Strophurus spinigerus</i>	Soft Spiny-tailed Gecko		16	2004
<i>Underwoodisaurus milii</i>	Thick-tailed Gecko		3	2003
Pygopodidae	Legless lizards		(9 out of 38 species in Australia)	
<i>Aclys concinna</i>	Javelin Legless-lizard		27	
<i>Aprasia pulchella</i>	Granite Worm-Lizard		27	2003
<i>Aprasia repens</i>	Sand-plain Worm-Lizard		29	2003
<i>Delma fraseri</i>	Frasers Legless-lizard		14	2003
<i>Delma grayii</i>	Grays Legless-lizard		40	2003
<i>Lialis burtonis</i>	Burtons Legless Lizard		3	2004
<i>Pletholax gracilis</i>	Keeled Legless-lizard		38	2003
<i>Pygopus lepidopodus</i>	Common Scaly-foot		3	2003
<i>Pygopus nigriceps</i>	Western Hooded Scaly-foot		<1	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Scincidae	Skinks		(38 out of 393 species in Australia)	
<i>Acritoscincus trilineatus</i>	Western Three-lined Skink		20	2003
<i>Cryptoblepharus plagiocephalus</i>	Slant-headed Fence-skink		3	2003
<i>Ctenotus australis</i>	Western Limestone Comb-eared Skink		33	2003
<i>Ctenotus delli</i>	Dells Comb-eared Skink		39	2002
<i>Ctenotus fallens</i>	Southern Laterite Comb-eared Skink		26	2004
<i>Ctenotus gemmula</i>	Jewelled Comb-eared Skink		14	1979
<i>Ctenotus impar</i>	Odd-striped Comb-eared Skink		8	1999
<i>Ctenotus labillardieri</i>	Labillardiers Comb-eared Skink		9	2002
<i>Ctenotus lanceolini</i>	Lancelin Comb-eared Skink	Vulnerable	100	1996
<i>Ctenotus pantherinus</i>	Panther Comb-eared Skink		<1	2003
<i>Ctenotus schomburgkii</i>	Schomburgks Comb-eared Skink		<1	2003
<i>Cyclodomorphus branchialis</i>	Gilled Slender Blue-tongue		15	
<i>Cyclodomorphus celatus</i>	Slender Western Blue-tongue		17	2000
<i>Egernia formosa</i>	Skink		1	
<i>Egernia kingii</i>	Kings Skink		19	1985
<i>Egernia luctuosa</i>	Skink		6	1968
<i>Egernia napoleonis</i>	Skink		16	2003
<i>Eremiascincus richardsonii</i>	Broad-banded Sand Swimmer		2	2002
<i>Hemiergis initialis</i>	South-west Earless-skink		7	2005
<i>Hemiergis peronii</i>	Perons Earless-skink		1	1982
<i>Hemiergis quadrilineatum</i>	Two-toed Earless-skink		47	2001
<i>Lerista christinae</i>	Christinas Slider		60	2000
<i>Lerista distinguenda</i>	Slider		9	2003
<i>Lerista elegans</i>	Elegant Slider		17	2003
<i>Lerista lineata</i>	Striped Slider		78	2003
<i>Lerista lineopunctulata</i>	Striped and Dotted Slider		15	2000
<i>Lerista macropisthopus</i>	Slider		<1	
<i>Lerista microtis</i>	Slider		1	1962
<i>Lerista muelleri</i>	Muellers Slider		<1	
<i>Lerista praepedita</i>	Slider		18	2004
<i>Liopholis inornata</i>	Desert Skink		<1	
<i>Liopholis multiscutata</i>	Southern Sand-skink		6	2003
<i>Liopholis pulchra</i>	South-western Rock-skink		5	2002
<i>Menetia greyii</i>	Common Dwarf-skink		2	2003
<i>Morethia lineoocellata</i>	Skink		15	2003
<i>Morethia obscura</i>	Skink		5	2003
<i>Tiliqua occipitalis</i>	Western Blue-tongue		4	1992
<i>Tiliqua rugosus</i>	Shingleback		2	2004
Typhlopidae	Worm-snakes and Blind-		(3 out of 40 species in Australia)	
	Snakes			
<i>Ramphotyphlops australis</i>	Southern Blind-snake		11	2003
<i>Ramphotyphlops pinguis</i>	Fat Blind-snake		26	2004
<i>Ramphotyphlops waitii</i>	Waits Blind-snake		10	1999

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Varanidae	Monitors		(3 out of 26 species in Australia)	
Varanus gouldii	Sand Monitor		<1	2004
Varanus rosenbergi	Heath Monitor		1	1988
Varanus tristis	Black-headed Monitor		3	1999



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Invertebrate fauna			
Amphipoda			
Paramelitidae			
(2 out of 43 species in Australia)			
Hurleya kalamundae		100	2001
Uroctena affinis		100	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Araneae				
Actinopodidae				
	Two-doored Trapdoor		(4 out of 31 species in Australia)	
	Spiders			
Missulena 0	South West Missulena Trapdoor		46	1990
Missulena granulosa	Cambridges Missulena Trapdoor		26	2001
Missulena wa_bassendean	Bassendean Missulena Trapdoor		100	1950
Missulena wa_gran_387	Bold Park Missulena Trapdoor		100	1993
Barychelidae				
	Brush-footed Trapdoor		(12 out of 134 species in Australia)	
	Spiders			
Aureocrypta lugubris	South-west Brush-footed Trapdoor		50	
Idiommata blackwalli	Blackwalls Brush-footed Trapdoor		50	1953
Idiommata wa_33s118	Brush-footed Trapdoor		20	1993
Idiommata wa_flaretip	Flare-tipped Brush-footed Trapdoor		7	1989
Idiommata wa_goldenhair	Golden Brush-footed Trapdoor		71	2000
Idiommata wa_wansborough	Wansborough Brush-footed Trapdoor		67	1992
Mandjelia humphreysi	Humpreys Brush-footed Trapdoor		17	1977
Synothele durokoppin	Durokoppin Brush-footed Trapdoor		33	1993
Synothele lowei	Lowes Brush-footed Trapdoor		100	1974
Synothele michaelseni	Michaelsens Brush-footed Trapdoor		71	1994
Synothele mullaloo	Mullaloo Brush-footed Trapdoor		100	1994
Synothele taurus	Bull Brush-footed Trapdoor		100	1981
Dipluridae				
	Funnel-web-like Spiders		(1 out of 40 species in Australia)	
Cethegus fugax	South-west Funnel-web		19	1971
Idiopidae				
	Trapdoor Spiders		(18 out of 153 species in Australia)	
Aganippe coastal plain sp	Tuart Trapdoor		100	1993
Aganippe cupulifex	Chittering Lakes Trapdoor		67	1966
Aganippe proto-idiosoma	Wexcombe Trapdoor		100	1993
Aganippe proto-idiosoma sp1	Trapdoor Spider		50	2001
Aganippe raphiduca	Trapdoor Spider		46	1995
Aganippe raphiduca sp grp	Trapdoor Spider		12	1998
Arbanitis inornatus	Bedfordale Trapdoor		100	1987
Eucyrtops latior	Trapdoor Spider		43	1988
Eucyrtops latior spp grp sp nov	Trapdoor Spider		50	1996
Eucyrtops riparia	Creekline Trapdoor		25	1963
Eucyrtops wa_2_jarrahdale_latior	Trapdoor Spider		10	1989
Gaius villosus	Trapdoor Spider		2	1960
Gen Nov sp	Trigg Dune Bush Trapdoor		100	1995
Idiosoma hills	Walyunga Trapdoor		80	2000
Idiosoma hirsutum	Como Trapdoor		100	1989
Idiosoma nov	Talbot Road Trapdoor		100	1993
Idiosoma sigillatum	Trapdoor Spider		59	2001
Idiosoma sigillatum_hill1	Hills Airport Trapdoor		100	1993

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Lycosidae			
Wolf Spiders		(22 out of 149 species in Australia)	
Allotrochosina karri		25	2003
Artoria cingulipes		2	1971
Artoria flavimana		13	2006
Artoria linnaei		61	2006
Artoria taeniifera		33	1970
Artoriopsis eccentrica		20	1993
Artoriopsis joergi		18	1994
Dingosa murata		20	1993
Dingosa serrata		25	2006
Hogna crispipes		5	2005
Hogna immansueta		18	2007
Hogna kuyani		1	1960
Lycosa ariadnae		5	1971
Lycosa australicola		8	2003
Lycosa godeffroyi		2	2009
Lycosa koyuga		33	2003
Lycosa leuckartii		7	2005
Lycosa properipes		50	1998
Lycosa storri		4	1999
Tetrallycosa oraria		9	2005
Trochosa tristicula		10	1998
Venatrix pullastra		24	2005



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Nemesiidae	Funnel-web Spiders		(27 out of 227 species in Australia)	
Aname coastal plain	Bold Park Funnel-web Spider		100	1993
Aname false black wish-bone	False Black-wishbone Funnel-web Spider		100	1994
Aname fuscocincta	Kalamunda Funnel-web Spider		100	
Aname kwonkoides spp grp	Mount Claremont Funnel-web Spider		100	1994
Aname mainae	Mains Funnel-web Spider		24	2001
Aname mainae?	Mains Funnel-web Spider		21	1999
Aname metropolitan	Swan Coast Funnel-web Spider		100	1987
Aname nov	Funnel-web Spider		8	1996
Aname wa	Shenton Funnel-web Spider		100	1999
Aname wa_armadale1	Armadale Funnel-web Spider		50	1990
Aname wa_geraldton_acute	Geraldton Funnel-web Spider		11	2000
Aname wa_kalgoorlie	Kalgoorlie Funnel-web Spider		40	1989
Aname wa_kimberley2	Western Funnel-web Spider		36	1991
Aname wa_m_rast	Funnel-web Spider		40	1982
Aname wa_marloo	Marloo Funnel-web Spider		17	1991
Aname wa_mclarty	Mclarty Funnel-web Spider		11	1985
Aname wa_streich	Streich Mound Funnel-web Spider		50	1988
Aname wa_tomprice	Gairdner Range Funnel-web Spider		33	1980
Aname wa_uwa	Funnel-web Spider		29	1999
Chenistonia b	Mount Helena Funnel-web Spider		50	1983
Chenistonia tepperi	Teppers Funnel-web Spider		11	1997
Kwonkan wa_gelorum	Gelorum Funnel-web		31	1998
Teyl 1	Ballidu Funnel-web		14	2002
Teyl luculentus	Bruce Rock Funnel-web		4	2002
Teyl nov	Many Peaks Funnel-web		30	1994
Teyl sp	Funnel-web		9	2002
Teyl waldockae	Waldcocks Funnel-web		100	1994
Sparassidae	Huntsmen Spiders		(1 out of 119 species in Australia)	
	(formerly Heteropodidae)			
Isopeda leishmanni	Leishmanns Huntsman Spider		3	2000
Theraphosidae	Bird-eating Trapdoor Spiders		(1 out of 20 species in Australia)	
Selenocosmia sp.	Bird-eating Trapdoor		3	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Basommatophora				
Ancylidae				
Freshwater Limpets (1 out of 3 species in Australia)				
<i>Ferrissia petterdi</i>	Freshwater Limpet		<1	1999
Glacidorbidae				
Freshwater Snails (1 out of 23 species in Australia)				
<i>Glacidorbis occidentalis</i>	Freshwater Snail		25	1982
Lymnaeidae				
Eutrophic Freshwater Snails (2 out of 4 species in Australia)				
<i>Austropeplea caurina</i>	Freshwater Snail		<1	1995
<i>Austropeplea lessoni</i>	Lessons Eutrophic Freshwater Snail		<1	1995
Planorbidae				
Freshwater Snails (2 out of 71 species in Australia)				
<i>Glyptophysa georgiana</i>	King Georges Freshwater Snail		21	1997
<i>Isidorella newcombi</i>	Newcombs Freshwater Snail		<1	1980
Bivalvia				
Hyriidae				
Freshwater Mussels (1 out of 21 species in Australia)				
<i>Westralunio carteri</i>	Carters Freshwater Mussel		45	1971
Caenogastropoda				
Hydrobiidae				
Freshwater Operculate Snails (2 out of 330 species in Australia)				
<i>Tatea preissii</i>	Swan River Estuarine Snail		100	1985
<i>Westrapyrgus slacksmithae</i>	Slacksmiths Freshwater Snail		100	1987
Pomatiopsidae				
Salt-lake Snails (2 out of 14 species in Australia)				
<i>Coxiella 1</i>	Saltlake Snail		33	1973
<i>Coxiella striatula</i>	Salt-lake Snail		24	1999
Thiaridae				
Freshwater Horny Operculate Snails (1 out of 16 species in Australia)				
<i>Thiara balonnensis</i>	Balonne Freshwater Snail		1	1987



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Coleoptera			
Carabidae			
Ground Beetles (25 out of 2305 species in Australia)			
Agonocheila fasciata		Lepitid Ground Beetle	100
Carenum smaragdulum		Scaritid Ground Beetle	50
Cerotalis substriata		Ground Beetle	20
Chlaenius greyanus		Greys Ground Beetle	50 1960
Demetrida elongata		Lepitid Ground Beetle	100
Euthenarus comes		South-west Harpalitid Ground Beetle	100
Gnathoxys crassipes		Ground Beetle	100
Gnathoxys granularis		Ground Beetle	33
Gnathoxys insignitus		Ground Beetle	50
Homethes sericeus		Odacanthid Ground Beetle	33
Lecanomerus verticalis		Harpalitid Ground Beetles	25
Notagonum submetallicum		Pterostichid Ground Beetle	3
Notiobia dampierii		Harpalitid Ground Beetles	50
Notiobia inaequalipennis		Harpalitid Ground Beetles	50
Platycoelus prolixus		Pterostichid Ground Beetle	4
Platylytron amplipenne		Ground Beetle	33
Promecoderus albanensis		Albanys Ground Beetle	100
Promecoderus distinctus		Ground Beetle	67
Sarothrocrepis parvicollis		Masoreitid Ground Beetle	50
Scaraphites humeralis		Scaritid Ground Beetle	100
Scaraphites silenus		Scaritid Ground Beetle	50
Sphallomorpha atrata		Pseudomorphinid Ground Beetle	100
Sphallomorpha castelnaui		Pseudomorphinid Ground Beetle	5
Sphallomorpha fallax		Dwarf Pseudomorphinid Ground Beetle	7 1953
Sphallomorpha hydroporoides		Pseudomorphinid Ground Beetle	11 1987



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Dytiscidae	Dytiscidine Water Beetles		(29 out of 302 species in Australia)	
<i>Allodessus bistrigatus</i>	Water Beetle		4	2000
<i>Antiporus femoralis</i>	Water Beetle		10	1996
<i>Antiporus gilbertii</i>	Gilberts Water Beetle		3	1996
<i>Antiporus hollingsworthi</i>	Hollingsworths Water Beetle		50	1990
<i>Copelatus ater</i>	Water Beetle		18	2000
<i>Cybister tripunctatus</i>	Water Beetle		1	1991
<i>Eretes australis</i>	Australian Water Beetle		<1	1981
<i>Hyderodes crassus</i>	Water Beetle		50	1958
<i>Hyphydrus elegans</i>	Elegant Water Beetle		2	1996
<i>Lancetes lanceolatus</i>	Lanceolate Water Beetle		8	1996
<i>Limbodessus dispar</i>	Water Beetle		18	1962
<i>Limbodessus inornatus</i>	Water Beetle		23	2000
<i>Limbodessus shuckardii</i>	Shuckyards Water Beetle		3	2003
<i>Megaporus howittii</i>	Howitts Water Beetle		8	2000
<i>Megaporus solidus</i>	Water Beetle		25	1996
<i>Necterosoma darwini</i>	Darwins Water Beetle		15	1996
<i>Necterosoma penicillatum</i>	Water Beetle		2	1996
<i>Onychohydrus scutellaris</i>	Water Beetle		2	1981
<i>Paroster couragei</i>	Water Beetle		50	2003
<i>Paroster niger</i>	Black Water Beetle		44	1996
<i>Paroster pallescens</i>	Water Beetle		40	2000
<i>Platynectes aenescens</i>	Water Beetle		41	1996
<i>Platynectes decempunctatus</i>	Water Beetle		2	1996
<i>Rhantus suturalis</i>	Water Beetle		5	1996
<i>Spencerhydrus pulchellus</i>	Water Beetle		14	2000
<i>Sternopriscus browni</i>	Browns Water Beetle		27	2000
<i>Sternopriscus marginatus</i>	Water Beetle		33	1959
<i>Sternopriscus multimaculatus</i>	Multi-spotted Water Beetle		2	1996
<i>Sternopriscus wattsi</i>	Watts Water Beetle		25	1962
Hydrophilidae	Water Beetle		(2 out of 206 species in Australia)	
<i>Chledocyon marmoratus</i>	Terrestrial Beetle		9	1965
<i>Chledocyon semiopacus</i>	Terrestrial Beetle		8	1980



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Diptera				
Asilidae				
	Robber Flies	(2 out of 360 species in Australia)		
Chrysopogon albopunctatus			9	1958
Chrysopogon albosetosus			50	1958
Mydidae				
	Mydas Flies, Wasp-mimic Flies	(1 out of 42 species in Australia)		
Neorhapiomidas hardyi			100	1987
Therevidae				
	Stiletto Flies	(12 out of 252 species in Australia)		
Anabarhynchus annulatus			27	1987
Anabarhynchus kampmeierae			22	1987
Anabarhynchus luctuosus			100	1984
Anabarhynchus misellus			50	1981
Anabarhynchus occidentalis			25	1981
Anabarhynchus setulosus			25	
Anabarhynchus spinosus			20	1976
Anabarhynchus striatus			33	1969
Ectinorhynchus levis			50	1987
Laxotela gaimarii			10	1987
Nanexila armeniacum			20	1987
Nanexila manni			6	1989



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Eupulmonata				
Bulimulidae				
	Elongate High-spired Land Snails		(15 out of 115 species in Australia)	
Bothriembryon barretti	Barretts Land Snail		<1	1964
Bothriembryon bulla	Land Snail		70	2002
Bothriembryon costulata	Land Snail		2	
Bothriembryon darling range	Darling Range Land Snail		83	1994
Bothriembryon east mount barren coast	Land Snail		25	1974
Bothriembryon gingin brook	Gin Gin Brook Land Snail		59	1979
Bothriembryon indutus	Land Snail		58	1998
Bothriembryon kendricki	Kendricks Land Snail		87	2002
Bothriembryon kingii	Kings Land Snail		5	
Bothriembryon melo	Land Snail		9	
Bothriembryon onslowi	Land Snail		6	
Bothriembryon perobesus	Land Snail		31	1995
Bothriembryon perobesus cf.	Land Snail		100	1973
Bothriembryon serpentinus	Serpentine Land Snail		47	1996
Bothriembryon the lakes	Land Snail		100	2002
Camaenidae				
	Camaenid Land Snails		(1 out of 929 species in Australia)	
Thersites ostane			100	
Charopidae				
	Flattened and Turbinate Land Snails		(1 out of 642 species in Australia)	
Luinodiscus sublesta			100	1969
Pupillidae				
	Pupa-shaped Shelled Land Snails		(1 out of 62 species in Australia)	
Pupilla australis	Land Snail		<1	1973
Succineidae				
	Amber Land Snails		(3 out of 25 species in Australia)	
Succinea contenta	Land Snail		100	2000
Succinea menkeana	Menkeana Amber Land Snail		50	
Succinea scalarina	Amber Land Snail		25	1982
Flosculariacea				
Testudinellidae				
	Free-swimming Round-shelled Wheel Animals		(1 out of 24 species in Australia)	
Testudinella patina	Free-swimming Round-shelled Wheel Ani		5	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Hemiptera			
Aleyrodidae			
Whiteflies (2 out of 103 species in Australia)			
Aleuromarginatus marginiquus		100	1997
Synaleurodicus serratus		100	1997
Anthocoridae			
Anthocoridae (1 out of 27 species in Australia)			
Orius armatus		10	
Aradidae			
Flat bugs, Bark bugs (2 out of 166 species in Australia)			
Aspisocoris termitophilus		100	
Neuroctenus proximus		14	
Artheneidae			
Artheneidae (1 out of 2 species in Australia)			
Dilompus woodwardi		33	
Blissidae			
Chinch Bugs (1 out of 15 species in Australia)			
Dimorphopterus pilosus		10	
Cercopidae			
Cercopidae (1 out of 8 species in Australia)			
Petyllis deprivata		50	1975
Cicadidae			
Cicadidae (6 out of 233 species in Australia)			
Arenopsaltria fullo	Sandgrinder	67	1968
Cicadetta convergens		50	1950
Cicadetta issoides		100	1961
Cicadetta melete	Red Bandit	25	1968
Jassopsaltria rufifacies		22	1979
Kobonga umbrimargo		100	1950
Cixiidae			
Cixiidae (1 out of 105 species in Australia)			
Leades rufinus		100	1976
Coreidae			
Coreidae (3 out of 81 species in Australia)			
Agriopocoris dollingi		75	
Amorbus bispinus		25	
Mictis profana	Crusader Bug	3	1980



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Corixidae	Waterboatmen	(5 out of 31 species in Australia)		
<i>Agraptocorixa eurynome</i>			1	
<i>Agraptocorixa parvipunctata</i>			<1	
<i>Diaprepocoris personatus</i>			75	
<i>Micronecta robusta</i>			10	
<i>Sigara mullaka</i>			50	
Cryptorhamphidae		(1 out of 4 species in Australia)		
<i>Cryptorhamphus orbus</i>			5	
Cydnidae	Burrower Bugs	(3 out of 82 species in Australia)		
<i>Eulonips occidentalis</i>			100	
<i>Macrocytus piceus</i>			5	
<i>Paranishadana flava</i>			100	
Cymidae		(3 out of 10 species in Australia)		
<i>Ontiscus australis</i>			6	
<i>Ontiscus brevipilus</i>			50	
<i>Ontiscus obscurus</i>			23	
Eurybrachyidae		(1 out of 46 species in Australia)		
<i>Platybrachys sanguiflua</i>			100	1952
Gelastocoridae	Toad Bugs	(2 out of 21 species in Australia)		
<i>Nerthra adspersa</i>			33	1953
<i>Nerthra femoralis</i>			57	
Geocoridae		(2 out of 20 species in Australia)		
<i>Geocoris lubra</i>	Big-eyed Bug		3	
<i>Stylogeocoris elongatus</i>			3	
Gerridae	Water-striders	(2 out of 35 species in Australia)		
<i>Halobates micans</i>			12	1959
<i>Limnogonus fossarum</i>			<1	1959
Hydrometridae	Marsh Treaders, Water Measurers	(1 out of 10 species in Australia)		
<i>Hydrometra strigosa</i>			<1	
Hyocephalidae		(1 out of 3 species in Australia)		
<i>Hyocephalus aprugnus</i>			33	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Lygaeidae (5 out of 80 species in Australia)			
Crompus oculatus		6	
Crompus opacus		6	1977
Melanerythrus mactans		1	1961
Nysius vinitor	Rutherglen Bug	<1	1979
Spilostethus pacificus		3	
Mesoveliidae (1 out of 7 species in Australia)			
Mesovelia hungerfordi		<1	1977
Miridae (6 out of 189 species in Australia)			
Austrocapsus dallasi		7	1964
Austrocapsus martigena		100	
Sejanus unicolor		50	
Setocoris droserae		100	
Setocoris russelli		50	
Trigonotylus tenuis		4	1969
Nepidae (1 out of 8 species in Australia)			
Ranatra dispar	Water Scorpions	10	
Notonectidae (1 out of 39 species in Australia)			
Paranisops endymion	Backswimmers	100	
Ochteridae (1 out of 11 species in Australia)			
Megochterus occidentalis	Velvety Shore Bugs	50	1958
Pachygronthidae (2 out of 10 species in Australia)			
Darwinocoris australicus		100	1959
Stenophyella macreta		<1	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Pentatomidae		(36 out of 361 species in Australia)	
Stinkbugs			
<i>Alcaeus hermannsburgi</i>		4	1971
<i>Alcaeus lignicolor</i>		8	1981
<i>Alphenor victoriensis</i>		33	
<i>Arniscus humeralis</i>		20	1967
<i>Atelias variegatus</i>		100	
<i>Austromalaya aculeata</i>		25	1979
<i>Cermatulus nasalis</i>		7	1982
<i>Cuspicona carneola</i>		7	
<i>Cuspicona cygniterrae</i>		67	
<i>Cuspicona procallosa</i>		33	
<i>Diaphyta evansorum</i>		33	1953
<i>Dictyotus caenosus</i>	Brown Shield Bug	1	1981
<i>Dictyotus conspicuus</i>		3	1971
<i>Dictyotus inconspicuus</i>		8	1965
<i>Dictyotus roei</i>		17	1979
<i>Nezara viridula</i>	Green Vegetable Bug	4	1970
<i>Ocirrhoe dallasi</i>		6	1967
<i>Ocirrhoe inconspicua</i>		70	1967
<i>Ocirrhoe lutescens</i>		4	
<i>Ocirrhoe unimaculata</i>		8	1967
<i>Oechalia schellenbergii</i>	Predatory Shield Bug	1	1966
<i>Oncocoris apicalis</i>		2	
<i>Platycoris minimus</i>		33	
<i>Poecilometis apicalis</i>		5	1966
<i>Poecilometis lineatus</i>		24	1981
<i>Poecilometis longicornis</i>		20	1984
<i>Poecilometis patruelis</i>		1	
<i>Poecilometis punctiventris</i>		12	1985
<i>Poecilometis vermiculatus</i>		9	1986
<i>Poecilotoma grandicornis</i>		12	
<i>Poecilotoma scutellata</i>		22	1969
<i>Propetestricea trimaculata</i>		20	
<i>Pseudapines geminata</i>	Pittosporum Bug	7	1970
<i>Roebournea diversa</i>		8	
<i>Theseus modestus</i>		7	1965
<i>Tholosanus proximus</i>		5	1969
Piesmatidae		(1 out of 3 species in Australia)	
<i>Mcateella gibber</i>		100	
Psyllidae		(2 out of 319 species in Australia)	
<i>Anoeconeossa communis</i>		100	1966
<i>Anoeconeossa vespertina</i>		100	1966



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Reduviidae	Assassin Bugs	(17 out of 226 species in Australia)	
<i>Aradellus cygnalis</i>		5	
<i>Coranus granosus</i>		1	
<i>Coranus mundus</i>		8	
<i>Havinthus longiceps</i>		10	
<i>Horcinia gigas</i>		6	
<i>Horcinia miniata</i>		100	
<i>Neohavinthus pentatoma</i>		10	1958
<i>Nyllius asperatus</i>		11	
<i>Oncocephalus walkeri</i>		100	
<i>Paranyllius turneri</i>		50	
<i>Peirates erythromelas</i>		12	
<i>Piestolestes obscurus</i>		9	1959
<i>Ptilocnemus lemur</i>		20	1976
<i>Ptilocnemus sidnicus</i>		10	
<i>Smiliopus quadrinotatus</i>		17	
<i>Stenolemus bituberus</i>		15	1953
<i>Trachylestes turneri</i>		14	
Rhyparochromidae	Seed Bugs	(14 out of 191 species in Australia)	
<i>Arcleda fusca</i>		20	1963
<i>Austrodrymus flindersi</i>		33	
<i>Coleocoris ocellatus</i>		40	
<i>Dieuches breviceps</i>		33	
<i>Dieuches scutellatus</i>		3	1958
<i>Ethaltomarus australicus</i>		33	
<i>Plinthisus australiensis</i>		4	
<i>Plinthisus nudus</i>		100	1971
<i>Plinthisus platycephalus</i>		100	
<i>Plinthisus reticulatus</i>		100	
<i>Plinthisus woodwardi</i>		5	1971
<i>Pseudodrymus florestalis</i>		100	
<i>Remaudiereana inornata</i>		6	
<i>Udeocoris nigroaeneus</i>		7	1975
Scutelleridae		(4 out of 22 species in Australia)	
<i>Austrotichus rugosus</i>		17	
<i>Choerocoris paganus</i>		<1	1980
<i>Choerocoris variegatus</i>		29	
<i>Coleotichus costatus</i>		1	1979
Thaumastocoridae		(1 out of 11 species in Australia)	
<i>Thaumastocoris petilus</i>		50	1974

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Tingidae	Lacebugs		(5 out of 145 species in Australia)	
Cysteochila cracentis			100	
Ischnotingis fasciata			33	
Ischnotingis prolixa			100	
Lasiacantha leai			100	
Ulonemia plesia			100	
Veliidae	Small Water Striders, Riffle Bugs		(2 out of 53 species in Australia)	
Microvelia oceanica	Water Bug		<1	1977
Microvelia peramoena			<1	1999



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Hymenoptera			
Apidae			
Social Bees (9 out of 195 species in Australia)			
Amegilla chlorocyanea		3	1995
Exoneura albopilosa		100	1951
Exoneura bicolor		4	1968
Exoneura froggatti		33	1979
Exoneura nigrescens		7	1987
Exoneura pictifrons		28	1986
Exoneurella setosa		100	1994
Thyreus sicarius		33	1989
Thyreus waroonensis		19	1994
Colletidae			
Short-tongued Bees (29 out of 878 species in Australia)			
Callomelitta antipodes		8	1992
Euhesma morrisoni		67	1990
Euhesma tubulifera		20	1981
Euryglossa rubricata		17	1950
Glossurocolletes bilobatus		100	1981
Hylaeus alcyoneus		8	1995
Hylaeus amicus		11	1996
Hylaeus chrysaspis		8	1980
Hylaeus elegans		8	1992
Hylaeus globuliferus		19	1997
Hylaeus musgravei		67	1989
Hylaeus proximus		5	1996
Hylaeus rufipes		16	1991
Hylaeus sanguinipictus		10	1987
Hylaeus violaceus		6	1980
Hylaeus vittatifrons		4	1983
Hyleoides zonalis		40	1992
Leioproctus clarki		3	1950
Leioproctus contrarius		67	2000
Leioproctus douglasiellus		50	1988
Leioproctus finkei		33	1950
Leioproctus macmillani		50	1999
Leioproctus plautus		50	1982
Leioproctus plumosus		9	1957
Leioproctus rhodurus		100	1982
Neopasiphae simplicior	Critically endangered	50	1987
Paracolletes nigrocinctus		6	1992
Trichocolletes dives		100	1982
Xanthesma perpulchra		20	1997

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Formicidae			
Ants		(101 out of 1944 species in Australia)	
<i>Acropyga indistincta</i>		100	
<i>Acropyga myops</i>		2	
<i>Amblyopone aberrans</i>		100	
<i>Amblyopone glauerti</i>		50	
<i>Anisopheidole antipodum</i>		10	
<i>Anochetus armstrongi</i>		4	1960
<i>Aphaenogaster poultoni</i>		27	1983
<i>Austromyrmex flavigaster</i>		5	
<i>Bothriomyrmex flavus</i>		100	
<i>Camponotus capito</i>		25	
<i>Camponotus claripes</i>		67	
<i>Camponotus consobrinus</i>		2	
<i>Camponotus dryandrae</i>		33	
<i>Camponotus ephippium</i>		25	
<i>Camponotus gasseri</i>		10	
<i>Camponotus intrepidus-r</i>		8	
<i>Camponotus nigriceps</i>		6	1958
<i>Camponotus prosseri</i>		7	1975
<i>Camponotus prostans</i>		29	1969
<i>Camponotus terebrans</i>		10	1985
<i>Cardiocondyla nuda</i>		3	1969
<i>Cerapachys bicolor</i>		100	
<i>Cerapachys fervidus</i>		25	
<i>Cerapachys flammeus</i>		100	
<i>Cerapachys gilesi</i>		100	
<i>Cerapachys princeps</i>		100	
<i>Cerapachys punctatissimus</i>		50	
<i>Crematogaster rufotestacea</i>		100	
<i>Doleromyrma darwiniana</i>		25	
<i>Dolichoderus clusor</i>		100	1969
<i>Dolichoderus formosus</i>		100	
<i>Dolichoderus ypsilon</i>		100	
<i>Epopostruma frosti</i>		14	1984
<i>Epopostruma inornata</i>		100	1978
<i>Iridomyrmex bicknelli</i>		3	2008
<i>Iridomyrmex chasei</i>		1	1995
<i>Iridomyrmex conifer</i>	Native Conifers	11	2008
<i>Iridomyrmex discors</i>		3	2000
<i>Iridomyrmex dromus</i>		2	1969
<i>Iridomyrmex greensladei</i>		4	1977
<i>Iridomyrmex innocens</i>		10	
<i>Iridomyrmex lividus</i>		<1	1969
<i>Iridomyrmex longisoma</i>		33	2009
<i>Iridomyrmex mjobergi</i>		<1	1977
<i>Iridomyrmex notialis</i>		4	1969

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Iridomyrmex rufoniger		2	1969
Iridomyrmex splendens		3	1972
Iridomyrmex suchieri		2	1975
Iridomyrmex suchieroides		3	
Leptanilla swani		3	
Leptogenys neutralis		100	
Linepithema humile		4	1952
Mesostruma eccentrica		4	1984
Monomorium decuria		100	1987
Monomorium destructor		8	
Monomorium longinode		100	1987
Monomorium pharaonis		12	1978
Monomorium pubescens		100	1988
Myrmecia chasei		21	1958
Myrmecia clarki		18	
Myrmecia desertorum		1	
Myrmecia gratiosa		18	1982
Myrmecia hirsuta		33	1962
Myrmecia infima		18	1958
Myrmecia ludlowi		20	1968
Myrmecia mandibularis		8	
Myrmecia michaelsoni		9	
Myrmecia nigriceps		3	1969
Myrmecia nigriscapa		2	
Myrmecia occidentalis		25	
Myrmecia picta		3	
Myrmecia rugosa		15	1969
Myrmecia tepperi		3	
Myrmecia testaceipes		6	1969
Myrmecia vindex		18	1969
Nebothriomyrmex majeri		33	1977
Notoncus hickmani		3	1977
Ochetellus glaber		3	
Odontomachus ruficeps		2	
Paratrechina anic_sos_sp.3		1	
Pheidole ampla		100	
Pheidole megacephala		10	1978
Pheidole sp.11		2	1969
Podomyrma adelaidae		33	
Podomyrma chasei		100	
Polyrhachis femorata		8	
Polyrhachis ops		100	
Polyrhachis phryne		4	
Rhytidoponera foveolata		50	1984
Rhytidoponera inornata		8	1972
Rhytidoponera levior		100	
Rhytidoponera metallica		2	1975

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Rhytidoponera punctata		6	1983
Rhytidoponera punctigera		38	1984
Rhytidoponera violacea		16	1995
Solenopsis clarki		100	
Sphinctomyrmex imbecilis		50	
Sphinctomyrmex occidentalis		100	
Sphinctomyrmex sp.12		33	
Sphinctomyrmex sp.15		33	
Stigmacros flava		100	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Halictidae			
(35 out of 438 species in Australia)			
Homalictus bremerensis		25	1986
Homalictus dotatus		<1	1989
Homalictus urbanus		<1	1991
Lasioglossum amboquestrum		33	
Lasioglossum bicolor		4	1986
Lasioglossum bimelasmum		22	1989
Lasioglossum castor		15	1989
Lasioglossum chapmani		2	1982
Lasioglossum cognatum		<1	1982
Lasioglossum colonicum		20	1971
Lasioglossum ebeneum		4	1993
Lasioglossum eremaeae		<1	1953
Lasioglossum erythrurum		<1	1973
Lasioglossum etheridgei		14	1983
Lasioglossum hapsidum		22	
Lasioglossum hemichalceum		7	1989
Lasioglossum hilactum		8	1966
Lasioglossum hiltacum		5	1994
Lasioglossum instabilis		1	1983
Lasioglossum lanarium		1	1982
Lasioglossum lichatum		10	
Lasioglossum mesembryanthemi		6	1974
Lasioglossum mirandum		14	1975
Lasioglossum oblitum		10	
Lasioglossum occiduum		4	1953
Lasioglossum platytilum		2	1993
Lasioglossum plebeium		4	1959
Lasioglossum sculpturatum		8	1983
Lasioglossum supralucens		19	1978
Lasioglossum teltiri		22	1987
Lasioglossum veronicae		3	1974
Lasioglossum vitripenne		2	1966
Lipotriches australica		25	2002
Lipotriches flavoviridis		17	2000
Lipotriches purnongensis		100	1950



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Megachilidae			
(31 out of 165 species in Australia)			
Megachile apicata		11	1950
Megachile atrella		6	1988
Megachile aurifrons		25	1999
Megachile axillaris		20	1996
Megachile canifrons		21	1998
Megachile captionis		6	1981
Megachile chrysopyga		26	1999
Megachile clypeata		56	1987
Megachile erythropyga		11	1983
Megachile fabricator		100	1999
Megachile ferox		8	1982
Megachile fultoni		86	1996
Megachile heliophila		8	1956
Megachile horatii		80	1992
Megachile ignita		52	1996
Megachile latericauda		67	1992
Megachile leeuwinensis		38	1996
Megachile macularis		14	1994
Megachile monstrosa		38	1996
Megachile oblonga		6	1996
Megachile obtusa		29	1992
Megachile preissi		67	1996
Megachile remotula		75	1993
Megachile resinifera		14	1989
Megachile rotnestensis		50	1986
Megachile rugosa		33	1996
Megachile serricauda		20	1956
Megachile simplex		9	1950
Megachile speluncarum		47	1997
Megachile subferox		45	1991
Megachile tosticauda		33	1994



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Isoptera				
Kalotermitidae				
	Termite		(3 out of 33 species in Australia)	
Bifiditermes improbus	Termite		6	1968
Kalotermes aemulus			53	1975
Kalotermes hilli			33	1962
Rhinotermitidae				
	Termite		(6 out of 24 species in Australia)	
Coptotermes acinaciformis	Subterranean Termite		3	1967
Coptotermes michaelseni	Termite		56	1991
Heterotermes intermedius	Termite		3	1955
Heterotermes occiduus	Termite		11	1987
Heterotermes platycephalus	Termite		23	1968
Schedorhinotermes reticulatus	Termite		8	1962



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Termitidae			
Termite		(32 out of 196 species in Australia)	
Ahamitermes hillii		4	1961
Amitermes conformis		48	1968
Amitermes germanus		2	1967
Amitermes heterognathus		35	1966
Amitermes innoxius		11	1966
Amitermes modicus		8	1956
Amitermes neogermanus		4	1968
Amitermes obeuntis		11	1966
Amitermes obtusidens		2	1962
Amitermes pallidiceps		25	1966
Amitermes perarmatus		1	1956
Amitermes procerus		13	1959
Amitermes westraliensis		2	1955
Drepanotermes perniger		<1	1956
Drepanotermes tamminensis		12	1991
Ekphysotermes kalgoorliensis		6	1959
Ephelotermes argutus		2	1955
Hesperotermes infrequens		35	1960
Microcerotermes distinctus		6	1960
Microcerotermes newmani		9	1962
Microcerotermes serratus		2	1960
Nasutitermes exitiosus		3	1970
Occasitermes occasus		24	1990
Paracapritermes kraepelinii		14	1966
Tumulitermes apiocephalus		19	1976
Tumulitermes comatus		1	1968
Tumulitermes peracutus		4	1962
Tumulitermes petilus		8	1959
Tumulitermes subaquilus		15	1960
Tumulitermes westraliensis		18	1976
Xylochomitermes occidualis		18	1964
Xylochomitermes tomentosus		40	1960



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Lepidoptera				
Hesperiidae				
	Skippers, flats, awls & darts		(14 out of 123 species in Australia)	
Anisynta sphenosema	Wedge Grass-skipper		57	1990
Antipodia dactyliota	Western Sand-skipper		16	1989
Cephrenes augiades	Orange Palm-dart		10	1987
Cephrenes trichopepla	Yellow Palm-dart		1	1990
Croitana croites	Yellow Sand-skipper		23	1989
Exometoeca nycteris	Western Flat		70	1989
Hesperilla chrysotricha	Golden-haired Sedge-skipper		5	1990
Hesperilla donnysa	Varied Sedge-skipper		2	1990
Mesodina cyanophracta	Blue Iris-skipper		56	1993
Motasingha dirphia	Western Brown Skipper		33	1988
Motasingha trimaculata	Large Brown Skipper		13	1988
Taractrocera papyria	White-banded Grass-dart		6	1989
Trapezites argenteoornatus	Silver-spotted Ochre		23	1989
Trapezites sciron	Mallee Ochre		11	1993
Lycaenidae				
	Blues, Coppers, Hairstreaks and Metalmarks		(20 out of 145 species in Australia)	
Acrodipsas brisbanensis	Bronze Ant-blue		3	1990
Candalides acasta	Blotched Dusky-blue		6	1984
Candalides cyprotus	Copper Pencilled-blue		3	1990
Candalides heathi	Rayed Blue		3	1986
Candalides hyacinthina	Varied Dusky-blue		<1	1985
Hypochrysops halyaetus	Turquoise Jewel		39	1991
Hypochrysops ignita	Fiery Jewel		<1	
Jalmenus icilius	Amethyst Hairstreak		5	1990
Jalmenus inous	Varied Hairstreak		24	1994
Lampides boeticus	Long-tailed Pea-blue		4	1983
Nacaduba biocellata	Two-spotted Line-blue		3	1981
Neolucia agricola	Fringed Heath-blue		3	1988
Ogyris amaryllis	Satin Azure		2	1988
Ogyris idmo	Large Bronze Azure		20	1996
Ogyris oroetes	Silky Azure		<1	1983
Ogyris otanes	Small Bronze Azure		5	1987
Theclinessthes hesperia	Western Bitter-bush Blue		23	1988
Theclinessthes miskini	Wattle Blue		3	1984
Theclinessthes serpentata	Saltbush Blue		2	1983
Zizina labradus	Common Grass-blue		2	1983

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Nymphalidae	Browns, Nymphs, Danaines	(9 out of 83 species in Australia)		
Danaus chrysippus	Lesser Wanderer		1	1984
Danaus plexippus	Monarch Butterfly		3	1982
Geitoneura klugii	Marbled Xenica		4	1990
Geitoneura minyas	Western Xenica		24	1989
Heteronympha merope	Common Brown		2	1989
Junonia villida	Meadow Argus		2	1982
Vanessa cardui	Painted Lady		80	1978
Vanessa itea	Red Admiral		1	1989
Vanessa kershawi	Australian Painted Lady		2	1973
Papilionidae	Swallowtails	(1 out of 19 species in Australia)		
Papilio demoleus	Chequered Swallowtail		3	1976
Pieridae	Whites and Yellows	(4 out of 35 species in Australia)		
Belenois java	Caper White		<1	
Catopsilia pomona	Lemon Migrant		<1	
Delias aganippe	Spotted Jezebel		3	1987
Eurema smilax	Small Grass-yellow		5	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Odonata				
Aeshnidae				
	Hawker, Duskhawker and Emperor Damselflies	(3 out of 13 species in Australia)		
<i>Adversaeschna brevistyla</i>	Blue-spotted Hawker		12	1977
<i>Austrogynacantha heterogena</i>	Australian Duskhawker		2	1966
<i>Hemianax papuensis</i>	Australian Emperor		5	1984
Austrocorduliidae				
	Hawk, Mosquitohawk and Swiftwing Dragonflies	(1 out of 10 species in Australia)		
<i>Lathrocordulia metallica</i>	Western Swiftwing		67	1958
Coenagrionidae				
	Bluetail and Thin Damselflies	(3 out of 32 species in Australia)		
<i>Austroagrion cyane</i>	South-western Billabongfly		32	1979
<i>Ischnura aurora</i>	Aurora Bluetail		4	1975
<i>Xanthagrion erythroneurum</i>	Red & Blue Damsel		6	1992
Gomphidae				
	Dragon, Hunter and Vicetail Dragonflies	(2 out of 35 species in Australia)		
<i>Armagomphus armiger</i>	Armourtail		17	1958
<i>Austrogomphus collaris</i>	Western Inland Hunter		33	1979
Hemicorduliidae				
	Emerald and Swamp Emerald Dragonflies	(3 out of 11 species in Australia)		
<i>Hemicordulia australiae</i>	Australian Emerald		7	1970
<i>Hemicordulia tau</i>	Tau Emerald		8	1986
<i>Procordulia affinis</i>	Western Swamp Emerald		43	1958
Lestidae				
	Ringtail, Reedling and Dusky Spreadwing Damselflies	(5 out of 14 species in Australia)		
<i>Austrolestes aleison</i>	Western Ringtail		43	1957
<i>Austrolestes analis</i>	Slender Ringtail		12	1992
<i>Austrolestes annulosus</i>	Blue Ringtail		15	1992
<i>Austrolestes aridus</i>	Inland Ringtail		5	1957
<i>Austrolestes io</i>	Iota Ringtail		24	1978



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Libellulidae	Perchers, Archtails and other Dragonflies	(7 out of 52 species in Australia)		
<i>Austrothemis nigrescens</i>	Swamp Flat-tail		46	1991
<i>Diplacodes bipunctata</i>	Wandering Percher		4	1992
<i>Diplacodes haematodes</i>	Scarlet Percher		4	1973
<i>Nannophya occidentalis</i>	Western Pygmyfly		60	1965
<i>Orthetrum caledonicum</i>	Blue Skimmer		5	1981
<i>Pantala flavescens</i>	Wandering Glider		<1	1974
<i>Trapezostigma stenoloba</i>	Narrow-lobed Glider		20	1967
Megapodagrionidae	Flatwing Damselflies	(3 out of 22 species in Australia)		
<i>Archiargiolestes parvulus</i>	Midget Flatwing		53	1966
<i>Archiargiolestes pusillus</i>	Little Flatwing		21	1966
<i>Miniargiolestes minimus</i>	Stream Flatwing		14	1977
Oxygastridae	Orange Streamcruiser Dragonfly	(1 out of 1 species in Australia)		
<i>Hesperocordulia berthoudi</i>	Orange Streamcruiser		62	1965
Petaluridae	Petaltail Dragonflies	(1 out of 5 species in Australia)		
<i>Petalura hesperia</i>	Western Petaltail		57	1987
Synthemistidae	Spottail and Tigertail Dragonflies	(4 out of 26 species in Australia)		
<i>Archaeosynthemis leachii</i>	Twinspot Tigertail		37	2002
<i>Archaeosynthemis occidentalis</i>	Western Brown Tigertail		75	1968
<i>Archaeosynthemis spiniger</i>	Spiny Tigertail		100	1958
<i>Austrosynthemis cyanitincta</i>	Turquoise Tigertail		38	1965
Telephlebiidae	Darner Dragonflies	(1 out of 36 species in Australia)		
<i>Austroaeschna anacantha</i>	Western Darner		50	1979
Ploimida				
Asplanchnidae	Sac-like Wheel Animals	(1 out of 13 species in Australia)		
<i>Asplanchnopus multiceps</i>	Sac-like Wheel Animal		25	
Brachionidae	Sac-like Wheel Animal	(1 out of 62 species in Australia)		
<i>Brachionus plicatilis</i>	Sac-like Wheel Animal		6	
Notommatidae	Pseudo-segmented Wheel Animals	(1 out of 93 species in Australia)		
<i>Monommata grandis</i>	Grand Pseudo-segmented Wheel Animal		11	

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Vascular flora				
Alismatales				
Aponogetonaceae				
	Pond Lilies		(1 out of 11 species in Australia)	
<i>Aponogeton hexatepalus</i>			23	2004
Araceae				
	Settlers Flax, Cunjevoi, Native Lilies		(3 out of 46 species in Australia)	
<i>Colocasia esculenta</i>	Taro		3	2004
<i>Landoltia punctata</i>			4	2007
<i>Lemna disperma</i>			2	1982
Hydrocharitaceae				
	Swamp Lily, Eel Weed, Frogbit and Water Thyme		(3 out of 23 species in Australia)	
<i>Najas marina</i>			9	1989
<i>Ottelia ovalifolia</i>	Duck-lettuce		2	2003
<i>Vallisneria australis</i>			2	1993
Juncaginaceae				
	Water Ribbons		(11 out of 25 species in Australia)	
<i>Triglochin calcitrapa</i>			1	2004
<i>Triglochin centrocarpa</i>			<1	1996
<i>Triglochin huegelii</i>			22	2007
<i>Triglochin lineare</i>			16	2004
<i>Triglochin minutissima</i>			2	2005
<i>Triglochin mucronata</i>			5	2001
<i>Triglochin muelleri</i>			33	1996
<i>Triglochin nana</i>			3	2005
<i>Triglochin stowardii</i>			4	1966
<i>Triglochin striata</i>	Three-ribbed Arrow Grass		1	1999
<i>Triglochin trichophora</i>			12	2003
Potamogetonaceae				
	Sea Grasses and Horned Pondweeds, Pondweed		(7 out of 16 species in Australia)	
<i>Lepilaena australis</i>			3	1996
<i>Lepilaena preissii</i>			5	2000
<i>Potamogeton crispus</i>	Curly-leaved Pondweed		1	2003
<i>Potamogeton drummondii</i>			12	1993
<i>Potamogeton ochreatus</i>			1	1972
<i>Potamogeton pectinatus</i>			3	1989
<i>Potamogeton tricarinatus</i>			<1	1974



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Ruppiaceae		(3 out of 4 species in Australia)	
Ruppia maritima		2	1996
Ruppia polycarpa		2	1999
Ruppia tuberosa		1	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Asparagales			
Asparagaceae			
(20 out of 177 species in Australia)			
Arthropodium fimbriatum		<1	1951
Chamaescilla gibsonii		100	1968
Chamaescilla spiralis		5	1962
Chamaescilla versicolor		38	1996
Dichopogon capillipes		17	2004
Dichopogon preissii		14	2002
Laxmannia grandiflora		15	2002
Laxmannia minor		6	1974
Laxmannia omnifertilis		7	1986
Laxmannia ramosa		36	1986
Laxmannia sessiliflora		19	1988
Sowerbaea multicaulis		5	1980
Thysanotus arenarius		36	2005
Thysanotus fastigiatus		41	1997
Thysanotus glaucus		50	
Thysanotus gracilis		12	1990
Thysanotus rectantherus		12	1989
Thysanotus scaber		67	1986
Thysanotus triandrus		26	1978
Thysanotus tuberosus		<1	1991
Asphodelaceae			
Native Leek			
(1 out of 7 species in Australia)			
Bulbine semibarbata		<1	2001
Boryaceae			
Pincushion Lillies			
(5 out of 14 species in Australia)			
Borya constricta		4	2000
Borya laciniata		5	1996
Borya nitida		7	1966
Borya scirpoidea		21	1996
Borya sphaerocephala		10	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Hemerocallidaceae		(19 out of 79 species in Australia)		
<i>Agrostocrinum hirsutum</i>	Native Lily		22	2005
<i>Agrostocrinum scabrum</i>	Blue Grass Lily		9	2005
<i>Arnocrinum preissii</i>	Native Lily		50	2006
<i>Caesia micrantha</i>	Grass-Lily		17	2003
<i>Caesia occidentalis</i>	South-western Grass-Lily		15	2004
<i>Caesia parviflora</i>	Pale Grass-Lily		<1	1991
<i>Caesia</i> sp. wongan			12	2002
<i>Corynotheca micrantha</i>	Sand Lily		9	2005
<i>Dianella revoluta</i>	Spreading Flax-lily		<1	2005
<i>Hensmania stoniella</i>	Hensmania Lily		3	1975
<i>Hensmania turbinata</i>	Hensmania Lily		70	2002
<i>Johnsonia acaulis</i>	Native Lily		4	2006
<i>Johnsonia inconspicua</i>	Native Lily		14	1999
<i>Johnsonia lupulina</i>	Hooded Lily		2	
<i>Johnsonia pubescens</i>	Pipe Lily		44	1999
<i>Stypandra glauca</i>	Nodding Blue Lily		4	2006
<i>Tricoryne elatior</i>	Native Lily		3	2006
<i>Tricoryne humilis</i>	Native Lily		13	2002
<i>Tricoryne tenella</i>	Native Lily		2	2006
Hypoxidaceae		Native Lilies (3 out of 15 species in Australia)		
<i>Hypoxis glabella</i>	Tiny Stars		1	2007
<i>Hypoxis occidentalis</i>	Weathergrass		22	2002
<i>Hypoxis vaginata</i>	Yellow Star		<1	2005
Iridaceae		Irises and Allies (8 out of 28 species in Australia)		
<i>Orthrosanthus laxus</i>	Native Morning Iris		19	2006
<i>Patersonia babianoides</i>	Native Flag		19	2003
<i>Patersonia juncea</i>	Native Flag		21	2004
<i>Patersonia maxwellii</i>	Maxwells Flag		8	1981
<i>Patersonia occidentalis</i>	Purple Flag		9	2005
<i>Patersonia pygmaea</i>	Pygmy Flag		13	2003
<i>Patersonia rudis</i>	Hairy Flag		32	2002
<i>Patersonia umbrosa</i>	Yellow Flag		2	1995



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Orchidaceae	Orchids			
			(159 out of 1248 species in Australia)	
<i>Arachnorchis arenicola</i>	Spider Orchid		62	2006
<i>Arachnorchis arrecta</i>	Spider Orchid	Vulnerable	5	1999
<i>Arachnorchis discoidea</i>	Dancing Spider Orchid		19	2004
<i>Arachnorchis falcata</i>	Spider Orchid		2	2006
<i>Arachnorchis ferruginea</i>	Rusty Spider-orchid		9	2007
<i>Arachnorchis georgei</i>	Spider Orchid		29	1998
<i>Arachnorchis hirta</i>	Sugar Candy Orchid		4	1999
<i>Arachnorchis huegelii</i>	Spider Orchid	Endangered	26	2004
<i>Arachnorchis longicauda</i>			12	2005
<i>Arachnorchis longiclavata</i>			8	2003
<i>Arachnorchis lorea</i>			18	1987
<i>Arachnorchis macrostylis</i>	Leaping Spider-orchid		10	2006
<i>Arachnorchis paludosa</i>			31	2006
<i>Arachnorchis pectinata</i>	King Spider-orchid		9	1991
<i>Arachnorchis pholcoidea</i>	Orchid		14	1995
<i>Arachnorchis radiata</i>	Ray Spider-orchid		3	2006
<i>Arachnorchis serotina</i>			14	2005
<i>Arachnorchis speciosa</i>			14	2003
<i>Arachnorchis splendens</i>	Orchid		48	2003
<i>Arachnorchis uliginosa</i>	Darting Spider Orchid		6	2006
<i>Caladenia flava</i>	Cowslip Orchid		12	2006
<i>Caladenia latifolia</i>	Pink Fairies		4	2004
<i>Caladenia marginata</i>	White Fairy-orchid		12	2005
<i>Caladenia reptans</i>	Little Pink Fairy		8	1986
<i>Calochilus robertsonii</i>	Purplish Beard Orchid		<1	1957
<i>Calochilus stramenicola</i>			25	1984
<i>Chiloterus gibbosus</i>	Hooded Leek Orchid		10	1991
<i>Corysanthes recurva</i>	Helmet Orchid		4	2002
<i>Cryptostylis ovata</i>	Slipper Orchid		7	1999
<i>Cyanicula gemmata</i>	Blue China Orchid		14	2003
<i>Cyanicula ixioides</i>			33	1985
<i>Cyanicula sericea</i>	Silky Blue Orchid		14	2003
<i>Cyrtostylis huegelii</i>	Western Gnat Orchid		14	2003
<i>Cyrtostylis robusta</i>	Large Gnat Orchid		<1	
<i>Cyrtostylis tenuissima</i>	Dwarf Gnat Orchid		14	1971
<i>Diplodium asperum</i>			28	2000
<i>Diplodium hamiltonii</i>			8	2004
<i>Diplodium scabrum</i>	Bronze Shell Orchid		12	2005
<i>Diuris aff. corymbosa 1</i>			4	1997
<i>Diuris aff. corymbosa 3</i>			20	1995
<i>Diuris aff. corymbosa 4</i>			100	1997
<i>Diuris aff. magnifica 2</i>			15	2001
<i>Diuris amplissima</i>			9	1996
<i>Diuris brumalis</i>			52	2007
<i>Diuris carinata</i>			26	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Diuris corymbosa</i>	Wallflower Donkey Orchid		12	2005
<i>Diuris drummondii</i>	Tall Donkey Orchid	Vulnerable	14	2006
<i>Diuris heberlei</i>			23	
<i>Diuris laxiflora</i>	Bee Orchid		17	2005
<i>Diuris longifolia</i>			6	2002
<i>Diuris magnifica</i>			62	2007
<i>Diuris micrantha</i>	Dwarf Bee-orchid	Vulnerable	27	1994
<i>Diuris picta</i>			4	1996
<i>Diuris porrifolia</i>			6	2004
<i>Diuris purdiei</i>	Purdie's Donkey Orchid	Endangered	60	2005
<i>Diuris setacea</i>	Bristley Donkey Orchid		18	2005
<i>Drakaea elastica</i>	Hammer Orchid	Endangered	15	1982
<i>Drakaea glyptodon</i>	King-in-his-carriage		7	2000
<i>Drakaea gracilis</i>			22	2000
<i>Drakaea livida</i>	Warty Hammer Orchid		6	2004
<i>Drakaea micrantha</i>			4	
<i>Elythranthera brunonis</i>	Purple Enamel-orchid		15	2004
<i>Elythranthera emarginata</i>	Pink Enamel-orchid		18	2006
<i>Epiblema grandiflorum</i>	Babe-in-a-cradle		16	1994
<i>Eriochilus dilatatus</i>	White Bunny Orchid		9	2005
<i>Eriochilus helenomous</i>			39	2006
<i>Eriochilus multiflorus</i>			17	2005
<i>Eriochilus pulchellus</i>			8	2006
<i>Eriochilus scaber</i>	Pink Bunny Orchid		16	2007
<i>Eriochilus tenuis</i>			8	1971
<i>Glycorchis saccharata</i>	Sugar Orchid		3	1999
<i>Hydrorchis orbicularis</i>			5	2000
<i>Jonesiopsis bicalliata</i>			1	1993
<i>Jonesiopsis chapmanii</i>			2	
<i>Jonesiopsis denticulata</i>	Wispy Spider Orchid		17	2007
<i>Jonesiopsis dimidia</i>	Orchid		1	1998
<i>Jonesiopsis exilis</i>	Orchid		6	2004
<i>Jonesiopsis filifera</i>	Clumping Spider-orchid		26	2004
<i>Jonesiopsis footeana</i>			25	2007
<i>Jonesiopsis nobilis</i>	Orchid		12	1996
<i>Jonesiopsis occidentalis</i>	Spider Orchid		9	1959
<i>Jonesiopsis pendens</i>	Orchid		9	1994
<i>Jonesiopsis postea</i>			100	2005
<i>Jonesiopsis roei</i>	Jack-in-the-box		<1	
<i>Jonesiopsis vulgata</i>	Orchid		7	2004
<i>Jonesiopsis xantha</i>			12	1999
<i>Leporella fimbriata</i>	Fringed Hare Orchid		8	2006
<i>Leptoceras menziesii</i>	Hare Orchid		8	2005
<i>Linguella aff. nana 14</i>			100	1993
<i>Linguella aff. nana 15</i>			50	1993
<i>Linguella aff. nana 2</i>			8	1993
<i>Linguella aff. nana 5</i>			29	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Linguella aff. nana 7		37	1999
Linguella aff. nana 9		100	1998
Linguella dilatata	Tall Snail Orchid	18	2005
Linguella nana	Dwarf Greenhood	2	2005
Linguella pyramidalis		4	1998
Lyperanthus serratus	Rattle Beaks	11	2006
Mecopodium parvifolium	Autumn Leek Orchid	23	2005
Microtidium atratum	Yellow Onion Orchid	9	2003
Microtis alba	White Onion Orchid	12	2005
Microtis brownii		5	1977
Microtis densiflora		11	1977
Microtis media		14	2005
Microtis unifolia	Common Onion Orchid	<1	1975
Oligochaetochilus ciliatus		2	2001
Oligochaetochilus pictus	Orchid	1	1993
Oligochaetochilus vittatus	Orchid	7	2002
Paracaleana dixonii	Sandplain Duck Orchid	43	
Paracaleana nigrita	Western Duck Orchid	18	2007
Paracaleana triens	Broad-billed Duck Orchid	19	1996
Pheladenia deformis	Blue Fairies	6	2006
Plumatichilos aff. barbatum		64	1999
Plumatichilos barbatum	Bearded Greenhood	22	2004
Prasophyllum calcicola	Leek Orchid	2	2003
Prasophyllum cyphochilum	Pouched Leek Orchid	15	2003
Prasophyllum drummondii	Swamp Leek Orchid	36	2005
Prasophyllum elatum	Tall Leek Orchid	6	2003
Prasophyllum fimbria	Fringed Leek Orchid	23	2005
Prasophyllum giganteum	Bronze Leek Orchid	24	2004
Prasophyllum gracile	Leek Orchid	7	2005
Prasophyllum hians	Yawning Leek Orchid	19	2003
Prasophyllum macrostachyum	Laughing Leek Orchid	16	2003
Prasophyllum macrotys	Inland Leek Orchid	10	2003
Prasophyllum odoratissimum	Leek Orchid	6	
Prasophyllum ovale	Little Leek Orchid	21	2000
Prasophyllum plumiforme	Leek Orchid	23	2003
Prasophyllum regium	King Leek Orchid	19	2005
Prasophyllum sargentii	Filled Leek Orchid	2	
Prasophyllum triangulare	Dark Leek Orchid	9	1995
Pyrorchis nigricans	Red Beaks, Undertaker Orchid	6	2005
Ranorchis sargentii	Frog Greenhood	3	1994
Spiculaea ciliata	Elbow Orchid	16	2002
Stamnorchis recurva	Jug Orchid	13	2006
Thelymitra antennifera	Vanilla Orchid, Lemon-scented Sun Orchi	4	2007
Thelymitra apiculata	Cleopatra's Needles	27	2002
Thelymitra benthamiana	Leopard Orchid	9	2004
Thelymitra campanulata	Shirt Orchid, Bell Sun Orchid	17	2001
Thelymitra cornicina	Lilac Sun Orchid	3	

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Thelymitra crinita</i>	Blue Lady Orchid, Queen Orchid, Lily Orc		14	2007
<i>Thelymitra dedmaniarum</i>	Sun Orchid		80	2006
<i>Thelymitra flexuosa</i>	Twisted Sun Orchid		4	2003
<i>Thelymitra fuscolutea</i>	Chestnut Sun Orchid		14	1998
<i>Thelymitra graminea</i>	Shy Sun Orchid		4	2001
<i>Thelymitra macrophylla</i>	Sun Orchid		12	2006
<i>Thelymitra nuda</i>	Plain Sun Orchid, Scented Sun Orchid		<1	
<i>Thelymitra pauciflora</i>	Slender Sun Orchid		<1	1991
<i>Thelymitra spiralis</i>	Curly Locks		14	2001
<i>Thelymitra stellata</i>	Bronze Sun Orchid	Endangered	33	1999
<i>Thelymitra tigrina</i>	Tiger Orchid		11	1973
<i>Thelymitra variegata</i>	Queen of Sheba		23	1959
<i>Thelymitra villosa</i>	Custard Orchid		8	2003
<i>Thelymitra vulgaris</i>	Sun Orchid		21	2007
<i>Thelymitra xanthotricha</i>	Sun Orchid		38	2001
<i>Urochilus aff. sanguineus</i>			64	1994
<i>Urochilus aff. vittatus</i>			67	2003
<i>Urochilus concavus</i>			13	1999
<i>Urochilus sanguineus</i>			1	2005
<i>Urochilus vittatus</i>	Banded Greenhood		9	2003



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Asterales			
Asteraceae			
Daisies and Allies (122 out of 1019 species in Australia)			
Actinobole uliginosum		<1	1994
Actites megalocarpus		<1	1991
Angianthus cunninghamii		7	1957
Angianthus micropodioides		9	1994
Angianthus preissianus		2	2000
Angianthus tomentosus		<1	2000
Asteridea athrixioides		<1	
Asteridea gracilis		56	1998
Asteridea nivea		1	1990
Asteridea pulverulenta		24	2005
Blennospora doliiformis		6	1993
Blennospora drummondii		3	2007
Brachyscome bellidioides		40	2003
Brachyscome cheilocarpa		1	2002
Brachyscome ciliaris		<1	1965
Brachyscome glandulosa		29	2007
Brachyscome iberidifolia		9	2005
Brachyscome perpusilla		<1	2007
Brachyscome pusilla		14	2001
Calocephalus brownii		2	2003
Calotis erinacea		<1	1964
Calotis hispidula		<1	2007
Centipeda crateriformis		<1	
Centipeda cunninghamii		<1	1983
Cephalipterum drummondii		1	
Chrysocephalum apiculatum		<1	
Chrysocephalum semipapposum		<1	
Chthonocephalus pseudevax		<1	
Cotula australis		<1	2003
Cotula cotuloides		7	1999
Craspedia variabilis		4	2003
Erymophyllum ramosum		<1	
Erymophyllum tenellum		3	2007
Euchiton sphaericus		<1	2003
Gnephosis angianthoides		3	2002
Gnephosis drummondii		7	2004
Gnephosis tenuissima		1	2004
Helichrysum leucopsideum		<1	2007
Hyalosperma cotula		24	2005
Hyalosperma demissum		1	2002
Hyalosperma glutinosum		<1	2005
Hyalosperma pusillum		5	1984
Hyalosperma simplex		9	
Isoetopsis graminifolia		<1	

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Ixiolaena viscosa</i>	Native Daisy		12	1999
<i>Lagenophora huegelii</i>	Native Daisy		6	2007
<i>Lawrencella rosea</i>	Native Daisy		4	2002
<i>Leiocarpa semicalva</i>	Hill Daisy		<1	1963
<i>Leptorhynchos scaber</i>	Native Daisy		10	2002
<i>Millotia myosotidifolia</i>	Native Daisy		4	2006
<i>Millotia pilosa</i>	Native Daisy		33	
<i>Millotia tenuifolia</i>	Native Daisy		2	2003
<i>Myriocephalus appendiculatus</i>	Native Daisy		36	2002
<i>Myriocephalus guerinae</i>	Native Daisy		<1	1973
<i>Myriocephalus helichrysoides</i>	Native Daisy		44	1995
<i>Myriocephalus occidentalis</i>	Native Daisy		13	1994
<i>Myriocephalus oldfieldii</i>	Native Daisy		1	1986
<i>Olearia axillaris</i>	Daisy Bush		2	2003
<i>Olearia cassinia</i>	Daisy Bush		11	2007
<i>Olearia dampieri</i>	Daisy Bush		3	2002
<i>Olearia muelleri</i>	Muellers Daisy Bush		<1	
<i>Olearia paucidentata</i>	Daisy Bush		17	2006
<i>Olearia rudis</i>	Daisy Bush		9	2004
<i>Pithocarpa achilleoides</i>	Native Daisy		100	1973
<i>Pithocarpa corymbulosa</i>	Native Daisy		75	2000
<i>Pithocarpa pulchella</i>	Native Daisy		30	2002
<i>Podolepis canescens</i>	Native Daisy		2	2004
<i>Podolepis capillaris</i>	Native Daisy		<1	2004
<i>Podolepis gracilis</i>	Native Daisy		24	2005
<i>Podolepis lessonii</i>	Native Daisy		7	2004
<i>Podolepis nutans</i>	Native Daisy		40	1978
<i>Podotrochea angustifolia</i>	Native Daisy		2	2006
<i>Podotrochea chrysantha</i>	Native Daisy		62	2003
<i>Podotrochea gnaphalioides</i>	Native Daisy		7	2004
<i>Podotrochea pritzelii</i>	Native Daisy		22	
<i>Pogonolepis stricta</i>	Native Daisy		4	1995
<i>Pseudognaphalium luteoalbum</i>	Native Daisy		<1	
<i>Pterochaeta paniculata</i>	Native Daisy		17	2006
<i>Quinetia urvillei</i>	Native Daisy		9	2006
<i>Rhodanthe chlorocephala</i>	Paper-daisy		1	2004
<i>Rhodanthe citrina</i>	Paper-daisy		6	2006
<i>Rhodanthe corymbosa</i>	Paper-daisy		51	2005
<i>Rhodanthe laevis</i>	Paper-daisy		1	2007
<i>Rhodanthe manglesii</i>	Paper-daisy		9	2005
<i>Rhodanthe polycephala</i>	Paper-daisy		3	2002
<i>Rhodanthe pygmaea</i>	Paper-daisy		<1	
<i>Rhodanthe pyrethrum</i>	Paper-daisy		29	2005
<i>Rhodanthe spicata</i>	Paper-daisy		3	1992
<i>Rutidosia multiflora</i>	Native Daisy		3	2002
<i>Schoenia cassiniana</i>	Everlasting		<1	1994
<i>Schoenia filifolia</i>	Everlasting		2	1989

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Senecio condylus	Senecio		90	2002
Senecio diaschides	Senecio		1	1997
Senecio elegans	Senecio		1	1978
Senecio gilbertii	Senecio		38	
Senecio glomeratus	Senecio		<1	
Senecio glossanthus	Senecio		<1	1984
Senecio lautus	Senecio		<1	2002
Senecio leucoglossus	Senecio		17	2004
Senecio multicaulis	Senecio		17	1986
Senecio picridioides	Senecio		<1	1965
Senecio pinnatifolius	Senecio		1	2005
Senecio ramosissimus	Senecio		4	1965
Senecio vulgaris	Senecio		9	2007
Siloxerus fififolius	Native Daisy		22	1999
Siloxerus humifusus	Native Daisy		28	2006
Sonchus hydrophilus	Native Sowthistle		3	2005
Streptoglossa cylindriceps	Native Daisy		<1	
Streptoglossa liatroides	Native Daisy		<1	
Telfordia cordata	Native Daisy		40	1968
Telfordia ramosa	Native Daisy		2	
Trichocline spathulata	Native Daisy		21	2004
Vellereophyton dealbatum	Native Daisy		3	2004
Vittadinia australasica	Native Daisy		<1	2006
Vittadinia cervicularis	Native Daisy		<1	
Vittadinia gracilis	Native Daisy		<1	1981
Waitzia acuminata	Native Daisy		<1	2006
Waitzia nitida	Native Daisy		9	2002
Waitzia podolepis	Native Daisy		10	1969
Waitzia suaveolens	Native Daisy		22	2005
Xerochrysum bracteatum	Native Daisy		<1	2003
Xerochrysum macrantha	Native Daisy		100	1972
Menyanthaceae		Marshwort	(5 out of 29 species in Australia)	
Villarsia albiflora	Marshwort		30	1996
Villarsia capitata	Marshwort		33	2005
Villarsia congestiflora	Marshwort		9	
Villarsia latifolia	Marshwort		3	1988
Villarsia submersa	Marshwort		11	2004



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Stylidiaceae				
Triggerplants and Allies (90 out of 293 species in Australia)				
Levenhookia dubia	Hairy Stylewort		<1	1983
Levenhookia leptantha	Trumpet Stylewort		2	
Levenhookia octomaculata	Eight-spotted Stylewort		14	2004
Levenhookia preissii	Priess's Stylewort		14	1994
Levenhookia pusilla	Midget Stylewort		8	2004
Levenhookia stipitata	Common Stylewort		21	2004
Stylidium aceratum			100	2003
Stylidium adpressum	Trigger-on-stilts		22	2006
Stylidium affine	Queen Triggerplant		36	2002
Stylidium albopilacinum			55	2006
Stylidium amoenum	Lovely Triggerplant		19	2005
Stylidium androsaceum			24	2006
Stylidium araeophyllum			67	1994
Stylidium bicolor			31	2004
Stylidium breviscapum	Boomerang Triggerplant		3	1974
Stylidium brunonianum	Pink Fountain Triggerplant		35	2006
Stylidium bulbiferum	Circus Triggerplant		31	2002
Stylidium burbidgeanum			8	1982
Stylidium calcaratum	Book Triggerplant		10	2006
Stylidium caricifolium	Milkmaids		8	2006
Stylidium carlquistii			100	2006
Stylidium carnosum	Fleshy-leaved Triggerplant		28	2004
Stylidium ciliatum	Golden Triggerplant		25	2005
Stylidium cilium			56	2005
Stylidium crassifolium	Thick-leaved Triggerplant		8	2003
Stylidium crossocephalum	Posy Triggerplant		22	2002
Stylidium cygnorum			51	2003
Stylidium cymiferum			67	2005
Stylidium despectum	Dwarf Triggerplant		1	
Stylidium dichotomum			21	2006
Stylidium diuroides	Donkey Triggerplant		39	2006
Stylidium divaricatum	Daddy-long-legs		40	2005
Stylidium diversifolium	Touch-me-not		9	2005
Stylidium ecorne	Foot Triggerplant		12	2005
Stylidium emarginatum	Biddy-four-legs		22	2002
Stylidium eriopodum			13	2006
Stylidium glabrifolium			100	2005
Stylidium guttatum	Dotted Triggerplant		13	2005
Stylidium hirsutum	Hairy Triggerplant		2	2002
Stylidium hispidum	White Butterfly Triggerplant		65	2005
Stylidium hortiorum			10	2000
Stylidium induratum	Desert Triggerplant		2	1968
Stylidium inundatum	Hundreds and Thousands		3	2003
Stylidium junceum	Reed Triggerplant		17	2006
Stylidium lateriticola			41	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Stylidium leeuwinense			14	
Stylidium leptocalyx	Slender-calyxed Trigger Plant		45	2005
Stylidium leptophyllum	Needle-leaved Triggerplant		9	1996
Stylidium lineatum	Sunny Triggerplant		39	2006
Stylidium longitubum	Jumping Jacks		50	2005
Stylidium maitlandianum	Fountain Triggerplant		4	1951
Stylidium maritimum			38	2005
Stylidium marradongense			25	2003
Stylidium miniatum	Pink Butterfly Triggerplant		37	2007
Stylidium neurophyllum			50	
Stylidium nonscandens			22	2001
Stylidium obtusatum	Pinafore Triggerplant		30	2002
Stylidium paludicola			100	
Stylidium paulineae			44	2002
Stylidium periscelanthum	Pantaloons Triggerplant		8	1966
Stylidium perpusillum	Tiny Triggerplant		2	1983
Stylidium petiolare	Horn Triggerplant		14	2006
Stylidium piliferum	Common Butterfly Triggerplant		12	2006
Stylidium preissii	Lizard Triggerplant		5	2003
Stylidium pubigerum	Yellow Butterfly Triggerplant		42	1999
Stylidium pulchellum	Thumbelina Triggerplant		20	1999
Stylidium pycnostachyum	Downy Triggerplant		63	2004
Stylidium repens	Matted Triggerplant		12	2006
Stylidium rhynchocarpum	Black-beaked Triggerplant		12	2005
Stylidium rigidulum			37	2003
Stylidium roseonatum			9	1982
Stylidium rubricalyx	Apron Triggerplant		67	1997
Stylidium sacculatum			36	2005
Stylidium scabridum	Moth Triggerplant		27	2002
Stylidium scandens	Climbing Triggerplant		<1	
Stylidium scariosum			66	2006
Stylidium schoenoides	Cow Kicks		24	2003
Stylidium semaphorum			100	2005
Stylidium septentrionale			7	1989
Stylidium sidjamesii			50	2003
Stylidium squamellosum	Maize Trigger Plant		12	2006
Stylidium stenosepalum			25	2003
Stylidium striatum	Fan-leaved Triggerplant		81	2004
Stylidium tenue			2	1983
Stylidium thesioides			41	2005
Stylidium trudgenii			25	2000
Stylidium udusicola			9	1993
Stylidium uniflorum	Pincushion Triggerplant		4	2004
Stylidium utricularioides	Pink Fan Triggerplant		57	2003
Stylidium zeicolor	Maize Triggerplant		1	

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Caryophyllales			
Aizoaceae			
Pigfaces (3 out of 44 species in Australia)			
Carpobrotus virescens		23	2003
Tetragonia implexicoma		<1	2003
Tetragonia tetragonoides		1	2002
Amaranthaceae			
Pigweed (14 out of 157 species in Australia)			
Alternanthera denticulata		<1	2005
Alternanthera nodiflora		<1	1981
Hemichroa pentandra		<1	1956
Ptilotus carlsonii		3	
Ptilotus declinatus		23	2002
Ptilotus drummondii		8	2007
Ptilotus esquamatus		64	2007
Ptilotus gaudichaudii		<1	
Ptilotus humilis		4	1975
Ptilotus manglesii		22	2006
Ptilotus polystachyus		1	2004
Ptilotus sericostachyus		33	1977
Ptilotus spathulatus		<1	1983
Ptilotus stirlingii		16	2002



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Chenopodiaceae	Saltbushes and Allies		(29 out of 291 species in Australia)	
<i>Atriplex cinerea</i>	Grey Saltbush		1	1999
<i>Atriplex exilifolia</i>	Saltbush		5	1998
<i>Atriplex hymenotheca</i>	Saltbush		1	
<i>Atriplex hypoleuca</i>	Saltbush		22	1991
<i>Atriplex isatidea</i>	Saltbush		10	2003
<i>Atriplex muelleri</i>	Mueller's Saltbush		<1	
<i>Atriplex pumilio</i>	Mat Saltbush		4	1991
<i>Atriplex semibaccata</i>	Berry Saltbush		<1	1985
<i>Atriplex suberecta</i>	Lagoon Saltbush		<1	1994
<i>Chenopodium glaucum</i>	Glaucous Goosefoot		2	2001
<i>Didymanthus roei</i>	Goosefoot		3	2002
<i>Dysphania glomulifera</i>	Pigweed		1	1992
<i>Dysphania pumilio</i>	Clammy Goosefoot		<1	1997
<i>Enchylaena lanata</i>	Saltbush		<1	1969
<i>Enchylaena tomentosa</i>	Saltbush		<1	1999
<i>Halosarcia lepidosperma</i>	Glasswort		4	2004
<i>Halosarcia lylei</i>	Wiry Glasswort		1	1960
<i>Maireana enchylaenoides</i>	Wingless Fissure Weed		<1	2007
<i>Rhagodia baccata</i>	Saltbush		18	2004
<i>Rhagodia drummondii</i>	Saltbush		<1	2004
<i>Rhagodia preissii</i>	Fragrant saltbush		<1	1981
<i>Sarcocornia blackiana</i>	Thick-head samphire		5	2002
<i>Sarcocornia quinqueflora</i>	Beaded Glasswort		1	2002
<i>Sclerolaena diacantha</i>	Grey Copper-burr		<1	1960
<i>Suaeda australis</i>	Austral Seablite		2	2004
<i>Tecticornia halocnemoides</i>	Samphire		<1	1998
<i>Tecticornia indica</i>	Brownhead Glasswort		<1	2004
<i>Tecticornia pergranulata</i>	Blackseed Glasswort		<1	1997
<i>Threlkeldia diffusa</i>	Coast Bonefruit		1	2004



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Droseraceae	Sundews		(48 out of 117 species in Australia)	
<i>Drosera androsaeca</i>	Cone Sundew		2	2002
<i>Drosera barbiger</i>	Sundew		18	2004
<i>Drosera bulbigena</i>	Midget Sundew		50	1989
<i>Drosera bulbosa</i>	Sundew		16	2002
<i>Drosera callistos</i>	Sundew		100	2004
<i>Drosera citrina</i>	Sundew		67	2001
<i>Drosera closterostigma</i>	Sundew		100	1987
<i>Drosera eneabba</i>	Sundew		7	1988
<i>Drosera ericksoniae</i>	Sundew		18	1998
<i>Drosera erythrogyn</i>	Sundew		3	1996
<i>Drosera erythrorhiza</i>	Red Ink Sundew		18	2002
<i>Drosera gigantea</i>	Giant Sundew		24	2002
<i>Drosera glanduligera</i>	Pimpernel Sundew		4	2005
<i>Drosera helodes</i>	Sundew		67	1991
<i>Drosera heterophylla</i>	Sundew, Swamp Rainbow		36	2004
<i>Drosera humilis</i>	Sundew		4	1966
<i>Drosera hyperostigma</i>	Sundew		45	1996
<i>Drosera intricata</i>	Sundew		6	2002
<i>Drosera leucoblasta</i>	Wheel Sundew		12	2002
<i>Drosera macrantha</i>	Bridal Rainbow, Climbing Sundew		3	2007
<i>Drosera macrophylla</i>	Showy Sundew		4	2002
<i>Drosera mannii</i>	Sundew		50	2005
<i>Drosera marchantii</i>	Sundew		2	2001
<i>Drosera menziesii</i>	Pink Rainbow		16	2006
<i>Drosera microphylla</i>	Golden Rainbow		25	2001
<i>Drosera miniata</i>	Orange Sundew		15	1999
<i>Drosera myriantha</i>	Star Rainbow		5	2005
<i>Drosera neesii</i>	Jewel Rainbow		9	1996
<i>Drosera nitidula</i>	Shining Sundew		53	1999
<i>Drosera occidentalis</i>	Western Sundew		38	1990
<i>Drosera orbiculata</i>	Sundew		100	1986
<i>Drosera oreopodion</i>	Sundew		67	1993
<i>Drosera paleacea</i>	Dwarf Sundew		10	2002
<i>Drosera pallida</i>	Pale Rainbow		20	2004
<i>Drosera parvula</i>	Small Sundew		54	2003
<i>Drosera platystigma</i>	Black-eyed Sundew		32	2000
<i>Drosera porrecta</i>	Sundew		27	2004
<i>Drosera pulchella</i>	Pretty Sundew		10	2005
<i>Drosera pycnoblata</i>	Pearly Sundew		3	1988
<i>Drosera ramellosa</i>	Branched Sundew		11	2001
<i>Drosera rosulata</i>	Sundew		50	1997
<i>Drosera spilos</i>	Sundew		33	2004
<i>Drosera stolonifera</i>	Leafy Sundew		23	2005
<i>Drosera stricticaulis</i>	Erect Sundew		9	1998
<i>Drosera subhirtella</i>	Sunny Rainbow		7	1998

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Drosera tubaestylis</i>	Sundew		14	1992
<i>Drosera walyunga</i>	Sundew		75	1991
<i>Drosera zonaria</i>	Painted Sundew		12	2002
Limeaceae		(3 out of 9 species in Australia)		
<i>Macarthuria apetala</i>	Herb		22	2002
<i>Macarthuria australis</i>	Herb		37	2006
<i>Macarthuria keigheryi</i>	Herb	Endangered	60	2002
Nyctaginaceae		Tarvine, Pisonia and Birdlime Trees		
		(1 out of 22 species in Australia)		
<i>Boerhavia coccinea</i>	Tarvine		<1	1996
Portulacaceae		Purslane		
		(8 out of 73 species in Australia)		
<i>Calandrinia brevipedata</i>	Short Stalked Purslane		28	2003
<i>Calandrinia calyptata</i>	Pink Purslane		2	2007
<i>Calandrinia composita</i>	Purslane		33	1989
<i>Calandrinia corrigioloides</i>	Strap Purslane		7	2006
<i>Calandrinia eremaea</i>	Twining Purslane		<1	1981
<i>Calandrinia granulifera</i>	Pygmy Purslane		3	2006
<i>Calandrinia liniflora</i>	Parakeelya		36	2006
<i>Calandrinia</i> sp. ml06	Purslane		1	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Commelinales				
Haemodoraceae				
Bloodroots, Conostyles, (51 out of 92 species in Australia)				
Kangaroo Paws and their Allies				
Anigozanthos bicolor	Little Kangaroo Paw		14	2006
Anigozanthos flavidus	Tall Kangaroo Paw		1	
Anigozanthos humilis	Common Catspaw		25	2004
Anigozanthos manglesii	Red and Green Kangaroo Paw		31	2006
Anigozanthos preissii	Kangaroo Paw		4	1959
Anigozanthos pulcherrimus	Yellow Kangaroo Paw		36	2002
Anigozanthos viridis	Green Kangaroo Paw		30	2006
Blancoa canescens	Conostylis		34	2002
Conostylis aculeata	Prickly Conostylis		21	2006
Conostylis androstemma	Trumpets		19	1999
Conostylis angustifolia	Conostylis		6	1974
Conostylis aurea	Golden Conostylis		30	2006
Conostylis candicans	Conostylis		29	2005
Conostylis caricina	Conostylis		54	2006
Conostylis crassinerva	Conostylis		4	1976
Conostylis festucacea	Conostylis		50	2003
Conostylis juncea	Conostylis		43	2006
Conostylis latens	Conostylis		36	1978
Conostylis laxiflora	Conostylis		3	2002
Conostylis lepidospermoides	Conostylis	Endangered	18	
Conostylis pauciflora	Conostylis		20	2003
Conostylis petrophiloides	Conostylis		1	1999
Conostylis prolifera	Conostylis		14	2004
Conostylis pusilla	Conostylis		4	2002
Conostylis resinosa	Conostylis		4	1957
Conostylis seminuda	Conostylis		14	1989
Conostylis serrulata	Conostylis		12	2002
Conostylis setigera	Conostylis		19	2006
Conostylis setosa	White Cottonhead		63	2003
Conostylis teretifolia	Conostylis		22	2006
Conostylis teretiuscula	Conostylis		11	2004
Conostylis tomentosa	Conostylis		11	1999
Conostylis villosa	Conostylis		11	2002
Conostylis wonganensis	Wongan Conostylis	Endangered	14	1998
Haemodorum brevisepalum	Native Bloodroot		20	1982
Haemodorum discolor	Native Bloodroot		13	2002
Haemodorum laxum	Native Bloodroot		32	2006
Haemodorum loratum	Native Bloodroot		54	2004
Haemodorum paniculatum	Mardja		38	2003
Haemodorum simplex	Native Bloodroot		31	2005
Haemodorum sparsiflorum	Native Bloodroot		16	2003
Haemodorum spicatum	Native Bloodroot		21	2006

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Haemodorum venosum	Native Bloodroot		28	1999
Macropidia fuliginosa	Black Kangaroo Paw		22	1981
Phlebocarya ciliata	Hairy Phlebocarya		25	2006
Phlebocarya filifolia	Phlebocarya		32	1998
Tribonanthes australis	Australian Pink		13	2005
Tribonanthes brachypetala	Australian Pink		44	2000
Tribonanthes longipetala	Long-flowered Pink		23	2005
Tribonanthes purpurea	Granite Pink	Vulnerable	12	2001
Tribonanthes violacea	Violet Pink		7	2005
Cycadales				
Zamiaceae				
	Native Cycads		(2 out of 44 species in Australia)	
Macrozamia fraseri	Cycad		58	2006
Macrozamia riedlei	Cycad		15	2003



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Dilleniaceae			
Dilleniaceae			
Guinea Flowers (35 out of 253 species in Australia)			
Hibbertia acerosa		14	1999
Hibbertia aurea		44	2006
Hibbertia commutata		19	2007
Hibbertia crassifolia		20	2003
Hibbertia cuneiformis		5	2004
Hibbertia cunninghamii		3	1996
Hibbertia desmophylla		6	1994
Hibbertia exasperata		<1	
Hibbertia glaberrima		1	1968
Hibbertia glomerata		19	2006
Hibbertia gracilipes		1	1968
Hibbertia helianthemoides		36	2002
Hibbertia hemignosta		6	1999
Hibbertia hibbertioides		30	2002
Hibbertia huegelii		40	2006
Hibbertia hypericoides		25	2006
Hibbertia lasiopus		57	2002
Hibbertia lineata		6	1988
Hibbertia miniata		92	2005
Hibbertia montana		29	2006
Hibbertia mylnei		5	
Hibbertia nymphaea		54	2005
Hibbertia pachyrrhiza		59	2003
Hibbertia perfoliata		20	2004
Hibbertia pilosa		4	
Hibbertia polystachya		20	1996
Hibbertia quadricolor		14	1999
Hibbertia racemosa	Stalked Guinea Flower	18	2006
Hibbertia rupicola		2	2004
Hibbertia serrata		16	2006
Hibbertia spicata		19	2005
Hibbertia stellaris	Star Guinea flower	19	2001
Hibbertia subvaginata		28	2006
Hibbertia vaginata		16	2006
Hibbertia verrucosa		7	1975
Dioscoreales			
Dioscoreaceae			
Native Yams (1 out of 4 species in Australia)			
Dioscorea hastifolia	Warrine	12	2005



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Ericales			
Epacridaceae			
Southern Heaths (89 out of 458 species in Australia)			
Acrotriche cordata		2	2003
Andersonia aristata		50	2004
Andersonia brevifolia		20	2004
Andersonia caerulea		1	1999
Andersonia gracilis	Endangered	17	1996
Andersonia heterophylla		25	2005
Andersonia involucrata		12	2005
Andersonia latiflora		13	0002
Andersonia lehmanniana		39	2006
Andersonia longifolia		12	0002
Andersonia micrantha		4	1973
Andersonia redolens		25	
Andersonia setifolia		7	
Andersonia simplex		2	1979
Andersonia sprengelioides		2	1978
Astroloma ciliatum		20	2002
Astroloma compactum		9	2002
Astroloma drummondii		3	2000
Astroloma epacridis		5	2002
Astroloma foliosum		100	2004
Astroloma glaucescens		23	1999
Astroloma humifusum		<1	1986
Astroloma macrocalyx		71	2005
Astroloma microcalyx		46	1990
Astroloma microdonta		6	1994
Astroloma pallidum		20	2006
Astroloma prostratum		2	2002
Astroloma serratifolium		5	2004
Astroloma sp. cataby		100	
Astroloma sp. grass patch		14	2000
Astroloma sp. nannup		33	
Astroloma stomarrhena		35	2006
Astroloma xerophyllum		34	2006
Brachyloma concolor		8	1999
Brachyloma preissii		15	1999
Conostephium magnum		8	1970
Conostephium minus		65	2005
Conostephium pendulum		36	2006
Conostephium preissii		32	2006
Cosmelia rubra		3	
Croninia kingiana		42	2007
Leucopogon allittii		24	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Leucopogon assimilis	Beard-heath		3	1979
Leucopogon australis	Spiked Beard-heath		4	2007
Leucopogon blepharolepis	Beard-heath		8	1968
Leucopogon capitellatus	Beard-heath		11	2004
Leucopogon cochlearifolius	Beard-heath		8	1996
Leucopogon concinnus	Beard-heath		8	2004
Leucopogon conostephioides	Beard-heath		13	2006
Leucopogon cymbiformis	Beard-heath		6	2004
Leucopogon dielsianus	Beard-heath		1	1999
Leucopogon elatior	Beard-heath		5	1997
Leucopogon gibbosus	Beard-heath		1	
Leucopogon glabellus	Beard-heath		3	2004
Leucopogon glaucifolius	Beard-heath		28	2006
Leucopogon gracillimus	Beard-heath		33	2006
Leucopogon hirsutus	Beard-heath		2	
Leucopogon insularis	Beard-heath		32	2002
Leucopogon leptanthus	Beard-heath		5	1988
Leucopogon mollis	Beard-heath		11	1974
Leucopogon nutans	Beard-heath		49	2001
Leucopogon obtusatus	Beard-heath		3	2004
Leucopogon oldfieldii	Oldfields Beard-heath		9	1999
Leucopogon oliganthus	Beard-heath		26	2007
Leucopogon oppositifolius	Beard-heath		8	1986
Leucopogon oxycedrus	Beard-heath		16	2004
Leucopogon parviflorus	Coastal Beard-heath		2	2005
Leucopogon pendulus	Beard-heath		3	2005
Leucopogon planifolius	Beard-heath		9	2004
Leucopogon polymorphus	Beard-heath		50	2006
Leucopogon polystachyus	Beard-heath		7	1975
Leucopogon propinquus	Beard-heath		22	2006
Leucopogon pulchellus	Beard-heath		38	2006
Leucopogon racemosus	Beard-heath		22	2003
Leucopogon sprengeioides	Beard-heath		35	2006
Leucopogon squarrosus	Beard-heath		69	2003
Leucopogon striatus	Beard-heath		4	
Leucopogon strictus	Beard-heath		48	2003
Leucopogon tamariscinus	Beard-heath		2	1970
Leucopogon tenuis	Beard-heath		30	2003
Leucopogon verticillatus	Tassel-flower		10	2003
Lysinema ciliatum	Heath		11	2005
Lysinema elegans	Elegant Heath		70	2000
Monotoca leucantha	Broom-heath		12	2005
Needhamiella pumilio	Heath		4	2005
Oligarrhena micrantha	Heath		1	
Sphenotoma capitata	Heath		2	
Styphelia tenuiflora	Common Pinheath		26	2004
Styphelia tenuifolia	Heath		60	1998

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Australian Government

Department of Sustainability, Environment, Water, Population and Communities

Species list for Swan WA

Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
--------------------	------------------------	--	-----------------------------------

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Fabales			
Fabaceae			
Peas (321 out of 2583 species in Australia)			
Acacia acuarua		2	1975
Acacia aculeiformis		27	1983
Acacia acuminata		2	2006
Acacia aestivalis		5	1984
Acacia alata		20	2000
Acacia amputata		6	2004
Acacia anarthros		64	2000
Acacia aneura		<1	1973
Acacia anomala	Vulnerable	100	1997
Acacia aphylla	Vulnerable	50	2005
Acacia appianata		27	2006
Acacia arcuatilis		4	1981
Acacia auronitens		10	2004
Acacia barbinervis		59	2002
Acacia baxteri		11	2004
Acacia beauverdiana		1	1963
Acacia benthamii		67	2005
Acacia bidentata		2	2002
Acacia blakelyi		3	1993
Acacia brachypoda	Endangered	17	2005
Acacia browniana		6	2000
Acacia brumalis		3	1986
Acacia burkittii		<1	
Acacia celastrifolia		22	2006
Acacia chrysocephala		1	2002
Acacia clydonophora		59	2006
Acacia cochlearis		10	2005
Acacia congesta		4	1950
Acacia coolgardiensis		<1	
Acacia costata		21	1987
Acacia crassistipula		31	2004
Acacia crispula		1	
Acacia cummingiana		10	1997
Acacia cuneifolia		21	2005
Acacia cyclops		8	2004
Acacia dentifera		21	2004
Acacia dilatata		6	2004
Acacia divergens		5	1998
Acacia drewiana		28	2000
Acacia drummondii		38	2006
Acacia dura		20	1957
Acacia empelioclada		3	1985
Acacia ephedroides		18	2001
Acacia ericksoniae		11	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Acacia erinacea	Spiny Wattle		1	2004
Acacia erioclada	Wattle		20	1977
Acacia exocarpoides	Wattle		2	
Acacia extensa	Wiry Wattle		10	2003
Acacia filifolia	Wattle		3	1963
Acacia gemina	Wattle		6	2002
Acacia gilbertii	Wattle		6	1994
Acacia glaucoptera	Clay Wattle		<1	
Acacia hemiteles	Tan Wattle		<1	
Acacia heteroclita	Wattle		3	
Acacia horridula	Wattle		31	1999
Acacia huegelii	Wattle		41	2006
Acacia idiomorpha	Yellow Wattle		7	1995
Acacia incrassata	Wattle		55	1996
Acacia incurva	Wattle		12	2002
Acacia insolita	Yornaning Wattle		8	2002
Acacia jacksonioides	Wattle		4	1973
Acacia jibberdingensis	Jibberding Wattle		2	
Acacia lasiocalyx	Silver Wattle		3	2002
Acacia lasiocarpa	Lime sand wattle		14	2002
Acacia lateriticola	Wattle		17	2005
Acacia latipes	Wattle		5	2001
Acacia leptospermoides	Wattle		13	2004
Acacia ligustrina	Wattle		2	1998
Acacia lineolata	Dwarf Myall		3	
Acacia littorea	Wattle		5	1999
Acacia lullfitziorum	Wattle		11	
Acacia meisneri	Wattle		17	1983
Acacia merrallii	Merrall's Wattle		<1	1963
Acacia microbotrya	Manna Wattle		7	2007
Acacia multispicata	Wattle		2	2005
Acacia myrtifolia	Myrtle Wattle		<1	1959
Acacia nervosa	Rib Wattle		29	2004
Acacia nigripilosa	Wattle		2	1998
Acacia obovata	Wattle		14	2047
Acacia oncinophylla	Hook-leaved Acacia		50	2006
Acacia orbifolia	Wattle		7	1998
Acacia pentadenia	Karri Wattle		2	
Acacia plicata	Wattle		8	
Acacia podalyriifolia	Queensland Silver Wattle		<1	2005
Acacia preissiana	Wattle		36	2005
Acacia pulchella	Prickly Moses		24	2006
Acacia restiacea	Wattle		5	2005
Acacia ridleyana	Wattle		50	1997
Acacia rigida	Wattle		9	1998
Acacia rostellifera	Wattle		11	2005
Acacia saligna	Orange Wattle		9	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Acacia scalena	Wattle		6	
Acacia scirpifolia	Wattle		2	1995
Acacia sclerophylla	Hard-leaf Wattle		<1	2002
Acacia semitrullata	Wattle		5	
Acacia sessilis	Wattle		29	2006
Acacia sessilispica	Wattle		2	1996
Acacia shuttleworthii	Wattle		29	2007
Acacia spathulifolia	Wattle		1	1962
Acacia sphacelata	Wattle		18	1998
Acacia spinosissima	Wattle		4	
Acacia squamata	Wattle		17	2005
Acacia stenoptera	Narrow Winged		17	2003
Acacia stereophylla	Wodgil		<1	
Acacia subcaerulea	Blue-barked Acacia		1	
Acacia subflexuosa	Wattle		25	2005
Acacia teretifolia	Wattle		44	2003
Acacia tetragonocarpa	Wattle		20	1995
Acacia tetragonophylla	Dead Finish		<1	
Acacia trigonophylla	Wattle		8	1999
Acacia trinalis	Wattle		17	
Acacia trulliformis	Wattle		8	
Acacia truncata	Wattle		48	2003
Acacia ulicina	Wattle		9	2002
Acacia urophylla	Tail-leaved Acacia		20	2004
Acacia varia	Wattle		2	2000
Acacia willdenowiana	Grass Wattle		35	2005
Acacia wilsonii	Wattle		12	
Aotus cordifolia	Darling Scarp Earless Pea		44	2006
Aotus glacillima	Leeuwin Earless Pea		33	2007
Aotus intermedia	Albany Earless Pea		2	2002
Aotus procumbens	Procumbent Earless Pea		36	2002
Bossiaea aquifolium	Bitter-pea		12	2006
Bossiaea concinna	Bitter-pea		6	0002
Bossiaea dentata	Bitter-pea		2	1990
Bossiaea disticha	Bitter-pea		8	0002
Bossiaea divaricata	Bitter-pea		7	0002
Bossiaea eriocarpa	Bitter-pea		25	2006
Bossiaea linophylla	Bitter-pea		<1	0002
Bossiaea modesta	Mount Dale Bitter-pea		80	2005
Bossiaea ornata	Ornate Bitter-pea		16	2004
Bossiaea peduncularis	Bitter-pea		14	0002
Bossiaea pulchella	Bitter-pea		56	2003
Bossiaea rufa	Red Bitter-pea		13	2007
Bossiaea sp. waroona	Bitter-pea		100	2002
Bossiaea spinosa	Spiny Bitter-pea		7	0002
Chorizema aciculare	Flame-pea		3	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Chorizema cordatum	Flame-pea		16	2002
Chorizema dicksonii	Flame-pea		42	2006
Chorizema ilicifolium	Flame-pea		3	
Chorizema nanum	Flame-pea		2	1991
Chorizema racemosum	Flame-pea		1	1974
Chorizema reticulatum	Flame-pea		6	2002
Chorizema rhynchotropis	Flame-pea		4	1965
Chorizema ulotropis	Flame-pea		21	2006
Chorizema varium	Limestone Flame-pea	Endangered	100	2001
Cristonia biloba	Bitter-pea		19	2003
Daviesia angulata	Bitter-pea		33	2007
Daviesia benthamii	Bitter-pea		<1	2007
Daviesia brachyphylla	Bitter-pea		9	1996
Daviesia campephylla	Bitter-pea		12	
Daviesia cardiophylla	Bitter-pea		2	2000
Daviesia chapmanii	Bitter-pea		6	
Daviesia cordata	Bitter-pea		18	2004
Daviesia costata	Bitter-pea		7	1997
Daviesia daphnoides	Bitter-pea		9	1965
Daviesia debilior	Bitter-pea		10	1996
Daviesia decipiens	Bitter-pea		17	1985
Daviesia decurrens	Bitter-pea		28	2004
Daviesia dilatata	Bitter-pea		6	1970
Daviesia divaricata	Bitter-pea		29	2006
Daviesia epiphyllum	Bitter-pea		10	
Daviesia flexuosa	Bitter-pea		2	1970
Daviesia gracilis	Bitter-pea		8	2002
Daviesia grahamii	Bitter-pea		2	1968
Daviesia hakeoides	Bitter-pea		15	2004
Daviesia horrida	Bitter-pea		29	2004
Daviesia incrassata	Bitter-pea		5	2002
Daviesia inflata	Bitter-pea		3	1980
Daviesia longifolia	Bitter-pea		18	2005
Daviesia microphylla	Bitter-pea		31	2002
Daviesia nudiflora	Bitter-pea		17	2004
Daviesia ovata	Bitter-pea		40	
Daviesia oxylobium	Bitter-pea		6	
Daviesia pedunculata	Bitter-pea		8	2005
Daviesia physodes	Bitter-pea		37	2005
Daviesia podophylla	Bitter-pea		9	2006
Daviesia polyphylla	Bitter-pea		52	2006
Daviesia preissii	Bitter-pea		18	2006
Daviesia quadrilatera	Bitter-pea		7	1990
Daviesia rhombifolia	Bitter-pea		22	2001
Daviesia triflora	Bitter-pea		50	2006
Daviesia umbonata	Bitter-pea		8	2004
Dillwynia cinerascens	Parrot-pea		2	1968

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Dillwynia dillwynioides	Parrot-pea		41	2006
Dillwynia laxiflora	Parrot-pea		24	2006
Euchilopsis linearis	Eggs and Bacon		37	2006
Eutaxia virgata	Bacon and Eggs		23	2006
Gastrolobium acutum	Poison-pea		50	2004
Gastrolobium alternifolium	Alternate-leaved Poison-pea		75	2001
Gastrolobium axillare	Scale-leaved Poison-pea	Vulnerable	12	1997
Gastrolobium bennettsianum	Cluster Poison-pea		4	1957
Gastrolobium bilobum	Heart-leaved Poison-pea		4	2004
Gastrolobium brownii	Browns Poison-pea		5	
Gastrolobium callistachys	Rock Poison-pea		4	2006
Gastrolobium calycinum	Road Poison-pea		29	2005
Gastrolobium capitatum	Poison-pea		51	2006
Gastrolobium celsianum	Poison-pea		13	2004
Gastrolobium congestum	Poison-pea		9	
Gastrolobium coriaceum	Poison-pea		2	2005
Gastrolobium crispatum	Crisps Poison-pea		86	1999
Gastrolobium dilatatum	Poison-pea		28	2005
Gastrolobium ebracteolatum	Poison-pea		31	2007
Gastrolobium epacridoides	Heath-leaved Poison-pea		85	2002
Gastrolobium floribundum	Wodjil Poison-pea		4	1965
Gastrolobium glabratum	Poison-pea		14	1999
Gastrolobium hamulosum	Hook-point Poison-pea	Endangered	25	2002
Gastrolobium hookeri	Hookers Poison-pea		26	1999
Gastrolobium ilicifolium	Holly-leaved Poison-pea		13	1997
Gastrolobium laytonii	Kite-leaved Poison-pea		2	1965
Gastrolobium leakeanum	Poison-pea		8	
Gastrolobium lehmannii	Lehmans Poison-pea	Vulnerable	10	
Gastrolobium linearifolium	Thin-leaved Poison-pea		70	2006
Gastrolobium microcarpum	Sandplain Poison-pea		25	1990
Gastrolobium nervosum	Poison-pea		43	2003
Gastrolobium nudum	Poison-pea		57	2003
Gastrolobium obovatum	Poison-pea		5	2004
Gastrolobium oxylobioides	Champion Bay Poison-pea		18	1997
Gastrolobium parviflorum	Box Poison-pea		2	2004
Gastrolobium parvifolium	Berry Poison-pea		3	1996
Gastrolobium plicatum	Poison-pea		9	1975
Gastrolobium polystachyum	Poison-pea		11	2004
Gastrolobium praemorsum	Poison-pea		6	1999
Gastrolobium pusillum	Poison-pea		7	1998
Gastrolobium reticulatum	Poison-pea		14	1995
Gastrolobium retusum	Poison-pea		25	2000
Gastrolobium rhombifolium	Rhomboid-leaved Poison-pea		20	2006
Gastrolobium rotundifolium	Gilbernine Poison-pea		8	1964
Gastrolobium spatulatum	Poison-pea		40	2006
Gastrolobium spinosum	Spiny Poison-pea		11	2004
Gastrolobium stowardii	Stowards Poison-pea		4	1980

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Gastrolobium triangulare</i>	Poison-pea		9	
<i>Gastrolobium tricuspidatum</i>	Poison-pea		4	2002
<i>Gastrolobium trilobium</i>	Bullock Poison-pea		8	2007
<i>Gastrolobium villosum</i>	Crinkle-leaved Poison-pea		63	2002
<i>Gompholobium aristatum</i>	Wedge-pea		42	2005
<i>Gompholobium burtonioides</i>	Burtons Wedge-pea		4	2005
<i>Gompholobium capitatum</i>	Wedge-pea		12	2002
<i>Gompholobium confertum</i>	Wedge-pea		12	2003
<i>Gompholobium cyaninum</i>	Wedge-pea		6	1968
<i>Gompholobium gairdnerianum</i>	Wedge-pea		14	
<i>Gompholobium knightianum</i>	Knights Wedge-pea		18	2006
<i>Gompholobium marginatum</i>	Wedge-pea		18	2006
<i>Gompholobium ovatum</i>	Wedge-pea		4	2005
<i>Gompholobium polymorphum</i>	Wedge-pea		14	2005
<i>Gompholobium preissii</i>	Preiss's Wedge-pea		24	2003
<i>Gompholobium scabrum</i>	Wedge-pea		12	2002
<i>Gompholobium shuttleworthii</i>	Shuttleworths Wedge-pea		32	2006
<i>Gompholobium tomentosum</i>	Hairy Yellow Pea		20	2006
<i>Hardenbergia comptoniana</i>	South-west Wanderer		23	2006
<i>Hovea chorizemifolia</i>	Hovea		15	2004
<i>Hovea elliptica</i>	Hovea		<1	0002
<i>Hovea pungens</i>	Sharp Hovea		29	2005
<i>Hovea stricta</i>	Hovea		18	2001
<i>Hovea trisperma</i>	Hovea		24	2006
<i>Indigofera australis</i>	Native Indigo		<1	0002
<i>Indigofera colutea</i>	Native Indigo		<1	1980
<i>Isotropis cuneifolia</i>	Lamb-poison		15	2002
<i>Isotropis drummondii</i>	Drummonds Lamb-poison		7	2004
<i>Isotropis juncea</i>	Lamb-poison		17	1983
<i>Jacksonia alata</i>	Dogwood		22	2000
<i>Jacksonia angulata</i>	Dogwood		17	1993
<i>Jacksonia calcicola</i>	Dogwood		27	1998
<i>Jacksonia condensata</i>	Dogwood		3	2001
<i>Jacksonia epiphyllum</i>	Dogwood		14	2002
<i>Jacksonia floribunda</i>	Dogwood		26	2005
<i>Jacksonia foliosa</i>	Dogwood		8	1956
<i>Jacksonia furcellata</i>	Dogwood		21	2006
<i>Jacksonia hakeoides</i>	Hakea-leaved Dogwood		4	1997
<i>Jacksonia horrida</i>	Dogwood		1	
<i>Jacksonia lehmannii</i>	Dogwood		20	2006
<i>Jacksonia nutans</i>	Dogwood		25	1991
<i>Jacksonia racemosa</i>	Dogwood		<1	2000
<i>Jacksonia restioides</i>	Dogwood		28	2004
<i>Jacksonia sericea</i>	Dogwood		76	2004
<i>Jacksonia sternbergiana</i>	Dogwood		38	2005
<i>Kennedia carinata</i>	Running Pea		5	1996
<i>Kennedia coccinea</i>	Running Pea		13	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Kennedia macrophylla</i>	Augusta Running Pea	Endangered	17	0002
<i>Kennedia microphylla</i>	Running Pea		5	0002
<i>Kennedia nigricans</i>	Running Pea		9	2002
<i>Kennedia prostrata</i>	Running Postman		4	2006
<i>Kennedia stirlingii</i>	Stirling Running Pea		76	1999
<i>Labichea cassioides</i>	Cassia		8	1966
<i>Labichea lanceolata</i>	Cassia		7	2004
<i>Labichea punctata</i>	Cassia		24	2004
<i>Labichea teretifolia</i>	Cassia		3	1968
<i>Latrobea tenella</i>	Bush-pea		54	2006
<i>Leptosema daviesioides</i>	Bush-pea		1	
<i>Mirbelia dilatata</i>	Mirbelia		8	2001
<i>Mirbelia floribunda</i>	Mirbelia		9	2004
<i>Mirbelia microphylla</i>	Small-leaved Mirbelia		1	1978
<i>Mirbelia ramulosa</i>	Mirbelia	3	2005	
<i>Mirbelia spinosa</i>	Mirbelia	16	2003	
<i>Mirbelia trichocalyx</i>	Mirbelia	4	2004	
<i>Paraserianthes lophantha</i>	South-west Albizia	12	2005	
<i>Phyllota gracilis</i>	Bush-pea	19	2001	
<i>Ptychosema pusillum</i>	Dwarf Pea	Vulnerable	60	1971
<i>Pultenaea aspalathoides</i>	Bacon and Eggs		6	
<i>Pultenaea brachytropis</i>	Bacon and Eggs		3	
<i>Pultenaea ericifolia</i>	Heath-leaved Bacon and Eggs		21	2006
<i>Pultenaea ochreatea</i>	Bacon and Eggs		9	2005
<i>Pultenaea reticulata</i>	Bacon and Eggs		10	2006
<i>Pultenaea rotundifolia</i>	Bacon and Eggs		3	0002
<i>Senna artemisioides</i>	Senna		<1	2000
<i>Senna charlesiana</i>	Senna		<1	
<i>Sphaerolobium calcicola</i>	Reed Pea		30	1997
<i>Sphaerolobium drummondii</i>	Reed Pea		6	2003
<i>Sphaerolobium hygrophilum</i>	Reed Pea		4	1970
<i>Sphaerolobium linophyllum</i>	Reed Pea		24	2003
<i>Sphaerolobium macranthum</i>	Reed Pea		9	2006
<i>Sphaerolobium medium</i>	Reed Pea	21	2006	
<i>Sphaerolobium vimineum</i>	Reed Pea	2	1996	
<i>Swainsona canescens</i>	Darling Pea	<1	0002	
<i>Swainsona pterostylis</i>	Darling Pea	<1		
<i>Templetonia aculeata</i>	Mallee-pea	1	1991	
<i>Templetonia drummondii</i>	Drummonds Mallee-pea	66	2006	
<i>Templetonia retusa</i>	Mallee-pea	5	2003	
<i>Templetonia sulcata</i>	Flat Mallee-pea	<1	1970	
<i>Trifolium glomeratum</i>	Introduced Clover	<1	1999	
<i>Viminaria juncea</i>	Golden Spray	6	2005	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Fagales				
Casuarinaceae				
	She-oaks		(14 out of 69 species in Australia)	
<i>Allocasuarina acuarina</i>	She-oak		4	2001
<i>Allocasuarina campestris</i>	She-oak		2	2004
<i>Allocasuarina corniculata</i>	She-oak		<1	
<i>Allocasuarina decussata</i>	Karri She-oak		3	1973
<i>Allocasuarina drummondiana</i>	Drummonds She-oak		19	1983
<i>Allocasuarina fraseriana</i>	Western She-oak		27	2003
<i>Allocasuarina grevilleoides</i>	She-oak		30	1997
<i>Allocasuarina huegeliana</i>	Rock She-oak		5	2002
<i>Allocasuarina humilis</i>	Dwarf She-oak		15	2004
<i>Allocasuarina lehmanniana</i>	Dune She-oak		13	2002
<i>Allocasuarina microstachya</i>	She-oak		5	1996
<i>Allocasuarina ramosissima</i>	She-oak		5	1983
<i>Allocasuarina thuyoides</i>	Horned She-oak		3	2002
<i>Casuarina obesa</i>	Grey Bull-oak		8	2004
Lamiales				
Lentibulariaceae				
	Bladderworts		(8 out of 58 species in Australia)	
<i>Utricularia australis</i>	Bladderwort		1	1989
<i>Utricularia inaequalis</i>	Bladderwort		22	1970
<i>Utricularia menziesii</i>	Bladderwort		5	1976
<i>Utricularia multifida</i>	Bladderwort		20	2001
<i>Utricularia petertaylorii</i>	Bladderwort		44	1999
<i>Utricularia tenella</i>	Bladderwort		6	2002
<i>Utricularia violacea</i>	Bladderwort		16	2000
<i>Utricularia volubilis</i>	Bladderwort		17	2005
Phrymaceae				
<i>Glossostigma diandrum</i>	Spoon-leaf Mud-mat		1	2000
Scrophulariaceae				
	Figworts		(6 out of 99 species in Australia)	
<i>Bacopa monnieri</i>			3	2006
<i>Euphrasia scabra</i>			1	
<i>Gratiola peruviana</i>			<1	1984
<i>Gratiola pubescens</i>	Austral Brooklime		4	2000
<i>Limosella australis</i>			<1	1976
<i>Veronica distans</i>			19	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Laurales				
Lauraceae				
Laurels, Camphorwood and Australian Walnuts (5 out of 140 species in Australia)				
	Cassytha aurea	Dodder Laurel	5	2002
	Cassytha flava	Dodder Laurel	15	1999
	Cassytha glabella	Tangled Dodder Laurel	1	2007
	Cassytha pomiformis	Dodder Laurel	9	2005
	Cassytha racemosa	Dodder Laurel	11	2005
Liliales				
Colchicaceae				
Nancies and Allies (13 out of 48 species in Australia)				
	Burchardia bairdiae	Native Lily	69	2007
	Burchardia congesta	Western Milk-maids	22	2006
	Burchardia monantha	Native Lily	3	2002
	Burchardia multiflora	Dwarf Burchardia	18	2003
	Burchardia rosea	Native Lily	6	1968
	Burchardia umbellata	Milk-maids	<1	1984
	Wurmbea densiflora	Nancy	2	
	Wurmbea dioica	Early Nancy	2	2005
	Wurmbea drummondii	Drummonds Nancy	22	2003
	Wurmbea monantha	Nancy	17	2003
	Wurmbea pygmaea	Pygmy Nancy	33	1996
	Wurmbea sinora	Nancy	2	1998
	Wurmbea tenella	Nancy	4	2002



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Malpighiales			
Euphorbiaceae			
Spurges (20 out of 315 species in Australia)			
Adriana quadripartita		2	2006
Amperea protensa		18	
Beyeria cinerea		12	2000
Beyeria lechenaultii	Pale turpentine bush	<1	1990
Beyeria viscosa		<1	1999
Calycopeplus paucifolius		3	2004
Euphorbia cyathophora		<1	1991
Euphorbia drummondii		<1	2003
Euphorbia helioscopia		7	2005
Euphorbia terracina		8	2005
Monotaxis occidentalis		18	2000
Ricinocarpos glaucus		1	1979
Ricinocarpos graniticus		29	1989
Ricinocarpos stylosus		3	1967
Ricinocarpos tuberculatus		7	1978
Ricinocarpos velutinus		1	1983
Stachystemon axillaris	Leafy Stachystemon	28	2000
Stachystemon brachyphyllus		4	1990
Stachystemon vermicularis		26	2006
Stachystemon virgatus		6	2001
Phyllanthaceae (6 out of 113 species in Australia)			
Phyllanthus calycinus		21	2006
Phyllanthus scaber		2	1980
Poranthera drummondii		23	1978
Poranthera ericoides		15	2001
Poranthera huegelii		5	2001
Poranthera microphylla		<1	2003



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Malvales				
Sterculiaceae				
Kurrajongs and Bottletrees (39 out of 273 species in Australia)				
Brachychiton populneus	Kurrajong		<1	2001
Commersonia melanopetala			6	1968
Commersonia pulchella			5	1983
Guichenotia angustifolia			3	1953
Guichenotia impudica			9	1960
Guichenotia ledifolia			6	2006
Guichenotia macrantha			5	1995
Guichenotia micrantha			6	1995
Guichenotia sarotes			8	2004
Guichenotia tuberculata			73	2002
Keraudrenia hermanniifolia			2	1992
Keraudrenia integrifolia			3	1999
Lasiopetalum angustifolium	Narrow leaved Lasiopetalum		5	1997
Lasiopetalum bracteatum	Helena Velvet Bush		89	2006
Lasiopetalum compactum			2	
Lasiopetalum floribundum			8	1997
Lasiopetalum glabratum			65	2003
Lasiopetalum lineare			17	2004
Lasiopetalum membranaceum			19	1994
Lasiopetalum molle	Soft-leaved Lasiopetalum		3	1978
Lasiopetalum parvuliflorum			8	
Lasiopetalum sp. hill river			8	
Rulingia borealis			5	1992
Rulingia corylifolia	Hazel-leaved Rulingia		2	
Rulingia cygnorum			26	2006
Rulingia grandiflora			6	0002
Thomasia cognata			26	2006
Thomasia foliosa			20	2003
Thomasia glutinosa	Sticky Thomasia		70	2006
Thomasia grandiflora	Large-flowered Thomasia		11	2004
Thomasia macrocalyx			4	1985
Thomasia macrocarpa	Large-fruited Thomasia		60	2004
Thomasia paniculata			13	1997
Thomasia pauciflora			3	1992
Thomasia purpurea			3	
Thomasia pygmaea	Tiny Thomasia		12	1971
Thomasia rulingioides			12	
Thomasia sarotes			5	1965
Thomasia triphylla			29	2002



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Thymelaeaceae	Pimeleas		(20 out of 110 species in Australia)	
<i>Pimelea angustifolia</i>	Rice Flower		5	2007
<i>Pimelea argentea</i>	Rice Flower		13	2007
<i>Pimelea brevistyla</i>	Rice Flower		35	1984
<i>Pimelea calcicola</i>	Rice Flower		62	2000
<i>Pimelea ciliata</i>	Rice Flower		28	2002
<i>Pimelea ferruginea</i>	Rice Flower		7	2003
<i>Pimelea floribunda</i>	Rice Flower		25	2007
<i>Pimelea gilgiana</i>	Rice Flower		13	1990
<i>Pimelea imbricata</i>	Rice Flower		9	1996
<i>Pimelea lehmanniana</i>	Rice Flower		4	1984
<i>Pimelea leucantha</i>	Rice Flower		25	2006
<i>Pimelea preissii</i>	Rice Flower		14	1998
<i>Pimelea rara</i>	Summer Rice Flower	Vulnerable	69	2004
<i>Pimelea rosea</i>	Rice Flower		5	1977
<i>Pimelea spectabilis</i>	Rice Flower		22	2007
<i>Pimelea suaveolens</i>	Rice Flower		18	2007
<i>Pimelea subvillifera</i>	Rice Flower		3	2001
<i>Pimelea sulphurea</i>	Rice Flower		25	2007
<i>Pimelea sylvestris</i>	Rice Flower		15	2000
<i>Pimelea tinctoria</i>	Rice Flower		3	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Myrtales				
Lythraceae	Loosestrifes		(2 out of 27 species in Australia)	
Lythrum hyssopifolia	Loosestrife		1	2005
Lythrum junceum	Loosestrife		2	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Myrtaceae	Native Myrtles		(292 out of 2211 species in Australia)	
<i>Actinodium cunninghamii</i>	Myrtle		1	
<i>Agonis flexuosa</i>	River Peppermint		8	2003
<i>Agonis linearifolia</i>	Peppermint		11	2007
<i>Angasomyrtus salina</i>	Myrtle		5	
<i>Astartea affinis</i>	False Baeckea		36	2006
<i>Astartea fascicularis</i>	False Baeckea		11	1978
<i>Astartea leptophylla</i>	False Baeckea		10	2005
<i>Astartea scoparia</i>	False Baeckea		27	2007
<i>Babingtonia camphorosmae</i>	Baeckea		29	2006
<i>Baeckea crispiflora</i>	Baeckea		5	2006
<i>Baeckea grandiflora</i>	Large-flowered Baeckea		10	2006
<i>Baeckea platycephala</i>	Baeckea		33	1989
<i>Baeckea preissiana</i>	Baeckea		2	2004
<i>Baeckea</i> sp. chittering	Baeckea		100	
<i>Baeckea</i> sp. darling range	Baeckea		100	
<i>Baeckea</i> sp. perenjori	Baeckea		100	
<i>Balaustion pulcherrimum</i>	Myrtle		2	
<i>Beaufortia aestiva</i>	Beaufortia		2	
<i>Beaufortia bracteosa</i>	Beaufortia		5	2001
<i>Beaufortia cyrtodonta</i>	Beaufortia		8	
<i>Beaufortia elegans</i>	Beaufortia		22	2006
<i>Beaufortia eriocephala</i>	Woolly Bottlebrush		21	1992
<i>Beaufortia incana</i>	Beaufortia		2	
<i>Beaufortia macrostemon</i>	Beaufortia		57	2007
<i>Beaufortia purpurea</i>	Beaufortia		71	2005
<i>Beaufortia squarrosa</i>	Beaufortia		23	2003
<i>Callistemon phoeniceus</i>	Lesser Bottlebrush		6	2002
<i>Calothamnus asper</i>	Net-bush		8	1981
<i>Calothamnus brevifolius</i>	Net-bush		6	
<i>Calothamnus hirsutus</i>	Net-bush		27	1997
<i>Calothamnus homalophyllus</i>	Net-bush		2	1997
<i>Calothamnus lateralis</i>	Net-bush		16	2006
<i>Calothamnus microcarpus</i>	Net-bush		5	
<i>Calothamnus oldfieldii</i>	Net-bush		3	1968
<i>Calothamnus pachystachyus</i>	Net-bush		92	2006
<i>Calothamnus pinifolius</i>	Net-bush		5	1963
<i>Calothamnus preissii</i>	Net-bush		12	2002
<i>Calothamnus quadrifidus</i>	Net-bush		12	2005
<i>Calothamnus robustus</i>	Net-bush		10	1996
<i>Calothamnus rupestris</i>	Net-bush		62	2006
<i>Calothamnus sanguineus</i>	Net-bush		28	2007
<i>Calothamnus torulosus</i>	Net-bush		10	2005
<i>Calytrix angulata</i>	Star flower		40	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Calytrix aurea</i>	Star flower		26	2006
<i>Calytrix breviseta</i>	Star flower		4	2006
<i>Calytrix depressa</i>	Star flower		10	2000
<i>Calytrix flavescens</i>	Star Flower		18	2004
<i>Calytrix fraseri</i>	Star flower		39	2006
<i>Calytrix glutinosa</i>	Star flower		43	2007
<i>Calytrix gracilis</i>	Star flower		2	1998
<i>Calytrix leschenaultii</i>	Star flower		3	2005
<i>Calytrix pulchella</i>	Star flower		6	
<i>Calytrix sapphirina</i>	Star flower		15	2001
<i>Calytrix simplex</i>	Star flower		19	2007
<i>Calytrix strigosa</i>	Star flower		10	2004
<i>Calytrix sylvana</i>	Star flower		86	2000
<i>Calytrix variabilis</i>	Star flower		75	2006
<i>Chamelaucium gingin(marchant)</i>	Waxflower	Vulnerable	67	2003
<i>Conothamnus trinervis</i>	Smokebush		6	2006
<i>Corymbia aspera</i>	Rough-leaved ghost gum		<1	1988
<i>Corymbia calophylla</i>	Marri		20	2004
<i>Corymbia ficifolia</i>	Red-flowering gum		6	
<i>Darwinia acerosa</i>	Mountain bell	Endangered	60	1999
<i>Darwinia apiculata</i>	Mountain bell	Endangered	67	2006
<i>Darwinia carnea</i>	Mountain bell	Endangered	50	1998
<i>Darwinia ciliata</i>	Mountain bell		<1	2003
<i>Darwinia citriodora</i>	Mountain bell		23	2005
<i>Darwinia neildiana</i>	Mountain bell		4	2001
<i>Darwinia oederoides</i>	Mountain bell		8	1999
<i>Darwinia pimelioides</i>	Mountain bell		44	2001
<i>Darwinia pinifolia</i>	Mountain bell		25	2002
<i>Darwinia thymoides</i>	Mountain bell		38	1997
<i>Darwinia uncinata</i>	Mountain bell		31	2005
<i>Darwinia vestita</i>	Mountain bell		<1	2003
<i>Eremaea asterocarpa</i>	Eremaea		35	2004
<i>Eremaea beaufortioides</i>	Eremaea		4	1992
<i>Eremaea fimbriata</i>	Eremaea		28	1999
<i>Eremaea pauciflora</i>	Eremaea		20	2003
<i>Eremaea purpurea</i>	Eremaea		67	2002
<i>Eremaea violacea</i>	Eremaea		2	1984
<i>Eucalyptus accedens</i>	Powder bark Wandoo		20	2003
<i>Eucalyptus angulosa</i>	Ridge fruited Mallee		<1	0002
<i>Eucalyptus aquilina</i>	Cape Le Grand Mallee		5	
<i>Eucalyptus arachnaea</i>	Blackstemmed Mallee		5	2001
<i>Eucalyptus argutifolia</i>	Wabbling Hill Mallee	Vulnerable	71	2007
<i>Eucalyptus aspersa</i>	Eucalypt		12	2005
<i>Eucalyptus balanites</i>	Cadda Road Mallee	Endangered	20	2002
<i>Eucalyptus brachycorys</i>	Cowcowing Mallee		<1	1984
<i>Eucalyptus burracoppinensis</i>	Burracoppin Mallee		1	1979
<i>Eucalyptus caesia</i>	Gungunnu		4	0002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Eucalyptus calycogona</i>	Square-fruited mallee		<1	0002
<i>Eucalyptus camaldulensis</i>	River Red Gum		<1	1966
<i>Eucalyptus capillosa</i>	Wheatbelt Wandoo		<1	1999
<i>Eucalyptus carnabyi</i>	Mallee		33	1993
<i>Eucalyptus celastroides</i>	Snap and Rattle		<1	1970
<i>Eucalyptus cornuta</i>	Yate		1	1983
<i>Eucalyptus decipiens</i>	Limestone Marlock		11	1999
<i>Eucalyptus decurva</i>	Slender Mallee		14	2002
<i>Eucalyptus drummondii</i>	Drummonds Mallee		16	2000
<i>Eucalyptus ebbanoensis</i>	Sandplain Mallee		1	1981
<i>Eucalyptus eremophila</i>	Sand Mallee		<1	1965
<i>Eucalyptus erythronema</i>	Red-flowered Mallee		4	2001
<i>Eucalyptus eudesmioides</i>	Myallie		4	2006
<i>Eucalyptus exilis</i>	Boyagin Mallee		19	2000
<i>Eucalyptus falcata</i>	White Mallet		1	1985
<i>Eucalyptus flocktoniae</i>	Merrit		2	1988
<i>Eucalyptus foecunda</i>	Freemantle Mallee		29	2004
<i>Eucalyptus gittinsii</i>	Northern Sandplain Mallee		1	1978
<i>Eucalyptus gomphocephala</i>	Tuart Gum		35	2006
<i>Eucalyptus goniantha</i>	Jerdacuttup Mallee		2	0002
<i>Eucalyptus horistes</i>	Mallee		1	1991
<i>Eucalyptus incrassata</i>	Ridge-fruited mallee		<1	1980
<i>Eucalyptus intrasilvatica</i>	Eucalypt		25	2000
<i>Eucalyptus laeliae</i>	Darling Range Ghost Gum		25	2000
<i>Eucalyptus lanepolei</i>	Salmonbark Wandoo		14	2006
<i>Eucalyptus latens</i>	Eucalypt		3	1988
<i>Eucalyptus leptophylla</i>	Narrow-leaved Red Mallee		<1	1990
<i>Eucalyptus loxophleba</i>	York Gum		1	1988
<i>Eucalyptus macrocarpa</i>	Mallee Rose		9	2002
<i>Eucalyptus marginata</i>	Jarrah		16	2005
<i>Eucalyptus megacarpa</i>	Bullich		2	2000
<i>Eucalyptus obtusiflora</i>	Dongarra Mallee		2	1997
<i>Eucalyptus patens</i>	Blackbutt or Yarri		20	2005
<i>Eucalyptus petrensis</i>	Eucalypt		57	2007
<i>Eucalyptus phaenophylla</i>	Eucalypt		<1	1987
<i>Eucalyptus phenax</i>	Eucalypt		<1	1984
<i>Eucalyptus pileata</i>	Capped Mallee		<1	1984
<i>Eucalyptus pluricaulis</i>	Purple leaved Mallee		4	1996
<i>Eucalyptus pruiniramis</i>	Jingymia Gum	Endangered	17	1992
<i>Eucalyptus pyriformis</i>	Dowerin Rose		2	1980
<i>Eucalyptus recta</i>	Eucalypt		20	2007
<i>Eucalyptus redunca</i>	Black Marlock		13	2004
<i>Eucalyptus rhodantha</i>	Rose Mallee		9	1968
<i>Eucalyptus rigidula</i>	Stiff Leaved Mallee		<1	1984
<i>Eucalyptus rudis</i>	Flooded Gum		28	2005
<i>Eucalyptus rugosa</i>	Kingscote Mallee		<1	1984
<i>Eucalyptus salmonophloia</i>	Salmon Gum		<1	2007

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Eucalyptus salubris</i>	Gimlet Gum		1	1986
<i>Eucalyptus sargentii</i>	Salt River Gum		4	2001
<i>Eucalyptus spathulata</i>	Swamp Mallet		3	1988
<i>Eucalyptus sporadica</i>			1	1989
<i>Eucalyptus subangusta</i>	Eucalypt		2	1982
<i>Eucalyptus tetraptera</i>	Square-fruited Mallee		2	0002
<i>Eucalyptus todtiana</i>	Coastal Blackbutt		33	2004
<i>Eucalyptus transcontinentalis</i>	Redwood		<1	0002
<i>Eucalyptus vegrandis</i>	Eucalypt		3	1998
<i>Eucalyptus wandoo</i>	Wandoo		14	2006
<i>Euryomyrtus maidenii</i>	Euryomyrtus		3	1975
<i>Homalocalyx thryptomenoides</i>	Myrtle		<1	1976
<i>Hypocalymma angustifolium</i>	Myrtle		19	2007
<i>Hypocalymma robustum</i>	Myrtle		30	2005
<i>Hypocalymma serrulatum</i>	Myrtle		4	
<i>Hypocalymma sylvestris</i>	Myrtle		100	1998
<i>Hypocalymma tetrapterum</i>	Myrtle		18	1976
<i>Hypocalymma xanthopetalum</i>	Myrtle		15	2007
<i>Kunzea baxteri</i>	Scarlet Kunzea		3	1992
<i>Kunzea ericifolia</i>	Kunzea		21	2002
<i>Kunzea glabrescens</i>	Kunzea		39	2007
<i>Kunzea micrantha</i>	Kunzea		21	2000
<i>Kunzea micromera</i>	Kunzea		2	1998
<i>Kunzea praestans</i>	Kunzea		14	2004
<i>Kunzea preissiana</i>	Kunzea		3	2000
<i>Kunzea pulchella</i>	Kunzea		4	2004
<i>Kunzea recurva</i>	Kunzea		2	1994
<i>Kunzea sulphurea</i>	Kunzea		3	1980
<i>Leptospermum erubescens</i>	Roadside tea tree		13	2005
<i>Leptospermum oligandrum</i>	Tea tree		1	2002
<i>Leptospermum spinescens</i>	Tea tree		11	2006
<i>Melaleuca acuminata</i>	Mallee Honey-myrtle		<1	1973
<i>Melaleuca adnata</i>	Hummock Honey-myrtle		<1	1993
<i>Melaleuca basicephala</i>	Honey-myrtle		<1	
<i>Melaleuca brevifolia</i>	Mallee Honey-myrtle		<1	1990
<i>Melaleuca caeca</i>	Honey-myrtle		38	1994
<i>Melaleuca cardiophylla</i>	Umbrella Bush		11	2002
<i>Melaleuca carrii</i>	Honey-myrtle		3	2004
<i>Melaleuca ciliosa</i>	Honey-myrtle		30	2001
<i>Melaleuca clavifolia</i>	Honey-myrtle		12	1994
<i>Melaleuca conothamnoides</i>	Honey-myrtle		3	1998
<i>Melaleuca coronicarpa</i>	Honey-myrtle		4	2007
<i>Melaleuca ctenoides</i>	Honey-myrtle		4	1956
<i>Melaleuca cuticularis</i>	Salt Paperbark		7	2004
<i>Melaleuca dichroma</i>	Honey-myrtle		3	0002
<i>Melaleuca elliptica</i>	Honey-myrtle		2	1963
<i>Melaleuca fabri</i>	Honey-myrtle		9	1990

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Melaleuca fulgens	Wrinkled Honey-myrtle		2	1994
Melaleuca hamata	Melaleuca		<1	1970
Melaleuca hamulosa	Honey-myrtle		3	1990
Melaleuca haplantha	Honey-myrtle		4	1990
Melaleuca hnatii	Honey-myrtle		8	
Melaleuca hollidayi	Honey-myrtle		4	1953
Melaleuca holosericea	Honey-myrtle		27	2005
Melaleuca huegelii	Honey-myrtle		41	2005
Melaleuca incana	Honey-myrtle		13	2006
Melaleuca lanceolata	Western Black Tea tree		<1	2004
Melaleuca lateriflora	Honey-myrtle		3	2000
Melaleuca lateritia	Robin Redbreast Bush		34	2005
Melaleuca leiopyxis	Honey-myrtle		4	
Melaleuca leptospermoides	Honey-myrtle		1	1998
Melaleuca longistaminea	Honey-myrtle		3	1984
Melaleuca manglesii	Honey-myrtle		11	
Melaleuca megacephala	Honey-myrtle		2	1984
Melaleuca microphylla	Honey-myrtle		4	1980
Melaleuca nesophila	Honey-myrtle		5	1994
Melaleuca orbicularis	Honey-myrtle		21	2006
Melaleuca parviceps	Honey-myrtle		53	2004
Melaleuca pauperiflora	Honey-myrtle		<1	2004
Melaleuca pentagona	Honey-myrtle		1	1994
Melaleuca platycalyx	Honey-myrtle		3	2004
Melaleuca preissiana	Preiss Paperbark		24	2007
Melaleuca procera	Honey-myrtle		7	1963
Melaleuca pungens	Honey-myrtle		<1	2002
Melaleuca radula	Graceful Honey-myrtle		12	2006
Melaleuca raphiophylla	Swamp Paperbark		19	2006
Melaleuca ryeae	Honey-myrtle		23	1998
Melaleuca sapientes	Honey-myrtle		2	1963
Melaleuca scabra	Rough Honey-myrtle		5	1983
Melaleuca sclerophylla	Honey-myrtle		8	1990
Melaleuca seriata	Honey-myrtle		32	2003
Melaleuca sp. dongolocking	Honey-myrtle		4	1995
Melaleuca sparsiflora	Honey-myrtle		3	0002
Melaleuca spathulata	Honey-myrtle		1	1959
Melaleuca suberosa	Cork-barked Honey-myrtle		1	1960
Melaleuca subtrigona	Honey-myrtle		6	2004
Melaleuca systema	Honey-myrtle		33	2005
Melaleuca teretifolia	Honey-myrtle		57	2005
Melaleuca thymoides	Honey-myrtle		4	2001
Melaleuca thyoides	Honey-myrtle		<1	
Melaleuca trichophylla	Honey-myrtle		28	2006
Melaleuca tuberculata	Honey-myrtle		<1	1991
Melaleuca uncinata	Broombush		<1	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Melaleuca urceolaris	Honey-myrtle		21	1996
Melaleuca villosisepala	Honey-myrtle		1	1967
Melaleuca viminea	Honey-myrtle		11	2005
Micromyrtus racemosa	Myrtle		2	
Micromyrtus rogeri	Myrtle		25	1990
Pericalymma crassipes	Myrtle		3	1962
Pericalymma ellipticum	Myrtle		17	2007
Pericalymma spongiocaula	Myrtle		4	2000
Phymatocarpus interioris	Myrtle		8	1990
Pileanthus filifolius	Myrtle		14	2000
Regelia ciliata	Myrtle		40	2001
Regelia inops	Myrtle		21	2002
Regelia megacephala	Myrtle		14	1982
Rinzia crassifolia	Myrtle		21	2007
Rinzia fumana	Myrtle		2	1981
Scholtzia ciliata	Myrtle		15	1999
Scholtzia drummondii	Myrtle		3	1990
Scholtzia involucrata	Myrtle		49	2005
Scholtzia laxiflora	Myrtle		2	1993
Scholtzia oligandra	Myrtle		3	
Scholtzia teretifolia	Myrtle		8	1968
Thryptomene baeckeacea	Myrtle		1	1968
Thryptomene denticulata	Myrtle		1	
Thryptomene hyporhytis	Myrtle		2	1982
Thryptomene mucronulata	Myrtle		14	2001
Thryptomene racemulosa	Myrtle		3	1971
Thryptomene saxicola	Thryptomene remota		2	
Thryptomene sp. lancelin	Myrtle		100	
Verticordia acerosa	Featherflower		17	2007
Verticordia argentea	Featherflower		7	
Verticordia bifimbriata	Featherflower		55	2007
Verticordia blepharophylla	Featherflower		5	2002
Verticordia chrysantha	Featherflower		<1	1985
Verticordia chrysanthella	Featherflower		2	2004
Verticordia citrella	Featherflower		75	2002
Verticordia densiflora	Featherflower		11	2000
Verticordia drummondii	Featherflower		27	2002
Verticordia eriocephala	Featherflower		3	2004
Verticordia fimbrialepis	Featherflower		10	2003
Verticordia grandiflora	Featherflower		5	1996
Verticordia grandis	Featherflower		3	
Verticordia huegelii	Featherflower		23	2006
Verticordia insignis	Featherflower		12	1985
Verticordia lindleyi	Featherflower		37	2007
Verticordia monadelpha	Featherflower		2	
Verticordia muelleriana	Featherflower		6	1994

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Verticordia multiflora</i>	Featherflower		6	2000
<i>Verticordia nitens</i>	Featherflower		65	2002
<i>Verticordia nobilis</i>	Featherflower		10	1994
<i>Verticordia oculata</i>	Featherflower		4	1950
<i>Verticordia ovalifolia</i>	Featherflower		12	1996
<i>Verticordia paludosa</i>	Featherflower		88	2006
<i>Verticordia patens</i>	Featherflower		18	1994
<i>Verticordia pennigera</i>	Featherflower		14	2005
<i>Verticordia picta</i>	Featherflower		4	2006
<i>Verticordia plumosa</i>	Featherflower	Endangered	10	2002
<i>Verticordia polytricha</i>	Featherflower		5	
<i>Verticordia preissii</i>	Featherflower		8	
<i>Verticordia roei</i>	Featherflower		1	
<i>Verticordia rutilastra</i>	Featherflower		9	2004
<i>Verticordia serrata</i>	Featherflower		23	2005
<i>Verticordia venusta</i>	Featherflower		4	
Onagraceae		Water Primrose and Willowherbs (2 out of 19 species in Australia)		
<i>Epilobium billardierianum</i>	Willowherb		<1	2005
<i>Epilobium hirtigerum</i>	Hairy Willowherb		2	2005
Nymphaeales		Hydatellid Herbs (4 out of 9 species in Australia)		
Hydatellaceae				
<i>Hydatella australis</i>	Hydatella		10	2005
<i>Hydatella dioica</i>	Swan Hydatella	Endangered	67	1982
<i>Trithuria bibracteata</i>	Trithuria		30	2007
<i>Trithuria submersa</i>	Trithuria		5	2004
Pinales		Native Cypress (6 out of 23 species in Australia)		
Cupressaceae				
<i>Actinostrobus acuminatus</i>	Dwarf Cypress		11	1999
<i>Actinostrobus arenarius</i>	Sandplain Cypress		<1	2002
<i>Actinostrobus pyramidalis</i>	Swamp Cypress		17	2005
<i>Callitris canescens</i>	Cypress Pine		1	1990
<i>Callitris preissii</i>	Rottneest Island Pine		6	2005
<i>Callitris roei</i>	Roes Cypress Pine		<1	1988
Podocarpaceae		Podocarp Pines (1 out of 15 species in Australia)		
<i>Podocarpus drouynianus</i>	Wild Plum		2	1953



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Poales			
Anarthriaceae (3 out of 5 species in Australia)			
Anarthria humilis		5	2000
Anarthria laevis		7	2000
Anarthria prolifera		1	1999
Centrolepidaceae (15 out of 30 species in Australia)			
Centrolepid Sedges			
Aphelia brizula		13	1998
Aphelia cyperoides		16	2007
Aphelia drummondii		21	2005
Aphelia nutans		10	1983
Centrolepis alepyroides		25	2002
Centrolepis aristata		4	2005
Centrolepis caespitosa	Matted Centrolepis	Endangered	13 1994
Centrolepis cephaliformis		<1	1993
Centrolepis drummondiana		23	2002
Centrolepis glabra		5	1983
Centrolepis humillima		2	1983
Centrolepis inconspicua		42	1999
Centrolepis mutica		35	2005
Centrolepis pilosa		17	2002
Centrolepis polygyna		2	2002



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Cyperaceae			
Sedges		(108 out of 731 species in Australia)	
Baumea acuta		<1	2007
Baumea arthrophylla		2	2005
Baumea articulata		4	2001
Baumea juncea		3	2005
Baumea preissii		17	1996
Baumea rubiginosa		1	2007
Baumea vaginalis		15	2007
Bolboschoenus caldwellii		4	2007
Carex appressa		<1	1987
Carex fascicularis		1	2004
Carex inversa	Knob Sedge	<1	
Carex preissii		34	2005
Carex tereticaulis		<1	2004
Caustis dioica		11	2004
Chorizandra enodis	Black Bristlerush	5	2006
Chorizandra multiarticulata	Sedge	33	2001
Cyathochaeta avenacea		18	2006
Cyathochaeta teretifolia		50	2007
Cyperus alterniflorus		<1	
Cyperus gymnocaulos		1	2004
Cyperus laevigatus		<1	1980
Cyperus polystachyos		2	2007
Cyperus vaginatus		<1	1993
Eleocharis acuta	Sharp Spike Sedge	<1	2005
Eleocharis keigheryi	Vulnerable	35	2001
Eleocharis sphacelata		<1	1999
Evandra pauciflora		12	1992
Fimbristylis velata		5	1999
Gahnia aristata		15	2001
Gahnia australis		9	1997
Gahnia decomposita		5	2000
Gahnia trifida		3	2005
Isolepis cernua		3	2007
Isolepis congrua		<1	1983
Isolepis cyperoides		14	2005
Isolepis fluitans		<1	2003
Isolepis hookeriana		<1	
Isolepis oldfieldiana		24	2003
Isolepis producta		3	1998
Isolepis stellata		2	1993
Lepidosperma angustatum		15	1986
Lepidosperma costale		9	2004
Lepidosperma drummondii		7	2005
Lepidosperma effusum		7	2006
Lepidosperma gladiatum		3	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Lepidosperma leptostachyum		15	2005
Lepidosperma longitudinale		4	2005
Lepidosperma pruinatum		11	1996
Lepidosperma pubisquamum		26	2006
Lepidosperma resinatum		5	1996
Lepidosperma rostratum		100	2004
Lepidosperma scabrum		30	2003
Lepidosperma sp. a2 inland flat		9	1985
Lepidosperma sp. p1 small head		8	2002
Lepidosperma squamatum		16	2005
Lepidosperma striatum		12	2006
Lepidosperma tenue		8	2004
Lepidosperma tetraquetrum		20	2001
Lepidosperma viscidum		<1	1992
Mesomelaena graciliceps		18	2004
Mesomelaena preissii		3	2004
Mesomelaena pseudostygia		30	2004
Mesomelaena stygia		5	1996
Mesomelaena tetragona		18	2005
Schoenoplectus tabernaemontani		2	2004
Schoenus andrewsii		33	1996
Schoenus armeria		6	1996
Schoenus asperocarpus	Poison Sedge	34	1995
Schoenus benthamii		31	1994
Schoenus bifidus		16	2005
Schoenus breviculmis		<1	1990
Schoenus brevisetis		11	2006
Schoenus caespititius		12	2002
Schoenus capillifolius		46	2006
Schoenus clandestinus		19	2002
Schoenus cruentus		3	1994
Schoenus curvifolius		19	2006
Schoenus discifer		7	1994
Schoenus efoliatus		16	2006
Schoenus globifer		18	1962
Schoenus grammatophyllus		28	2004
Schoenus grandiflorus		24	2006
Schoenus griffinianus		17	2006
Schoenus humilis		2	1976
Schoenus laevigatus		3	2002
Schoenus lanatus		16	1995
Schoenus latitans		22	2002
Schoenus maschalinus		<1	1996
Schoenus nanus		7	2002
Schoenus natans		33	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Schoenus nitens		<1	2001
Schoenus odontocarpus		13	1999
Schoenus pennisetis		20	2001
Schoenus pleiostemoneus		9	2000
Schoenus plumosus		15	2005
Schoenus rigens		33	2002
Schoenus sculptus		8	2002
Schoenus sesquispiculus		3	1962
Schoenus subbarbatus		7	1999
Schoenus subbulbosus		10	1959
Schoenus subfascicularis		17	2004
Schoenus subflavus		4	1996
Schoenus sublateralis		2	1993
Schoenus tenellus		27	2005
Schoenus unispiculatus		25	1997
Schoenus variicellae		17	2003
Tetraria capillaris		3	2005
Tricostularia neesii		7	2006
Ecdeiocolaceae (1 out of 2 species in Australia)			
Ecdeiocola monostachya		1	2005
Juncaceae Rushes (12 out of 70 species in Australia)			
Juncus amabilis		<1	1994
Juncus articulatus	Jointed Rush	<1	2005
Juncus bufonius		1	2003
Juncus caespiticius		3	1996
Juncus holoschoenus	Jointleaf Rush	<1	1974
Juncus kraussii		2	2005
Juncus pallidus		2	2004
Juncus pauciflorus		<1	2004
Juncus planifolius		<1	2005
Juncus subsecundus		<1	2001
Juncus usitatus		<1	2004
Luzula meridionalis		<1	1996



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Poaceae			
Grasses (72 out of 1057 species in Australia)			
Amphibromus nervosus		1	2005
Amphipogon amphipogonoides		15	2006
Amphipogon caricinus		<1	2004
Amphipogon debilis		14	2006
Amphipogon laguroides		24	2006
Amphipogon strictus		5	2006
Amphipogon turbinatus		16	2005
Anthoxanthum odoratum		<1	1997
Aristida contorta		<1	2000
Aristida holathera		<1	2006
Aristida ramosa		<1	2000
Austrodanthonia acerosa		11	2005
Austrodanthonia caespitosa		<1	2004
Austrodanthonia occidentalis		36	2006
Austrodanthonia pilosa		<1	2005
Austrodanthonia setacea		<1	2006
Austrofestuca littoralis		<1	1991
Austrostipa acrociliata		<1	1978
Austrostipa campylachne		23	2005
Austrostipa compressa		28	2006
Austrostipa drummondii		<1	1987
Austrostipa elegantissima		<1	2004
Austrostipa flavescens		3	2005
Austrostipa hemipogon		3	2002
Austrostipa juncifolia		2	0002
Austrostipa macalpinei		8	2003
Austrostipa mollis		<1	2005
Austrostipa nitida		<1	
Austrostipa pycnostachya		7	2005
Austrostipa semibarbata		1	2000
Austrostipa tenuifolia		5	2001
Austrostipa trichophylla		<1	2002
Austrostipa variabilis		6	2005
Bromus arenarius		2	2001
Chloris truncata		<1	1996
Cymbopogon obtectus		<1	2000
Cynodon dactylon		<1	2000
Dactyloctenium radulans		<1	1990
Deyeuxia drummondii	Endangered	12	
Deyeuxia quadriseta		<1	2005
Dichelachne crinita		<1	2003
Echinochloa esculenta		1	1995
Echinochloa telmatophila		2	1953
Ehrharta erecta		<1	2005
Eragrostis australasica		<1	
	Canegrass		

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Eragrostis brownii</i>	Brown's Lovegrass		<1	2001
<i>Eragrostis dielsii</i>			<1	2006
<i>Eragrostis elongata</i>			<1	2005
<i>Eriachne ovata</i>	Swamp Wanderrie		3	2003
<i>Hemarthria uncinata</i>			1	2002
<i>Lachnagrostis aemula</i>	Tumbling Blowgrass		1	2003
<i>Lachnagrostis filiformis</i>			<1	2004
<i>Lachnagrostis nesomytica</i>			100	2003
<i>Lachnagrostis plebeia</i>			22	2003
<i>Lachnagrostis preissii</i>			8	1995
<i>Microlaena stipoides</i>			<1	2006
<i>Neurachne alopecuroides</i>	Foxtail Mulga Grass		4	2006
<i>Paspalidium basicladum</i>			<1	1996
<i>Paspalidium clementii</i>			<1	
<i>Paspalidium constrictum</i>			<1	2004
<i>Paspalum distichum</i>			<1	2005
<i>Poa drummondiana</i>			13	2003
<i>Poa homomalla</i>			8	
<i>Poa poiformis</i>			2	2005
<i>Poa porphyroclados</i>			21	2006
<i>Spartochloa scirpoidea</i>			3	2004
<i>Spinifex hirsutus</i>			6	2002
<i>Spinifex longifolius</i>			4	2003
<i>Sporobolus virginicus</i>	Sand Couch		1	2003
<i>Tetrarrhena laevis</i>			10	2000
<i>Themeda triandra</i>			<1	2006
<i>Triodia danthonioides</i>			2	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Restionaceae			
Restiona Sedges		(50 out of 146 species in Australia)	
<i>Alexgeorgea nitens</i>		38	2006
<i>Apodasmia ceramophila</i>		5	1992
<i>Chaetanthus aristatus</i>		15	2002
<i>Chaetanthus tenellus</i>		5	2004
<i>Chordifex chaunocoleus</i>	Vulnerable	22	2003
<i>Chordifex jacksonii</i>		12	1992
<i>Chordifex laxus</i>		3	1999
<i>Chordifex microcodon</i>		52	2001
<i>Chordifex sinuosus</i>		29	2006
<i>Chordifex sphacelatus</i>		1	1975
<i>Chordifex stenandrus</i>		20	2001
<i>Cytogonidium leptocarpoides</i>		19	2006
<i>Desmocladius asper</i>		16	2005
<i>Desmocladius biformis</i>		3	2001
<i>Desmocladius fasciculatus</i>		15	2003
<i>Desmocladius flexuosus</i>		15	2006
<i>Desmocladius lateriticus</i>		23	2007
<i>Desmocladius parthenicus</i>		3	1990
<i>Desmocladius virgatus</i>		14	2007
<i>Dielsia stenostachya</i>		83	2007
<i>Harperia lateriflora</i>		7	2004
<i>Hypolaena exsulca</i>		17	2007
<i>Hypolaena fastigiata</i>		<1	1983
<i>Hypolaena pubescens</i>		19	2006
<i>Hypolaena robusta</i>		40	2006
<i>Lepidobolus chaetocephalus</i>		4	2002
<i>Lepidobolus densus</i>		5	1992
<i>Lepidobolus preissianus</i>		17	2004
<i>Leptocarpus laxus</i>		5	2006
<i>Leptocarpus tenax</i>		<1	
<i>Lepyrodia curvescens</i>		25	2007
<i>Lepyrodia glauca</i>		10	2002
<i>Lepyrodia heleocharoides</i>		13	1995
<i>Lepyrodia macra</i>		20	2000
<i>Lepyrodia muiirii</i>		18	2005
<i>Lepyrodia riparia</i>		86	1988
<i>Loxocarya cinerea</i>		12	2000
<i>Loxocarya striata</i>		6	1990
<i>Lyginia barbata</i>		23	2005
<i>Lyginia excelsa</i>		25	1986
<i>Lyginia imberbis</i>		13	2006
<i>Meeboldina cana</i>		34	2004
<i>Meeboldina coangustata</i>		22	2004
<i>Meeboldina kraussii</i>		9	1996
<i>Meeboldina roycei</i>		1	1983

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Meeboldina scariosa			16	2007
Meeboldina tephрина			18	1992
Onychosepalum microcarpum			40	1995
Sporadanthus rivularis			5	
Tremulina tremula	Sedge		11	2004
Typhaceae				
	Cumbungi and Allies	(2 out of 2 species in Australia)		
Typha domingensis	Bulrush, Cumbungi		<1	2004
Typha orientalis			2	2004
Xyridaceae				
	Xyris Herbs	(2 out of 26 species in Australia)		
Xyris atrovirida			17	1977
Xyris complanata	Hawai'i Yelloweyed Grass		<1	1984



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Proteales			
Proteaceae			
Banksias, Grevilleas and Allies (248 out of 1147 species in Australia)			
Adenanthos barbiger		31	2003
Adenanthos cygnorum		31	2002
Adenanthos drummondii		31	2005
Adenanthos meisneri		3	0002
Adenanthos obovatus		9	2006
Adenanthos sericeus		5	1958
Banksia attenuata		15	2005
Banksia burdettii		15	1995
Banksia candolleana		9	1986
Banksia chamaephyton		14	2001
Banksia coccinea		3	1961
Banksia grandis		16	2003
Banksia ilicifolia		23	2006
Banksia incana		26	1996
Banksia laricina		62	2003
Banksia leptophylla		13	2002
Banksia littoralis		15	2005
Banksia menziesii		42	2005
Banksia micrantha		3	1999
Banksia prionotes		11	2002
Banksia pulchella		1	1957
Banksia repens		<1	
Banksia scabrella		4	1963
Banksia sphaerocarpa		8	2004
Banksia telmatiaea		36	2006
Conospermum acerosum		35	2001
Conospermum amoenum		15	2000
Conospermum boreale		5	1992
Conospermum brachyphyllum		6	1968
Conospermum canaliculatum		41	1993
Conospermum capitatum		4	2004
Conospermum crassinervium		21	2002
Conospermum croniniae		2	
Conospermum densiflorum		78	2003
Conospermum distichum		1	1986
Conospermum eatoniae		12	
Conospermum ephedroides		6	2005
Conospermum glumaceum		42	2002
Conospermum huegelii		73	2001
Conospermum incurvum		32	1996
Conospermum polycephalum		74	2006
Conospermum scaposum		10	2004
Conospermum stoehadis		22	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Conospermum triplinervium</i>	Smoke-bush		29	2005
<i>Conospermum undulatum</i>	Smoke-bush	Vulnerable	100	2006
<i>Conospermum wycherleyi</i>	Smoke-bush		5	1993
<i>Dryandra arctotidis</i>	Dryandra		2	1983
<i>Dryandra armata</i>	Dryandra		12	2006
<i>Dryandra aurantia</i>	Dryandra	Endangered	22	2000
<i>Dryandra bipinnatifida</i>	Dryandra		30	2004
<i>Dryandra borealis</i>	Dryandra		4	1998
<i>Dryandra carlinoides</i>	Dryandra		17	2004
<i>Dryandra cypholoba</i>	Dryandra		5	1996
<i>Dryandra drummondii</i>	Dryandra		11	1999
<i>Dryandra echinata</i>	Dryandra		69	2002
<i>Dryandra fraseri</i>	Dryandra		11	2007
<i>Dryandra fuscobractea</i>	Dryandra		33	1994
<i>Dryandra glauca</i>	Dryandra		4	1968
<i>Dryandra hewardiana</i>	Dryandra		26	2004
<i>Dryandra insulanemorecincta</i>	Dryandra		75	2005
<i>Dryandra kippistiana</i>	Dryandra		29	2006
<i>Dryandra lindleyana</i>	Dryandra		26	2004
<i>Dryandra longifolia</i>	Dryandra		2	
<i>Dryandra merriden</i>	Dryandra		12	
<i>Dryandra mimica</i>	Summer Honeypot	Endangered	67	2001
<i>Dryandra nivea</i>	Dryandra		10	2003
<i>Dryandra nobilis</i>	Dryandra		17	1998
<i>Dryandra platycarpa</i>	Dryandra		9	2006
<i>Dryandra polycephala</i>	Showy Dryandra		66	2004
<i>Dryandra praemorsa</i>	Dryandra		36	2002
<i>Dryandra preissii</i>	Dryandra		4	
<i>Dryandra pteridifolia</i>	Dryandra		15	2006
<i>Dryandra purdieana</i>	Dryandra		1	1974
<i>Dryandra serra</i>	Serrate-leaved Dryandra		6	
<i>Dryandra serratuloides</i>	Dryandra		25	2000
<i>Dryandra sessilis</i>	Dryandra		22	2005
<i>Dryandra shuttleworthiana</i>	Dryandra		10	2001
<i>Dryandra squarrosa</i>	Dryandra		26	2002
<i>Dryandra stuposa</i>	Dryandra		4	1985
<i>Dryandra vestita</i>	Dryandra		7	2001
<i>Grevillea althoferorum</i>	Grevillea	Endangered	20	2005
<i>Grevillea armigera</i>	Grevillea		4	1984
<i>Grevillea asparagoides</i>	Grevillea		5	1962
<i>Grevillea bipinnatifida</i>	Grevillea		53	2006
<i>Grevillea biternata</i>	Grevillea		7	2002
<i>Grevillea bracteosa</i>	Grevillea		29	2006
<i>Grevillea candolleana</i>	Toodyay Grevillea		55	2002
<i>Grevillea centristigma</i>	Grevillea		9	2006
<i>Grevillea christineae</i>	Grevillea	Endangered	6	2007
<i>Grevillea cirsiifolia</i>	Varied-leaf Grevillea		12	2001

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Grevillea commutata	Grevillea		4	1959
Grevillea corrugata	Grevillea		100	2002
Grevillea crithmifolia	Grevillea		56	2004
Grevillea curviloba	Grevillea		64	2004
Grevillea diversifolia	Grevillea		24	1996
Grevillea drummondii	Drummond's Grevillea		47	2005
Grevillea endlicheriana	Grevillea		100	2005
Grevillea eriostachya	Yellow Flame Grevillea		2	2004
Grevillea eryngioides	Grevillea		1	1977
Grevillea evanescens	Grevillea		100	2005
Grevillea fasciculata	Grevillea		1	
Grevillea flexuosa	Zig Zag Grevillea	Vulnerable	83	2002
Grevillea florida	Grevillea		62	2005
Grevillea hakeoides	Grevillea		2	
Grevillea hirtella	Grevillea gunapin		14	
Grevillea hookeriana	Grevillea		2	1991
Grevillea leptobotrys	Grevillea		11	2005
Grevillea leucopteris	Grevillea		2	1999
Grevillea manglesii	Grevillea		62	2005
Grevillea monticola	Grevillea		12	2002
Grevillea nana	Grevillea		5	
Grevillea obtusifolia	Grevillea		80	2003
Grevillea occidentalis	Grevillea		9	2000
Grevillea olivacea	Grevillea		8	1993
Grevillea paniculata	Grevillea		2	1990
Grevillea petrophiloides	Grevillea		2	1965
Grevillea pilulifera	Grevillea		31	2006
Grevillea pimeleoides	Grevillea		82	2005
Grevillea preissii	Grevillea		38	1985
Grevillea pulchella	Grevillea		2	1970
Grevillea quercifolia	Grevillea		13	2001
Grevillea saccata	Pouched Grevillea		4	2002
Grevillea scabra	Grevillea		23	2005
Grevillea shuttleworthiana	Grevillea		4	2001
Grevillea spinosissima	Grevillea		6	
Grevillea synapheae	Catkin Grevillea		54	2004
Grevillea tenuiflora	Grevillea		16	2002
Grevillea tenuiloba	Grevillea		19	
Grevillea thelemanniana	Grevillea		55	1999
Grevillea trifida	Grevillea		<1	1992
Grevillea umbellulata	Grevillea		5	2006
Grevillea uncinulata	Grevillea		5	1993
Grevillea vestita	Grevillea		39	2006
Grevillea wilsonii	Grevillea		47	2004
Hakea amplexicaulis	Hakea		13	2002
Hakea anadenia	Hakea		6	1995
Hakea auriculata	Hakea		6	1997

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Hakea brownii	Hakea		2	1983
Hakea bucculenta	Hakea		3	1971
Hakea candolleana	Hakea		16	2002
Hakea ceratophylla	Hakea		7	2005
Hakea circumalata	Hakea		3	1998
Hakea conchifolia	Hakea		21	2001
Hakea corymbosa	Hakea		<1	1985
Hakea costata	Hakea		34	2006
Hakea cristata	Hakea		92	2002
Hakea cyclocarpa	Hakea		33	2004
Hakea erecta	Hakea		1	
Hakea erinacea	Hakea		66	2005
Hakea francisiana	Grass Leaf Hakea		<1	
Hakea gilbertii	Hakea		16	2007
Hakea incrassata	Hakea		14	2004
Hakea lasianthoides	Hakea		2	1998
Hakea laurina	Hakea		2	2001
Hakea lissocarpha	Hakea		15	2005
Hakea marginata	Hakea		10	2007
Hakea myrtoides	Myrtle Hakea		59	2004
Hakea obliqua	Hakea		8	1996
Hakea petiolaris	Hakea		22	2005
Hakea platysperma	Hakea		2	
Hakea preissii	Hakea		<1	2004
Hakea prostrata	Hakea		17	2007
Hakea psilorrhyncha	Hakea		13	2001
Hakea pycnoneura	Hakea		2	1994
Hakea recurva	Hakea		1	
Hakea ruscifolia	Hakea		24	2005
Hakea scoparia	Hakea		1	1969
Hakea smilacifolia	Hakea		16	1994
Hakea spathulata	Hakea		33	2004
Hakea stenocarpa	Hakea		44	2004
Hakea strumosa	Hakea		2	1991
Hakea subsulcata	Hakea		2	1974
Hakea sulcata	Hakea		14	2001
Hakea trifurcata	Hakea		17	2007
Hakea undulata	Hakea		30	2005
Hakea varia	Hakea		16	2001
Isopogon adenanthoides	Spider Cone Flower		9	1996
Isopogon asper	Isopogon		36	2003
Isopogon crithmifolius	Isopogon		16	2004
Isopogon divergens	Isopogon		11	2006
Isopogon drummondii	Isopogon		45	2006
Isopogon dubius	Isopogon		39	2006
Isopogon linearis	Isopogon		15	2006

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Isopogon sp. watheroo	Isopogon		4	
Isopogon sphaerocephalus	Isopogon		14	2000
Isopogon teretifolius	Isopogon		3	1983
Lambertia multiflora	Lambertia		21	1999
Persoonia angustiflora	Persoonia		33	2005
Persoonia comata	Persoonia		52	2002
Persoonia dillwynioides	Fitzgerald Persoonia		9	
Persoonia elliptica	Persoonia		42	2004
Persoonia hexagona	Persoonia		5	
Persoonia longifolia	Persoonia		9	2004
Persoonia quinquenervis	Persoonia		6	2005
Persoonia rudis	Persoonia		23	2002
Persoonia rufiflora	Persoonia		9	1991
Persoonia saccata	Persoonia		37	2003
Persoonia stricta	Persoonia		3	2002
Persoonia sulcata	Persoonia		58	2003
Persoonia trinervis	Geebung		12	2004
Petrophile antecedens	Petrophile		38	2002
Petrophile biloba	Granite Petrophile		67	2005
Petrophile biternata	Petrophile		31	1990
Petrophile brevifolia	Petrophile		15	2005
Petrophile chrysantha	Petrophile		12	1965
Petrophile circinata	Petrophile		2	2003
Petrophile clavata	Petrophile		12	
Petrophile conifera	Petrophile		3	1974
Petrophile divaricata	Petrophile		7	2002
Petrophile drummondii	Petrophile		5	
Petrophile ericifolia	Petrophile		1	1984
Petrophile heterophylla	Petrophile		14	1994
Petrophile imbricata	Petrophile		7	1984
Petrophile linearis	Petrophile		32	2006
Petrophile longifolia	Petrophile		2	
Petrophile macrostachya	Petrophile		35	2006
Petrophile media	Petrophile		3	
Petrophile plumosa	Petrophile		86	2006
Petrophile rigida	Petrophile		10	2002
Petrophile scabriuscula	Petrophile		7	1986
Petrophile seminuda	Petrophile		14	2007
Petrophile serruriae	Petrophile		25	2004
Petrophile shuttleworthiana	Petrophile		5	1993
Petrophile squamata	Petrophile		4	2005
Petrophile striata	Petrophile		42	2006
Petrophile stricta	Petrophile		2	2002
Petrophile teretifolia	Petrophile		1	
Stirlingia abrotanoides	Stirlingia		11	1988
Stirlingia latifolia	Stirlingia		28	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Stirlingia simplex</i>	Stirlingia		25	2006
<i>Synaphea acutiloba</i>	Granite Synaphea		74	2006
<i>Synaphea aephyrsa</i>	Synaphea		6	2001
<i>Synaphea cuneata</i>	Synaphea		21	2004
<i>Synaphea damopsis</i>	Synaphea		18	1999
<i>Synaphea decorticans</i>	Synaphea		57	2003
<i>Synaphea floribunda</i>	Synaphea		5	2002
<i>Synaphea gracillima</i>	Synaphea		20	2004
<i>Synaphea grandis</i>	Synaphea		88	2001
<i>Synaphea interioris</i>	Synaphea		3	1999
<i>Synaphea panhesya</i>	Synaphea		88	2005
<i>Synaphea petiolaris</i>	Synaphea		7	2006
<i>Synaphea pinnata</i>	Helena Synaphea		28	2001
<i>Synaphea polymorpha</i>	Synaphea		5	1995
<i>Synaphea rangiferops</i>	Synaphea		88	2006
<i>Synaphea sparsiflora</i>	Synaphea		11	2002
<i>Synaphea spinulosa</i>	Synaphea		20	2006
<i>Xylomelum angustifolium</i>	Xylomelum		1	1966
<i>Xylomelum occidentale</i>	Xylomelum		14	2004



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Sapindales				
Nitrariaceae (1 out of 1 species in Australia)				
Nitraria billardiieri	Nitraria		<1	2003
Rutaceae (36 out of 496 species in Australia)				
Boronia, Correa, Citrus, Phebalium, Philotheca, Zieria and Allies				
Asterolasia grandiflora	Starbush		8	1997
Asterolasia nivea	Bindoon Starbush	Vulnerable	83	2002
Asterolasia pallida	Starbush		29	2000
Asterolasia squamuligera	Starbush		3	2000
Boronia alata	Boronia		13	2003
Boronia coerulescens	Boronia		<1	1969
Boronia crassifolia	Boronia		<1	1997
Boronia crenulata	Boronia		5	2005
Boronia cymosa	Granite Boronia		14	1999
Boronia defoliata	Boronia		11	1999
Boronia dichotoma	Boronia		20	2006
Boronia fastigiata	Bushy Boronia		10	2000
Boronia humifusa	Boronia		12	2002
Boronia juncea	Boronia		2	2005
Boronia molloyae	Tall Boronia		2	1971
Boronia nematophylla	Boronia		3	
Boronia ovata	Boronia		88	2000
Boronia purdieana	Winter Boronia		38	2001
Boronia ramosa	Boronia		21	2006
Boronia scabra	Rough Boronia		7	2006
Boronia spathulata	Boronia		4	2003
Boronia subsessilis	Boronia		7	2005
Boronia tenuis	Blue Boronia		35	2001
Boronia virgata	Boronia		17	
Diplolaena andrewsii	Diplolaena		75	2006
Diplolaena angustifolia	Yanchep Rose		48	2000
Diplolaena dampieri	Southern Diplolaena		24	2003
Diplolaena drummondii	Diplolaena		29	2000
Diplolaena graniticola	Diplolaena		17	2006
Diplolaena microcephala	Lesser Diplolaena		2	1984
Diplolaena obovata	Diplolaena		29	1995
Diplolaena velutina	Diplolaena		6	2004
Philotheca kalbarriensis	Philotheca		38	
Philotheca nodiflora	Philotheca		15	2007
Philotheca spicata	Philotheca		28	2006
Rhadinothamnus anceps	Rhadinothamnus		7	1987

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Sapindaceae				
	Tamarind, Whitewood, Tuckeroo, Hop Bushes	(14 out of 222 species in Australia)		
<i>Diplopeltis huegelii</i>	Pepperflower		20	2004
<i>Diplopeltis petiolaris</i>	Pepperflower		5	2004
<i>Dodonaea adenophora</i>	Hop Bush		<1	
<i>Dodonaea aptera</i>	Hop Bush		30	2003
<i>Dodonaea bursariifolia</i>	Small Hop Bush		<1	1968
<i>Dodonaea ceratocarpa</i>	Hop Bush		7	2000
<i>Dodonaea divaricata</i>	Hop Bush		3	1990
<i>Dodonaea ericoides</i>	Hop Bush		18	2004
<i>Dodonaea hackettiana</i>	Hop Bush		100	2005
<i>Dodonaea inaequifolia</i>	Hop Bush		1	1996
<i>Dodonaea larreoides</i>	Hop Bush		6	1975
<i>Dodonaea pinifolia</i>	Hop Bush		7	2004
<i>Dodonaea stenozyga</i>	Hop Bush		<1	
<i>Dodonaea viscosa</i>	Sticky Hop Bush		<1	2002
Solanales				
Convolvulaceae				
	Bindweed, Morning Glory	(3 out of 132 species in Australia)		
<i>Convolvulus angustissimus</i>	Bindweed		<1	1997
<i>Convolvulus remotus</i>	Bindweed		<1	1996
<i>Wilsonia humilis</i>	Silky Wilsonia		1	1999
Solanaceae				
	Native Gooseberries, Wild Tomatos and Boxthorns	(15 out of 210 species in Australia)		
<i>Anthocercis anisantha</i>	Tailflower		2	1996
<i>Anthocercis gracilis</i>	Slender Tailflower	Vulnerable	23	2005
<i>Anthocercis ilicifolia</i>	Tailflower		19	2001
<i>Anthocercis littorea</i>	Yellow Tailflower		17	2002
<i>Anthocercis sylvicola</i>	Tailflower		19	
<i>Nicotiana rotundifolia</i>	Round-leaf Tobacco		2	1977
<i>Physalis angulata</i>	Gooseberry		<1	
<i>Solanum americanum</i>	Glossy Nightshade		2	2004
<i>Solanum ellipticum</i>	Potato Bush		<1	1968
<i>Solanum hoplopetalum</i>	Thorny Solanum		2	1997
<i>Solanum laciniatum</i>	Kangaroo Apple		<1	1969
<i>Solanum lasiophyllum</i>	Flannel Bush		<1	1996
<i>Solanum oldfieldii</i>	Nightshade		7	1998
<i>Solanum simile</i>	Oondoroo		<1	1981
<i>Solanum symonii</i>	Symon's Kangaroo-apple		11	2004



Common Name		EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Zygophyllales				
Zygophyllaceae				
Zygophyllaceae			(5 out of 57 species in Australia)	
Tribulus terrestris	Tribulus		<1	2003
Zygophyllum ammophilum	Zygophyllum		<1	
Zygophyllum billardierei	Zygophyllum		<1	1956
Zygophyllum fruticosum	Zygophyllum		4	1999
Zygophyllum simile	Zygophyllum		<1	2002



Appendix 1 List of all families covered by the Australian Natural Heritage Assessment Tool

These families of plants and animals are included in NRM region summaries where they occur in the region.

The groups covered across Australia include:

- all vertebrates
 - i.e. mammals, birds, reptiles, frogs and fish (4,200 species)
- 137 families of vascular plants (> 15,000 species) comprising the majority of Australia's named plant species
- A range of invertebrate groups including:
 - numerous insect families (> 16,600 species)
 - all land snails (> 2,300 species)
 - selected spider families (> 1,100 species)
 - rotifers – aquatic wheel animals (> 700 species)

Vertebrate fauna

Actinopterygii

Ambassidae
Apogonidae
Ariidae
Atherinidae
Batrachoididae
Belonidae
Blenniidae
Brachionichthyidae
Carangidae
Cepolidae
Chanidae
Clinidae
Clupeidae
Cynoglossidae
Diodontidae
Eleotridae
Elopidae
Engraulidae
Enoplosidae
Ephippidae
Galaxiidae
Gerreidae
Gobiidae
Gonorynchidae
Hemiramphidae

Ray-finned fish

Chanda Perches, Glassfishes, Perchlets
Big Eyes, Cardinal Fishes, Cardinalfishes, Gobbleguts, Soldier
Fork-tailed Catfishes
Hardyheads, Silversides, Whitebait
Bastard Stonefish, Frogfishes, Toadfishes
Long Toms, Longtoms, Needle Fishes, Needlefishes
Blennies, Fangblennies, Rockshippers
Handfishes
Amberjacks, Jacks, Pilotfishes, Pompanos, Queenfishes, Run
Bandfishes
Milkfish
Snake Blennies, Weedfishes
Herrings, Menhadens, Pilchards, Sardines, Shads, Sprats
Tongue Soles
Burrfishes, Porcupinefishes
Gudgeons, Sleepers
Ladyfish
Anchovies
Oldwife
Batfishes, Spadefishes
Galaxias, Salamanderfish
Mojarras, Silver Biddies, Silver-bellies, Silverbellies, Silverbiddi
Gobies
Beaked Salmon, Beaked Sandfish, Ratfish
Garfishes, Halfbeaks



Vertebrate fauna

Kuhliidae	Flagtails
Kurtidae	Nurseryfishes
Kyphosidae	Drummers, Halfmoons, Knifefishes, Microcanthids, Nibblers, S
Labridae	Wrasses, Parrotfishes, Rockwhittings
Leiognathidae	Pony Fishes, Ponyfishes, Slipmouths
Lutjanidae	Fusilers, Hussars, Snappers, Tropical Snappers
Megalopidae	Tarpons
Melanotaeniidae	Rainbowfishes
Microdesmidae	Dartfishes, Wormfishes
Monacanthidae	Leatherjackets
Mugilidae	Mulletts
Muraenidae	Moray Eels
Ophichthidae	Snake Eels, Worm Eels
Osteoglossidae	Saratoga
Ostraciidae	Boxfishes, Coffe Fishes, Cowfishes, Trunkfishes, Turretfishes
Paralichthyidae	Sand Flounders
Percichthyidae	Australian Freshwater Basses, Australian Freshwater Blackfish
Platycephalidae	Flatheads
Pleuronectidae	Right Handed Flatfishes, Righteye Flounders
Plotosidae	Eel-Tailed Catfishes
Polynemidae	Tassel-fishes, Threadfin Salmons, Threadfins
Pomacentridae	Damsel-fishes
Pomatomidae	Bluefish, Tailor
Pristigasteridae	Ilishas, Pellonas, Pristigasterids
Pseudomugilidae	Blue Eyes, Blue-eyes
Retropinnidae	Southern Graylings, Southern Smelts
Scatophagidae	Butterfishes, Scats
Sciaenidae	Croakers, Drums, Jewfishes
Serranidae	Basslets, Perchlets, Rockcods, Wirrahs
Siganidae	Mi Mi, Rabbit Fish, Rabbitfishes, Spinefoot
Sillaginidae	Sillagos, Whittings
Soleidae	Soles
Sparidae	Breams, Porgies, Seabreams
Synbranchidae	One-gilled Eel, Swamp Eels
Syngnathidae	Pipefishes, Seahorses
Synodontidae	Lizardfishes
Terapontidae	Grunters
Tetraodontidae	Blowfishes, Pufferfishes, Puffers, Toadfishes, Tobys
Tetrarogidae	Fortesques, Sailback Scorpionfishes, Waspfish
Toxotidae	Archerfishes, Rifle Fish
Zanclidae	Moorish Idol

Amphibia

Hylidae	Tree-Frogs
Microhylidae	Micro Tree-Frogs
Myobatrachidae	Myobatrachid or Southern Frogs
Ranidae	True Frogs

Aves

Acanthizidae	Scrubwrens, Thornbills and Allies
Accipitridae	Eagles, Hawks and Kites

Amphibians

Tree-Frogs
Micro Tree-Frogs
Myobatrachid or Southern Frogs
True Frogs

Birds

Scrubwrens, Thornbills and Allies
Eagles, Hawks and Kites



Vertebrate fauna

Aegothelidae	Owlet Nightjars
Alaudidae	Larks
Alcedinidae	Kingfishers and Kookaburras
Anatidae	Swans, Ducks and Geese
Anhingidae	Darter
Anseranatidae	Magpie Goose
Apodidae	Swifts and Swiftlets
Ardeidae	Herons, Egrets and Bitterns
Artamidae	Butcherbirds, Currawongs and Woodswallows
Atrichornithidae	Scrub-birds
Burhinidae	Thicknees (Stone-Curlews)
Cacatuidae	Cockatoos
Campephagidae	Cuckoo-shrikes, Trillers and Minivets
Caprimulgidae	Nightjars
Casuariidae	Cassowary and Emus
Centropodidae	Pheasant Coucal
Charadriidae	Plovers, Dotterels and Lapwings
Ciconiidae	Black-necked Stork
Climacteridae	Treecreepers
Columbidae	Pigeons and Doves
Coraciidae	Dollarbird
Corcoracidae	Australasian Mud-nesters
Corvidae	Crows and Jays
Cuculidae	Cuckoos
Dicaeidae	Flower-peckers
Dicruridae	Fan-tails, Drongos and Monarchs
Diomedidae	Albatrosses
Estrildidae	Grass Finches
Eupetidae	Whipbirds, Quail-thrushes and Jewel-babblers
Falconidae	Falcons and Kestrels
Fregatidae	Frigatebirds
Glareolidae	Pratincoles
Gruidae	Cranes
Haematopodidae	Oystercatchers
Hirundinidae	Swallows and Martins
Hydrobatidae	Storm-petrels
Jacaniidae	Jacanas
Laridae	Gulls, Terns, Skuas and Jaegers
Maluridae	Fairy-wrens and Grasswrens
Megapodiidae	Mound-builders
Meliphagidae	Honeyeaters and Australian Chats
Menuridae	Lyrebirds
Meropidae	Rainbow Bee-eater
Motacillidae	Pipits and Wagtails
Muscicapidae	Old World Flycatchers and Thrushes
Nectariniidae	Sunbirds and Spiderhunters
Neosittidae	Australian Sitella
Oriolidae	Old World Orioles and Figbirds
Orthonychidae	Logrunners
Otididae	Australian Bustard
Pachycephalidae	Whistlers, Shrike-thrushes and Allies



Vertebrate fauna

Paradisaeidae	Birds-of-Paradise
Pardalotidae	Pardalotes
Pedionomidae	Plains-wanderer
Pelecanidae	Pelicans
Petroicidae	Australasian Robins
Phaethonitidae	Tropicbirds
Phalacrocoracidae	Cormorants and Shags
Phasianidae	Quail, Fowl and Allies
Pittidae	Pittas
Podargidae	Frogmouths
Podicipedidae	Grebes
Pomatostomidae	Australasian Babblers
Procellariidae	Fulmars, Petrels, Prions and Shearwaters
Psittacidae	Parrots
Ptilonorhynchidae	Bowerbirds
Rallidae	Crakes, Moorhens, Rails and Allies
Recurvirostridae	Stilts and Avocet
Rostratulidae	Painted Snipe
Scolopacidae	Waders (Snipe, Godwits, Curlew, Sandpipers and Allies)
Spheniscidae	Penguins
Strigidae	Hawk-type Owls
Sturnidae	Starlings and Mynas
Sulidae	Boobies and Gannets
Sylviidae	Old World Warblers
Threskiornithidae	Ibis and Spoonbills
Turcidae	Button-quail
Tytonidae	Barn-type Owls
Zosteropidae	White-eyes (Silvereyes)

Chondrichthyes

Alopiidae	Sharks and rays
Dasyatidae	Thresher Sharks
Lamnidae	Stingrays
Pristidae	Mackerel, White Pointer, Mako and Porbeagle Sharks
	Sawfishes

Mammalia

Acrobatidae	Mammals
Burramyidae	Feathertailed Gliders
Dasyuridae	Pygmy-possums
Delphinidae	Dasyurids (Quolls, Antechinus, Dunnarts and Allies)
Emballonuridae	Dolphins, Orcas, Pilot Whales and Melon-headed Whales
Hipposideridae	Sheath-tailed Bats
Kogiidae	Leaf-nosed Bats
Macropodidae	Dwarf and Pygmy Sperm Whales
Megadermatidae	Wallabies, Kangaroos and Tree-kangaroos
Molossidae	False Vampire (Ghost) Bats
Muridae	Free-tailed Bats
Myrmecobiidae	Rats and Mice
Notoryctidae	Numbat
Ornithorhynchidae	Marsupial Mole
Otariidae	Platypus
	Eared Seals



Vertebrate fauna

Peramelidae	Bandicoots and Spiny Bandicoot
Petauridae	Wrist-winged Gliders, Striped Possum and Leadbeaters Possum
Phalangeridae	Brush-tail Possums, Cuscuses and Scaly-tailed Possum
Phascolarctidae	
Phocidae	True Seals
Phocoenidae	Porpoises
Physeteridae	Sperm Whales
Potoroidae	Potoroos, Bettongs and the Musky Rat Kangaroo
Pseudocheiridae	Ring-tailed Possums and Greater Glider
Pteropodidae	Fruit-bats and Allies
Rhinolophidae	Horseshoe Bats
Tachyglossidae	Echidna
Tarsipedidae	Honey Possum
Thylacinidae	Thylacine
Thylacomyidae	Bilbies
Vespertilionidae	Vespertilionid Bats
Vombatidae	
Ziphiidae	Beaked Whales

Petromyzontida

Petromyzontidae	Lampreys
-----------------	----------

Reptilia

Acrochordidae	File snakes
Agamidae	Dragon lizards
Boidae	Pythons
Carettochelydidae	Pitted-shelled turtle
Chelidae	Side-necked Tortoises
Colubridae	Rear fang snakes
Crocodylidae	Crocodiles
Elapidae	Front fang snakes
Gekkonidae	Geckos
Pygopodidae	Legless lizards
Scincidae	Skinks
Typhlopidae	Worm-snakes and Blind-Snakes
Varanidae	Monitors

Reptiles

Sarcopterygii

Ceratodontidae	Lobe-finned fish
----------------	------------------

Lungfishes



Invertebrate fauna

Arachnida

Actinopodidae	Two-doored Trapdoor Spiders
Araneidae	Orb-weaving Spiders
Barychelidae	Brush-footed Trapdoor Spiders
Chthoniidae	
Ctenizidae	Trapdoor Spiders
Cyrtachenidiidae	Trapdoor Spiders
Dipluridae	Funnel-web-like Spiders
Garypidae	
Hexathelidae	Funnel-web Spiders
Idiopidae	Trapdoor Spiders
Lycosidae	Wolf Spiders
Migidae	Brushless-legged Trapdoor Spiders
Nemesiidae	Funnel-web Spiders
Sparassidae	Huntsmen Spiders (formerly Heteropodidae)
Theraphosidae	Bird-eating Trapdoor Spiders

Bivalvia

Hyriidae	Freshwater Mussels
Sphaeriidae	Pea-shells

Chilopoda

Scolopendridae

Bivalves

Centipedes

Diplopoda

Dalodesmidae
Metopidiotrichidae
Pachybolidae
Paradoxosomatidae

Millipedes

Eurotatoria

Adinetidae
Asplanchnidae
Atrochidae
Brachionidae
Collothecidae
Conochilidae
Dicranophoridae
Epiphanidae
Euchlanidae
Flosculariidae
Gastropodidae
Habrotrichidae
Hexarthridae
Ituridae
Lecanidae
Lepadellidae
Lindiidae
Microcodonidae
Mytilinidae
Notommatidae

Wheel Animals

Rotifers with Undifferentiated Cilia
Sac-like Wheel Animals
Sessile Wheel Animals
Sac-like Wheel Animal
Sessile Wheel Animals
Six-"armed" Wheel Animals
Tong-grabbing Wheel Animals
Shell-less Wheel Animals
Wheel Animals
Sessile-footed Wheel Animals
Shelled Wheel Animals
Rotifers with Paired Trochi
Gelatinous-colonial Wheel Animals
Shelled Wheel Animals
Shelled Wheel Animal
Wheel Animals
Wheel Animals
Wheel Animals
Wheel Animals
Pseudo-segmented Wheel Animals



Invertebrate fauna

Philodinavidae	Rotifers with Simplified Trochi
Philodinidae	Rotifers with Paired Trochi
Proalidae	Worm-like Wheel Animals
Scaridiidae	Wheel Animals
Synchaetidae	Sac-, Bell- or Cone-shaped Wheel Animals
Testudinellidae	Free-swimming Round-shelled Wheel Animals
Tetrasiphonidae	Wheel Animal
Trichocercidae	Comma-like Wheel Animals
Trichotriidae	Wheel Animals
Trochosphaeridae	Globular Wheel Animals

Gastropoda

Achatinellidae
Amphibolidae
Ancylidae
Assimineidae
Athoracophoridae
Bithyniidae
Bulimulidae
Camaenidae
Caryodidae
Cerastuidae
Charopidae
Corillidae
Cyclophoridae
Cystopeltidae
Diplommatinidae
Ellobiidae
Glacidorbidae
Helicarionidae
Helicinidae
Helicodiscidae
Hydrobiidae
Hydrocenidae
Hydrococcidae
Iravadiidae
Lymnaeidae
Megaspiridae
Neritidae
Planorbidae
Pomatiopsidae
Punctidae
Pupillidae
Pupinidae
Rathouisiidae
Rhytididae
Subulinidae
Succineidae
Thiaridae
Trochomorphidae
Truncatellidae

Snails

Conical-shelled Land Snails
Supra-littoral Globose "Land" Snails
Freshwater Limpets
Freshwater, Land and Saltmarsh Snails
Triangular Mantled Slugs
Operculate Freshwater Snails
Elongate High-spined Land Snails
Camaenid Land Snails
Giant Land Snails
Land Snails
Flattened and Turbinate Land Snails
Land Snail
Horny Circular Operculate Land Snails
Australian "Half" Slugs
Circular Operculate Land Snails
Primitive Supralittoral Pulmonate Snails
Freshwater Snails
Helicarionid Land Snails
Top-shaped Operculate Land Snails
Stenopylis Land Snail
Freshwater Operculate Snails
Calcareous Operculate Land Snails
Paucispiral Operculate Saltmarsh Snails
Estuarine and Marine Operculate Snails
Eutrophic Freshwater Snails
Coelocion Land Snail
Calcareous Operculate Marine and Estuarine Snails
Freshwater Snails
Salt-lake Snails
Translucent Frosted Land Snails
Pupa-shaped Shelled Land Snails
Glossy and Porcellaneous Operculate Land Snails
Carnivorous Primitive Slugs
Carnivorous Land Snails
Elongate Land Snails
Amber Land Snails
Freshwater Horny Operculate Snails
Native Slug
Supralittoral Calcareous Operculate Snails



Invertebrate fauna

Viviparidae

Freshwater Subspirial Horny Operculate Snails

Insecta

Acanthosomatidae

Achilidae

Aenictopecheidae

Aeshnidae

Aleyrodidae

Anthocoridae

Aphididae

Aphylidae

Apidae

Apioceridae

Aradidae

Archipetalidae

Artheneidae

Asilidae

Atriplectididae

Austrocorduliidae

Austropetalidae

Baetidae

Belostomatidae

Berytidae

Blissidae

Bombyliidae

Buprestidae

Calocidae

Carabidae

Ceratocombidae

Cercopidae

Chlorocyphidae

Chorismagrionidae

Cicadidae

Cixiidae

Coccidae

Coenagrionidae

Colletidae

Colobathristidae

Conoesucidae

Cordulephyidae

Corduliidae

Coreidae

Corixidae

Cryptorhamphidae

Cydnidae

Cymidae

Delphacidae

Diaspididae

Dinidoridae

Diphlebiidae

Dipsocoridae

Insects

Shield Bugs

Aenictopecheidae

Hawker, Duskhawker and Emperor Damselflies

Whiteflies

Aphids

Social Bees

Flower-loving Flies

Flat bugs, Bark bugs

Tasmanian Redspot Dragonfly

Robber Flies

Caddisflies

Hawk, Mosquitohawk and Swiftwing Dragonflies

Redspot Dragonflies

Blue-winged Olive Mayflies, Small Mayflies

Stilt bugs

Chinch Bugs

Bee Flies

Jewel Beetles

Caddisflies

Ground Beetles

Jewel Damselflies

Pretty Relict Damselfly

Bluetail and Thin Damselflies

Short-tongued Bees

Caddisflies

Shutwing Dragonflies

Tigerhawk and Emerald Dragonflies

Waterboatmen

Burrower Bugs

Armoured Scales, Diaspids

Rockmaster Damselflies



Invertebrate fauna

Dytiscidae	Dytiscidine Water Beetles
Ecnomidae	Caseless Caddisflies
Enicocephalidae	
Eriococcidae	
Eurybrachyidae	
Flatidae	
Formicidae	Ants
Gelastocoridae	Toad Bugs
Geocoridae	
Gerridae	Water-striders
Glossosomatidae	Stone-case Caddisflies
Gomphidae	Dragon, Hunter and Vicetail Dragonflies
Gomphomacromiidae	Urly Dragonflies
Gyrinidae	Gyrinid Water Beetles
Halictidae	
Haliplidae	Haliplid Water Beetles
Helicophidae	Caddisflies
Helicopsychidae	Snail Case Caddisflies
Hemicorduliidae	Emerald and Swamp Emerald Dragonflies
Hemiphlebiidae	Ancient Greenling
Hesperiidae	Skippers, flats, awls & darts
Heterogastridae	
Hydrobiosidae	Caddisflies
Hydrometridae	Marsh Treaders, Water Measurers
Hydrophilidae	Water Beetle
Hydropsychidae	Net Spinning Caddisflies
Hydroptilidae	Micro Caddisflies
Hygrobiidae	Hygrobiid Water Beetles
Hyocephalidae	
Idiosolididae	
Isostictidae	Wiretail and Pin Damselflies
Kalotermitidae	Termite
Kokiriidae	Caddisflies
Largidae	
Leptoceridae	Long-horned Caddisflies
Leptophlebiidae	Prong Gilled Mayflies
Leptopodidae	Leptopodidae
Lestidae	Ringtail, Reedling and Dusky Spreadwing Damselflies
Lestoididae	Bluestreak Damselflies
Lestoniidae	
Libellulidae	Perchers, Archtails and other Dragonflies
Lindeniidae	Tiger Dragonflies
Lycaenidae	Blues, Coppers, Hairstreaks and Metalmarks
Lygaeidae	
Macromiidae	Cruiser Dragonflies
Mastotermitidae	Giant Northern Termite
Megachilidae	
Megapodagrionidae	Flatwing Damselflies
Membracidae	Horned Treehoppers
Mesoveliidae	
Miridae	Miridae



Invertebrate fauna

Mydidae	Mydas Flies, Wasp-mimic Flies
Nabidae	
Naucoridae	
Nepidae	Water Scorpions
Nesameletidae	Mayflies
Ninidae	
Noteridae	Noterid Water Beetles
Notonectidae	Backswimmers
Nymphalidae	Browns, Nymphs, Danaines
Ochteridae	Velvety Shore Bugs
Oeconesidae	Caddisflies
Oniscigastridae	Mayflies
Oxycarenidae	
Oxygastridae	Orange Streamcruiser Dragonfly
Pachygronthidae	
Papilionidae	Swallowtails
Peloriidae	Moss Bugs
Pentatomidae	Stinkbugs
Petaluridae	Petaltail Dragonflies
Philopotamidae	Finger Net caddisflies, Silken Tube Spinners
Philorheithridae	Caddisflies
Pieridae	Whites and Yellows
Piesmatidae	
Plataspidae	
Plectrotarsidae	Caddisflies
Pleidae	Pygmy Backswimmers
Polycentropodidae	Caseless Caddisflies
Prosopistomatidae	Mayflies
Protoneuridae	Threadtail Damselflies
Pseudococcidae	Mealy Bugs
Pseudocorduliidae	Mistfly Dragonflies
Psyllidae	
Pyrrhocoridae	
Reduviidae	Assassin Bugs
Rhinotermitidae	Termite
Rhopalidae	
Rhyparochromidae	Seed Bugs
Schizopteridae	
Scutelleridae	
Stenopsychidae	Caddisflies
Stenotritidae	
Synlestidae	Whitetip and Needle Damselflies
Synthemistidae	Spottail and Tigertail Dragonflies
Tasimiidae	Tasimiidae
Telephlebiidae	Darner Dragonflies
Termitidae	Termite
Termopsidae	Termite
Tessaratomidae	
Tettigarctidae	
Thaumastocoridae	
Therevidae	Stiletto Flies



Invertebrate fauna

Tingidae	Lacebugs
Triozidae	
Urothemistidae	Basker, Pennant and Baron Dragonflies
Veliidae	Small Water Striders, Riffle Bugs

Malacostraca

Crabs, lobsters, shrimps and woodlice

Eusiridae	
Hadziidae	
Hyalidae	
Hypsimepodidae	Phreatoicidan Isopods
Melitidae	
Neoniphargidae	
Paracalliopiidae	
Paramelitidae	
Phreatoicidae	Phreatoicidan Isopods
Phreatoicopsinae	Phreatoicidan Isopods
Talitridae	sandfleas, sandhoppers, landhoppers

Polychaeta

Bristleworms, Scale Worms, Fan Worms, Rag Worms

Aphroditidae	sea mice
Cirratulidae	Cirratulid worms
Sigalionidae	scale worm



Vascular flora

Cycadopsida

Cycadaceae
Zamiaceae

Cycads

Native Cycads
Native Cycads

Liliopsida

Alismataceae
Amaryllidaceae
Anarthriaceae
Aponogetonaceae
Araceae
Arecaceae
Asphodelaceae
Asteliaceae
Blandfordiaceae
Boryaceae
Burmanniaceae
Campynemataceae
Centrolepidaceae
Colchicaceae
Cyperaceae
Dioscoreaceae
Ecdeiocoleaceae
Eriocaulaceae
Flagellariaceae
Haemodoraceae
Hemerocallidaceae
Hydrocharitaceae
Hypoxidaceae
Iridaceae
Juncaceae
Juncaginaceae
Luzuriagaceae
Musaceae
Orchidaceae
Pandanaceae
Petermanniaceae
Philesiaceae
Philydraceae
Poaceae
Pontederiaceae
Potamogetonaceae
Restionaceae
Ripogonaceae
Ruppiaceae
Smilacaceae
Sparganiaceae
Stemonaceae
Taccaceae
Thismiaceae
Typhaceae
Xanthorrhoeaceae

Monocots

Water Plantains

Pond Lilies
Settlers Flax, Cunjevoi, Native Lilies
Palms
Native Leek
Palm-Lilies and Allies
Christmas Bells
Pincushion Lillies
Burmannias

Centrolepid Sedges
Nancies and Allies
Sedges
Native Yams

Pipeworts
Whip Vine
Bloodroots, Conostyles, Kangaroo Paws and their Allies

Swamp Lily, Eel Weed, Frogbit and Water Thyme
Native Lilies
Irises and Allies
Rushes
Water Ribbons
Orange and Turquoise Berries
Native Bananas
Orchids
Pandans and Allies

Frogmouths and Stream Lilies
Grasses
Water Hyacinths and Allies
Sea Grasses and Horned Pondweeds, Pondweed
Restiona Sedges

Lawyer Vines, Supplejack, Wombat Berry and Scrambling Lily
Floating Bur Reed
Stemona Climbers
Arrowroot and Allies
Fairy Lanterns
Cumbungi and Allies
Grass Trees, Lomandras and Allies



Vascular flora

Xyridaceae
Zingiberaceae

Xyris Herbs
Native Ginger and Allies

Magnoliopsida

Achariaceae
Aizoaceae
Akaniaceae
Amaranthaceae
Anacardiaceae
Aphanopetalaceae
Asteraceae
Atherospermataceae
Austrobaileyaceae
Balanopaceae
Balanophoraceae
Bombacaceae
Boraginaceae
Burseraceae
Calycanthaceae
Cardiopteridaceae
Caryophyllaceae
Casuarinaceae
Chenopodiaceae
Combretaceae
Connaraceae
Convolvulaceae
Cunoniaceae
Dichapetalaceae
Dilleniaceae
Droseraceae
Elaeagnaceae
Epacridaceae
Ericaceae
Erythroxylaceae
Euphorbiaceae
Eupomatiaceae
Fabaceae
Haloragaceae
Hernandiaceae
Himantandraceae
Hydatellaceae
Lauraceae
Leeaceae
Lentibulariaceae
Limeaceae
Linderniaceae
Lythraceae
Melastomataceae
Meliaceae
Menispermaceae
Menyanthaceae

Dicots

Pigfaces
Turnip Wood
Pigweed
Bollygum, Native Plum

Daisies and Allies

Austrobaileyas
Pimplebark
Balanophoras
Baobabs
Forget-me-not
Canarium and Garuga

Peripterygium Vines
Pin Cushion, Wort
She-oaks
Saltbushes and Allies
Plums, Bullwaddies, Mangroves and Bushwillow
Connara Climbers
Bindweed, Morning Glory
Christmas Bushes and Mararas
Dichapetals
Guinea Flowers
Sundews
Oleaster
Southern Heaths
Heathers and Rhododendrons
Erythroxylum
Spurges
Bolwarra
Peas
Raspworts and Milfoils
Hernandias and Valvantheras
Galbulimimas
Hydatellid Herbs
Laurels, Camphorwood and Australian Walnuts
Leeas
Bladderworts

Loosestrifes
Native Lasiandra and Allies
Rosewoods and Mahoganies
Snake, Round-leaf and Pearl Vines
Marshwort



Vascular flora

Molluginaceae	Carpet Weed, Herb
Monimiaceae	Sassafras, Beech
Myrtaceae	Native Myrtles
Nelumbonaceae	Waterlilies
Nepenthaceae	Nepenthes Pitcher Plants
Nitrariaceae	
Nyctaginaceae	Tarvine, Pisonia and Birdlime Trees
Ochnaceae	Brackenridgea
Onagraceae	Water Primrose and Willowherbs
Opiliaceae	Oplilia Climbers
Orobanchaceae	
Phrymaceae	
Phyllanthaceae	
Phytolaccaceae	Introduced Monococcus
Picrodendraceae	
Portulacaceae	Purslane
Proteaceae	Banksias, Grevilleas and Allies
Putranjivaceae	
Rhizophoraceae	Mangroves
Rutaceae	Boronia, Correa, Citrus, Phebalium, Philotheca, Zieria and Allie
Sapindaceae	Tamarind, Whitewood, Tuckeroo, Hop Bushes
Scrophulariaceae	Figworts
Simaroubaceae	Native Plum and Allies
Solanaceae	Native Gooseberries, Wild Tomatos and Boxthorns
Sphenocleaceae	
Sterculiaceae	Kurrajongs and Bottletrees
Stylidiaceae	Triggerplants and Allies
Thymelaeaceae	Pimeleas
Tiliaceae	
Trimeniaceae	Trimenia
Vitaceae	
Winteraceae	Pepper Trees
Zygophyllaceae	Zygophyllaceae
Pinopsida	Pines and Allies
Araucariaceae	Araucaria Pines
Cupressaceae	Native Cypress
Podocarpaceae	Podocarp Pines



Appendix 2 Acknowledgements

Thank you to the following organisations and individuals for providing species location data used in the Australian Natural Heritage Assessment Tool (ANHAT) to generate this Biodiversity Summary.

Council of Heads of Australian Faunal Collections (CHAFC)

ANHAT acknowledges the Council of Heads of Australian Fauna Collections (CHAFC) for supply of data from the following CHAFC member institutions:

- Australian Museum
- CSIRO Australian National Insect Collection
- Museum and Art Gallery of the Northern Territory
- Museum Victoria
- Queen Victoria Museum and Art Gallery (Launceston)
- Queensland Museum
- South Australian Museum
- Tasmanian Museum and Art Gallery (Hobart)
- Western Australian Museum

The taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that of the CHAFC parent Museums.

Council of Heads of Australasian Herbaria (CHAH)

ANHAT acknowledges the Council of Heads of Australasian Herbaria Inc. (CHAH Inc.) and partners in Australia's Virtual Herbarium (AVH) for the supply of data from the AVH. The AVH is a collaborative project of Australian State, Territory and Commonwealth herbaria through CHAH Inc. and includes:

- Australian National Herbarium (CANB)
- National Herbarium of New South Wales (NSW) Botanic Gardens Trust
- Herbarium of the Northern Territory (DNA, NT)
- Queensland Herbarium (BRI)
- State Herbarium of South Australia (AD)
- Tasmanian Herbarium (HO)
- National Herbarium of Victoria (MEL) Royal Botanic Gardens Melbourne
- Western Australian Herbarium (PERTH).

The taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that of the AVH parent Herbaria.



Other Government Organisations

- Commonwealth Department of Defence
- Commonwealth Department of Sustainability, Environment, Water, Population and Communities
- New South Wales - Department of Environment and Climate Change
- New South Wales - Department of Primary Industry, Forests NSW
- Northern Territory - Department of Natural Resources, Environment and the Arts
- Queensland - Environmental Protection Agency, WildNet
- South Australia - Department for Environment and Heritage (Biological Survey of South Australia Database)
- Tasmania - Department of Primary Industries and Water (Natural Values Atlas)
- Victoria - Department of Sustainability and Environment
- Western Australia - Department of Environment and Conservation

Non-government

- Birds Australia
- Mr Russell Sheil - Rotifers of Australia
- Mr David Crosby - Lepidoptera of Victoria