

WILDLIFE AND THREATENED SPECIES BUSHFIRE RECOVERY EXPERT PANEL

Provisional list of plants requiring urgent management intervention

Released on 23 April 2020

The 2019-20 bushfires in southern and eastern Australia have had severe impacts on many of the country's approximately 25,000 plant species. The fires have covered an unusually large area and, in many places, have burnt with unusually high intensity. Although many plants have the capacity to respond positively to fire, the cumulative impact of the 2019-2020 fires and other stressors like high fire frequency or severity, drought, herbivory, or disease places many species at risk. Some species were considered threatened before the fires, and the fires have now likely increased their risk of extinction. Many other fire-affected plant species were not threatened before the fires - or had not previously had an assessment of extinction risk undertaken - but have now been burnt across much of their range, and may lack an ability to recover without help.

To support protection and recovery of many of the fire-affected species, conservation action will be needed at many sites. This management will be supported by a wide range of government agencies, non-government conservation organisations, university researchers, Traditional Owner ranger teams, community groups and the public.

A national provisional prioritisation was undertaken to assess 19,004 plant species against a set of eleven criteria which combine the proportion of the geographic range that burned, species fire response traits, and the interactive effects of other stressors such as drought, herbivory, disease, weed invasion and erosion. This prioritisation identified 709 plants as being at high risk from the impacts of the 2019-20 bushfires. The analysis includes plants in bioregions that have been impacted by fires from south-west Western Australia, southern South Australia, Victoria, southern and eastern New South Wales, south-eastern Queensland and Tasmania. A map of this area is available on the [Department's website](#). This Preliminary Analysis Area (PAA) may be revised in future versions.

Within the set of highly-impacted plant species, some are in particular need of urgent help. Some plant species need more urgent help than others. The following 471 plant species have been identified by experts as the highest priorities for urgent management intervention in the coming weeks and months. These species were all already listed as Critically Endangered or Endangered under the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) or equivalent state legislation, or had more than 80% of their range burnt, or were identified as at high risk under two or more prioritisation criteria requiring unique management actions (further information on the prioritisation criteria is below). States also identified some high priority taxa using their own analyses which have been added. The framework and methods used to determine the priority species is described in the full technical report available on the Department's website.

This analysis builds on the initial spatial analysis of threatened species listed under the EPBC Act released by the then Department of the Environment and Energy on 20 Jan 2020 (<http://www.environment.gov.au/biodiversity/bushfire-recovery/research-and-resources>). In addition to listed threatened species protected under the EPBC Act, this new analysis also includes plant species considered endemic to each state which are not currently listed as threatened under the EPBC Act or by state legislation. Also assessed are plants from fire-sensitive vegetation types which span state borders, such as rainforests and subalpine areas.

WHAT IS IN THE LIST?

The provisional high priority list includes 471 plant species from 127 genera and spanning a variety of vegetation types. Species include rainforest shrubs and trees like Monga Waratah (*Telopea mungaensis*; having been burnt across more than 50% of its range often at high severity and being vulnerable to disease and erosion risks post-fire) and herbaceous plants from subalpine vegetation such as the Critically Endangered Bredbo Gentiana (*Gentiana bredboensis*), which has approximately 95% of its known range burnt and is also vulnerable to post-fire herbivore impacts.

Some species, like the Forrester's Bottlebrush (*Callistemon forresterae*), Betka Bottlebrush (*Callistemon kenmorrisonii*), and Grey Deua Pomaderris (*Pomaderris gilmourii* var. *cana*) are at imminent risk of extinction because all of their known or modelled range has been burnt, and they are exposed to significant other stressors such as pre-fire drought conditions, high fire frequency or severity, or plant diseases like *Phytophthora* or Myrtle Rust. The iconic Wollemi Pine (*Wollemia nobilis*) is also prioritised for immediate action to mitigate post-fire impacts, as are a suite of ground orchids from across the fire zone, such as the Tuncurry Midge Orchid (*Corunastylis littoralis*), Bago Leek-orchid (*Prasophyllum bagoense*) and Kelton's Leek-orchid (*Prasophyllum keltonii*).

The list includes the highest priority plant species, but many more are at risk. More than 200 other plants are at high risk under any one of the criteria assessed and will require attention to assess the fire impacts. As information becomes available on impacts, other taxa may also be added being at high risk, or species currently listed as low or medium risk may be assigned to a higher risk category.

WHAT IS IN THE TABLE BELOW?

The table includes all taxa listed as high priorities for immediate action and has the following columns:

Scientific Name is the formal name for the species accepted by the Australian Plant Census.

Common Name is the plain language name(s) used for the species.

EPBC Act listed status is the category within the EPBC Act 1999 threatened species list that the species is listed in. Categories reflect the risk of extinction, with Critically Endangered species being at greatest risk, then Endangered and Vulnerable species. Criteria for listing in each of these categories are set out in the Environment Protection and Biodiversity Conservation Regulations 2000 and follow the global IUCN Red List categories and criteria.

State and territory distribution are the states and territories that the species may occur in according to the Australian Plant Census. The fires may not have affected each species in all states and territories where it occurs.

Prioritisation criteria ranked as high are the risk assessment criteria under which the species has been listed as a high priority for immediate action. The table of management actions below can be used to see which immediate management actions are deemed appropriate for the species. These criteria are based on mechanisms which are known to cause decline in plant populations. Gathering data on plant responses to these criteria will assist in listing species as threatened, management and assessing future risk. The criteria are as follows:

- A. Interactive effects of fire and drought
- B. Short fire intervals (impacts of high fire frequency)
- C. Post-fire herbivore impacts
- D. Fire-disease interactions

- E. High fire severity
- F. Weed invasion
- G. Elevated winter temperatures or changed temperature regimes
- H. Fire sensitivity
- I. Post-fire erosion
- J. Cumulative exposure to high risks
- K. Other plausible threats or expert-driven nominations

NEXT STEPS FOR UNDERSTANDING FIRE IMPACTS

The Expert Panel is working rapidly, in collaboration with experts and state and territory governments, to identify species that may need urgent management intervention. The provisional list is not complete but is an important step in understanding and responding to the bushfires.

The plant species included are initial priorities - many others will also need management intervention to support recovery. This assessment will need to be updated as data sources improve or become available.

The pattern and intensity of fire will vary within the fire affected areas. The fires will not have impacted all areas within the mapped extent equally. Some areas will have burnt at very high intensity whilst other areas may not have burnt at all. Although spatial analyses incorporate information about fire severity and impacts, field assessments may reveal areas assessed as burnt to be unburnt, and vice versa. Our understanding of the fire impacts on plant species will improve after information from on-ground surveys is gathered.

Potential fire impacts for some species, particularly those with small or poorly documented distributions, are estimates only. The distributions of most species assessed are based on both a subset of herbarium specimens collected since 1950 and ranges modelled from climate and soil information. For species listed on the EPBC Act, modelled species distributions developed by the Australian Government Department of Agriculture, Water and the Environment were used to assess the ranges.

Information on other natural assets (including animal species, Threatened Ecological Communities and World Heritage Areas) potentially impacted by the 2019-20 wildfires are available on the Department's website.

WHAT ACTIONS ARE NEEDED FOR HIGH PRIORITY SPECIES?

This depends on the criteria under which the species has been identified as being at risk. The table below details which actions are deemed likely to be immediately necessary for quantifying the response of species to the fires but is not definitive or exhaustive. This table can be cross-referenced to the list of high priority species to identify the actions most needed.

Table 1. Suggested management actions for high priority plant species.

Management Action	Criteria ^[1]										Urgency of action ^[2]	
	A	B	C	D	E	F	G	H	I	J		
Field inspections – damage and threats			x	x		x			x	x		Immediate
Germplasm collection			x	x							x	Immediate
Field inspections - resprouting assessment	x	x			x							Immediate
Field inspections - seedling emergence assessment	x	x			x						x	Immediate
Disease – field assessments and emergency germplasm collection of cuttings where resprouting is affected				x								Immediate
Exclude forestry/silvicultural impacts	x	x			x				x		x	Immediate
Alleviate herbivory		x	x								x	Immediate
Field inspections - recovery assessment								x				Medium-term
Irrigation	x											Medium-term
Carefully planned translocation	x	x	x	x	x		x	x	x	x	x	Medium-term
Weed control						x				x	x	Medium-term
Exclude prescribed fire	x	x	x	x	x	x	x	x	x	x	x	Medium-term
Rapid response to wildfire	x	x	x	x	x	x	x	x	x	x	x	Medium-term
Minimise development impacts	x	x	x	x	x	x	x	x	x	x	x	Ongoing
Alleviate pollinator competition from feral bees and European wasp		x	x			x					x	Medium-term / Ongoing
Prevent illegal collecting or over-collecting of germplasm or plants	x	x	x	x	x	x	x	x	x	x	x	Ongoing
Minimise habitat disturbance from human activities	x	x	x	x	x	x	x	x	x	x	x	Ongoing

[1] **A** Interactive effects of fire and drought; **B** Short fire intervals (impacts of high fire frequency); **C** Post-fire herbivore impacts; **D** Fire-disease interactions; **E** High fire severity; **F** Weed invasion; **G** Elevated winter temperatures or changed temperature regimes; **H** Fire sensitivity; **I** Post-fire erosion; **J** Cumulative exposure to high risks. [2] **Immediate** actions are essential actions to undertake in the short-term; **Medium-term** actions are to be undertaken before the 2020-2021 fire season; **Ongoing** actions should be universally applied when managing threatened or sensitive species against a background suite of potential threats

HIGH PRIORITY SPECIES

Table 2. List of high priority plant species requiring urgent management intervention.

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Acacia alaticaulis</i>	Winged Sunshine Wattle		NSW	A, D, E
<i>Acacia awestoniana</i>	Stirling Range Wattle	Vulnerable	WA	D
<i>Acacia beadleana</i>	Beadle's Wattle		NSW	A, B, D, E, J
<i>Acacia blayana</i>	Blay's Wattle		NSW	D, J
<i>Acacia cangaiensis</i>	Cangai Forest Wattle		NSW	A, D, E, J
<i>Acacia chalkeri</i>	Chalker's Wattle		NSW	A, D, E, I
<i>Acacia clunies-rossiae</i>	Kowmung Wattle, Kanangra Wattle		NSW	A, D, E, I, J
<i>Acacia cognata</i>	Narrow-leaf Bower Wattle, Bower Wattle, River Wattle		NSW	A, D
<i>Acacia constablei</i>	Narrabarba Wattle	Vulnerable	NSW	A, C, D, J
<i>Acacia coventyi</i>	Blue Bush, Bluebush, Bendethera Wattle		NSW	D, I, J
<i>Acacia dorothea</i>	Dorothy's Wattle		NSW	D, E, I
<i>Acacia echinula</i>	Hedgehog Wattle		NSW	D, J
<i>Acacia flocktoniae</i>	Flockton Wattle	Vulnerable	NSW	A, D, I, J
<i>Acacia georgensis</i>	Bega Wattle	Vulnerable	NSW	D, J
<i>Acacia hamiltoniana</i>	Hamilton's Wattle		NSW	A, D, E, J
<i>Acacia jonesii</i>	Jones Wattle		NSW	A, D, E, I, J
<i>Acacia kydrensis</i>	Kydra Wattle		NSW	D, J
<i>Acacia lanigera var. gracilipes</i>	Woolly Wattle, Hairy Wattle		NSW, Vic	A, D
<i>Acacia lucasii</i>	Woolly-bear Wattle, Lucas's Wattle		NSW, Vic	D, E, J
<i>Acacia mabellae</i>	Mabel's Wattle, Black Wattle		NSW	D, J
<i>Acacia matthewii</i>	Matthew's Wattle		NSW	D, E
<i>Acacia meiantha</i>		Endangered	NSW	B
<i>Acacia olsenii</i>	Olsen's Wattle		NSW	D, E, I, J
<i>Acacia phasmoides</i>	Phantom Wattle	Vulnerable	NSW, Vic	C, D, J
<i>Acacia ptychoclada</i>			NSW	B, D, E, I
<i>Acacia ruppilii</i>	Rupp's Wattle	Endangered	NSW, Qld	B, J
<i>Acacia saliciformis</i>	Willow Wattle		NSW	D, E, I, J

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Acacia subporosa</i>	Narrow-leaf Bower Wattle, Sticky Bower Wattle, River Wattle, Bower Wattle		NSW, Vic	A, D, J
<i>Acacia subtilinervis</i>	Net-veined Wattle		NSW, Vic	D, J
<i>Acacia tessellata</i>			NSW	D
<i>Acacia torringtonensis</i>			NSW	D, E, J
<i>Acacia trachyphloia</i>	Golden Feather Wattle, Bodalla Wattle		NSW	D, I, J
<i>Acacia trinervata</i>	Three-nerved Wattle		NSW	D, J
<i>Acacia veronica</i>	Veronica's Wattle		WA	D, J
<i>Acrotriche halmaturina</i>	Kangaroo Island Ground-berry		SA	B
<i>Actinotus forsythii</i>	Wiry Flannel-flower		NSW, Vic	A, D, E
<i>Adenanthos macropodianus</i>	Kangaroo Island Gland Flower		SA	B, D
<i>Agiortia cicatricata</i>			NSW, Qld	E, J
<i>Allocasuarina defungens</i>	Dwarf Heath Casuarina	Endangered	NSW	B
<i>Allocasuarina diminuta subsp. annectens</i>			NSW	A, D
<i>Almaleea cambagei</i>	Torrington Pea	Vulnerable	NSW	B, C, E
<i>Almaleea incurvata</i>			NSW	E, I, J
<i>Andersonia axilliflora</i>	Giant Andersonia	Endangered	WA	K
<i>Andersonia echinocephala</i>			WA	D, J
<i>Aotus genistoides</i>			WA	D, J
<i>Apatophyllum constablei</i>			NSW	J
<i>Asperula tetraphylla</i>	Mountain Woodruff		SA	K
<i>Asterolasia buxifolia</i>			NSW	B, D, E, I, J
<i>Asterolasia muricata</i>			SA	K
<i>Asterolasia rivularis</i>			NSW	A, D, I
<i>Asterolasia rupestris subsp. rupestris</i>			NSW	A, D, E, I, J
<i>Astrotricha cordata</i>			NSW, Qld	J
<i>Astrotricha obovata</i>			NSW	B
<i>Atkinsonia ligustrina</i>			NSW	B, I

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Baeckea brevifolia</i>			NSW	D, J
<i>Baeckea kandos</i>		Endangered	NSW	A, B, D, E, J
<i>Baloskion longipes</i>	Dense Cord-rush	Vulnerable	NSW	A, C
<i>Banksia canei</i>	Mountain Banksia		NSW, Vic	D, H, J
<i>Banksia croajingolensis</i>	Gippsland Banksia		Vic	A, D
<i>Banksia foliolata</i>			WA	D, E
<i>Banksia hirta</i>			WA	D, J
<i>Banksia montana</i>	Stirling Range Dryandra	Endangered	WA	K
<i>Banksia paludosa</i> subsp. <i>astrolux</i>	Swamp Banksia		NSW	A, D, E, H, I, J
<i>Banksia penicillata</i>			NSW	D, E, H, I, J
<i>Banksia solandri</i>	Stirling Range Banksia		WA	D, J
<i>Bertya ernestiana</i>		Vulnerable	Qld	K
<i>Bertya mollissima</i>			NSW	A, E, I
<i>Boronia acanthoclada</i>			WA	D
<i>Boronia anemonifolia</i> subsp. <i>wadbilligensis</i>	Wadbilliga Sticky Boronia		NSW	D
<i>Boronia barkeriana</i> subsp. <i>barkeriana</i>	Barker's Boronia		NSW	A, B, D, E
<i>Boronia chartacea</i>			NSW	D, J
<i>Boronia deanei</i>	Deane's Boronia	Vulnerable	NSW	C, D, E
<i>Boronia floribunda</i>			NSW	B, D
<i>Boronia granitica</i>	Granite Boronia	Endangered	NSW, Qld	B, J
<i>Boronia hapalophylla</i>	Shannon Creek Boronia		NSW	J
<i>Boronia imlayensis</i>			NSW	A, D
<i>Boronia inflexa</i> subsp. <i>torringtonensis</i>			NSW	B, D, E, J
<i>Boronia pulchella</i>	Pink Boronia		WA	D, E, J
<i>Boronia subulifolia</i>			NSW	A, D, E, J
<i>Bossiaea arcuata</i>			WA	D
<i>Bossiaea bombayensis</i>	Bombay Bossiaea		NSW	D, E, I
<i>Bossiaea milesiae</i>			NSW	D, E
<i>Brachyscome brownii</i>			NSW	E
<i>Brachyscome riparia</i>			Vic	A
<i>Budawangia gnidioides</i>	Budawangs Cliff-heath	Vulnerable	NSW	A, E, J

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Bursaria calcicola</i>			NSW	A, E, I
<i>Callicarpa thozetii</i>	Rockhampton Beautyberry		Qld	B
<i>Callistemon forresterae</i>	Forrester's Bottlebrush	Vulnerable	NSW, Vic	A, D
<i>Callistemon kenmorrisonii</i>	Betka Bottlebrush	Vulnerable	Vic	A, B, D
<i>Callistemon megalongensis</i>	Megalong Valley Bottlebrush	Critically Endangered	NSW	K
<i>Callistemon subulatus</i>	Dwarf Bottlebrush		NSW, Vic	D
<i>Callitris muelleri</i>	Mueller's Cypress		NSW	H, J
<i>Callitris oblonga subsp. corangensis</i>	Pygmy Cypress Pine		NSW	A, E
<i>Calytrix smeatoniana</i>	Kangaroo Island Heath-myrtle		SA	B, D
<i>Cardamine tryssa</i>	Dainty Bitter-cress		ACT, NSW, Tas, Vic	E
<i>Cassinia accipitrum</i>			NSW	E, I
<i>Cassinia heleniae</i>			NSW	E
<i>Cassinia theodorii</i>			NSW	A, I
<i>Cheiranthra volubilis</i>		Vulnerable	SA	K
<i>Chiloglottis anaticeps</i>			NSW	K
<i>Choretrum spicatum</i>	Kangaroo Island Spiked Sour-bush		SA, Vic	K
<i>Conospermum burgessiorum</i>	Smokebush		NSW, Qld	A, D, E, J
<i>Conospermum coerulescens subsp. dorrienii</i>			WA	D, J
<i>Coronidium kaputaricum</i>			NSW	A, E, I
<i>Correa baeuerlenii</i>	Chef's Cap	Vulnerable	NSW	D, J
<i>Correa calycina var. halmaturorum</i>	De Mole River Correa		SA	D, E
<i>Correa lawrenceana var. genoensis</i>	Genoa River Correa	Endangered	NSW, Vic	A, D, J
<i>Corunastylis littoralis</i>	Tuncurry Midge Orchid	Critically Endangered	NSW	I
<i>Cryptocarya nova-anglica</i>			NSW	B, H
<i>Cyphanthera scabrella</i>			NSW	A, B, E, I, J
<i>Dampiera fusca</i>	Kydra Dampiera		ACT, NSW, Vic	C

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Dampiera lanceolata</i> var. <i>insularis</i>	Kangaroo Island Dampiera		SA	K
<i>Darwinia briggsiae</i>			NSW	A, D, E, I
<i>Darwinia camptostylis</i>	Clustered Darwinia		NSW, Vic	A, D
<i>Darwinia collina</i>	Yellow Mountain Bell	Endangered	WA	K
<i>Darwinia fascicularis</i> subsp. <i>oligantha</i>			NSW	D, J
<i>Darwinia macrostegia</i>	Mondurup Bell		WA	D, E, J
<i>Darwinia nubigena</i>	Success Bell, Red Mountain Bell	Vulnerable	WA	D, J
<i>Darwinia squarrosa</i>	Pink Mountain Bell	Vulnerable	WA	K
<i>Darwinia taxifolia</i> subsp. <i>macrolaena</i>			NSW	A, D, J
<i>Darwinia taxifolia</i> subsp. <i>taxifolia</i>			NSW	A, B, D, E, I, J
<i>Daviesia suaveolens</i>	Scented Bitter-pea		NSW	D, I
<i>Deyeuxia drummondii</i>	Drummond's Grass, Drummond Grass	Endangered	WA	J
<i>Deyeuxia microseta</i>			NSW	A, D
<i>Deyeuxia ramosa</i>	Climbing Bent-grass		NSW, Vic	A, D
<i>Deyeuxia reflexa</i>			NSW	A, D, E
<i>Deyeuxia talariata</i>			NSW, Vic	A, D, J
<i>Dillwynia acicularis</i>			NSW	D, J
<i>Dillwynia brunioides</i>			NSW	D, J
<i>Dillwynia crispii</i>			NSW	A, D
<i>Dillwynia palustris</i>			NSW	C, D, G, J
<i>Dillwynia rupestris</i>			NSW	A, B, D, E, J
<i>Dillwynia stipulifera</i>			NSW	A, B, D, E, I
<i>Diuris eborensis</i>		Endangered	NSW	C
<i>Epacris calvertiana</i>			NSW	A, D
<i>Epacris hamiltonii</i>		Endangered	NSW	A, B, D, I
<i>Epacris lithophila</i>			NSW	B, D, E, I
<i>Epacris muelleri</i>			NSW	B, D, E, I
<i>Epacris purpurascens</i> var. <i>onosmiflora</i>			NSW	B, D, I
<i>Epacris rigida</i>			NSW	D, J
<i>Eremophila succinea</i>			WA	E, J
<i>Eucalyptus annettae</i>	Annett's Mallet		WA	D, J

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Eucalyptus bensonii</i>	Benson's Stringybark		NSW	A, B, D, E
<i>Eucalyptus corticosa</i>	Olinda Box		NSW	A, D, E
<i>Eucalyptus cunninghamii</i>	Cliff Mallee Ash		NSW	B, D, E
<i>Eucalyptus deuaensis</i>	Mongamulla Mallee		NSW	D, I
<i>Eucalyptus distuberosa subsp. aerata</i>			WA	D, J
<i>Eucalyptus elaeophloia</i>	Nunniong Gum		Vic	D, E
<i>Eucalyptus eremophila subsp. pterocarpa</i>	Sand Mallet		WA	D
<i>Eucalyptus expressa</i>	Wollemi Stringybark		NSW	A, D
<i>Eucalyptus forresterae</i>	Brumby Sallee		Vic	D, E
<i>Eucalyptus fraxinoides</i>	White Mountain Ash, White Ash		NSW, Vic	D, E, H, J
<i>Eucalyptus georgei subsp. fulgida</i>	Hyden Blue Gum		WA	D, J
<i>Eucalyptus gregsoniana</i>	Wolgan Snow Gum		NSW	B, D, E, I
<i>Eucalyptus gunnii</i>			Tas	K
<i>Eucalyptus imitans</i>	Illawarra Stringybark		NSW	A, D, I
<i>Eucalyptus imlayensis</i>	Imlay Mallee, Mount Imlay Mallee	Endangered	NSW	A, D
<i>Eucalyptus jimberlanica</i>	Norseman Gimlet		WA	D, J
<i>Eucalyptus langleyi</i>	Albatross Mallee	Vulnerable	NSW	A, D
<i>Eucalyptus mackintii</i>	Orbost Stringybark		Vic	A, D
<i>Eucalyptus moorei</i>	Little sally, Narrow-leaved sally		NSW	A, D
<i>Eucalyptus olida</i>			NSW	D, E
<i>Eucalyptus olsenii</i>	Woila Gum		NSW	D, I
<i>Eucalyptus ophitica</i>	Serpentine Ironbark		NSW	D
<i>Eucalyptus pachycalyx subsp. banyabba</i>	Banyabba Shiny-barked Gum	Endangered	NSW	B, D, E

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Eucalyptus pachycalyx subsp. waajensis</i>	Pumpkin Gum, Shiny-barked Gum		Qld	B
<i>Eucalyptus paliformis</i>	Wadbilliga Ash		NSW	D, J
<i>Eucalyptus phoenix</i>	Brumby Mallee-gum		Vic	D, E
<i>Eucalyptus pterocarpa</i>	Winged-fruited Mallet		WA	D, E, J
<i>Eucalyptus redimiculifera</i>			WA	D
<i>Eucalyptus remota</i>	Kangaroo Island Ash		SA	B, D
<i>Eucalyptus rudderi</i>	Rudder's Box		NSW	D, E, I
<i>Eucalyptus rugulata</i>	Diggers Rocks Mallet		WA	D, J
<i>Eucalyptus scias</i>	Red mahogany, Tenterfield Red Mahogany		NSW	D, E
<i>Eucalyptus scopulorum</i>			NSW	A, D, E
<i>Eucalyptus sp. Howes Swamp Creek (M.Doherty 26)</i>		Endangered	NSW	B, D, E
<i>Eucalyptus stenostoma</i>	Jillaga Ash		NSW	D, J
<i>Eucalyptus sturgissiana</i>	Ettrema Mallee		NSW	A, B, D
<i>Eucalyptus triflora</i>	Pigeon House Ash, Three-flowered Ash		Vic	A, D
<i>Eucalyptus volcanica</i>			NSW	A, B, D, E, I
<i>Eucalyptus wilcoxii</i>	Deua Gum		NSW	D, E, I
<i>Eucryphia moorei</i>	Pinkwood, Eastern Leatherwood		NSW, Vic	B, H
<i>Euphrasia arguta</i>		Critically Endangered	NSW	K
<i>Euphrasia bella</i>		Vulnerable	NSW, Qld	K
<i>Euphrasia collina subsp. nandewarensis</i>	Nandewar Range Eyebright		NSW	A, E, I
<i>Gahnia filifolia</i>			NSW	E, I
<i>Gahnia halmaturina</i>	Kangaroo Island Saw-sedge		SA	E
<i>Gahnia hystrix</i>	Kangaroo Island Spiky Saw-sedge		SA	K
<i>Galium roddii</i>			NSW	A, C, F, G

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Gastrolobium crenulatum</i>			WA	D, J
<i>Gastrolobium hians</i>			WA	D, E
<i>Gastrolobium luteifolium</i>	Yellow-leafed Gastrolobium	Critically Endangered	WA	D, J
<i>Gastrolobium vestitum</i>	Stirling Range Gastrolobium	Critically Endangered	WA	D, E, J
<i>Genoplesium littorale</i>			NSW	K
<i>Genoplesium superbum</i>	Superb Midge-orchid		NSW	K
<i>Genoplesium vernale</i>	East Lynne Midge-orchid	Vulnerable	NSW	E
<i>Gentiana bredboensis</i>	Bredbo Gentian	Critically Endangered	NSW	C, G, J
<i>Gentiana wissmannii</i>	New England Gentian	Vulnerable	NSW	A, C, E, J
<i>Gentianella sylvicola</i>			NSW, ACT	K
<i>Geranium graniticola</i>			NSW	E, I
<i>Goodenia glomerata</i>			NSW	A, D
<i>Goodenia heterophylla</i> subsp. <i>montana</i>			NSW	A, D
<i>Goodenia macmillanii</i>			Vic	B, D
<i>Goodenia rostrivalvis</i>			NSW	A, B, D, I
<i>Grevillea acanthifolia</i>	Bog Grevillea		NSW	B, D, I
<i>Grevillea acerata</i>			NSW	A, B, D, E, J
<i>Grevillea alpivaga</i>			Vic	B, D
<i>Grevillea arenaria</i> subsp. <i>arenaria</i>	Sand Grevillea		NSW	D, J
<i>Grevillea aspleniifolia</i>			NSW	A, D, E, I, J
<i>Grevillea banyabba</i>		Vulnerable	NSW	B, D, E, J
<i>Grevillea baueri</i> subsp. <i>asperula</i>			NSW	A, D, J
<i>Grevillea baueri</i> subsp. <i>baueri</i>			NSW	D, J
<i>Grevillea beadleana</i>	Beadle's Grevillea	Endangered	NSW	A, C, D, J
<i>Grevillea buxifolia</i> subsp. <i>ecorniculata</i>			NSW	B, D, E, J
<i>Grevillea epicroca</i>			NSW	D, I
<i>Grevillea evansiana</i>		Vulnerable	NSW	B, D, E, J

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Grevillea guthrieana</i>		Endangered	NSW	B, D, J
<i>Grevillea halmaturina</i> subsp. <i>halmaturina</i>	Small-flower Grevillea		SA	B, D
<i>Grevillea imberbis</i>			NSW	A, D, E, I
<i>Grevillea insignis</i> subsp. <i>elliottii</i>	Elliot's Wax Grevillea		WA	D, J
<i>Grevillea irrasa</i> subsp. <i>didymochiton</i>			NSW	D, E, J
<i>Grevillea jephcottii</i>	Pine Mountain Grevillea		Vic	D, E, J
<i>Grevillea johnsonii</i>			NSW	D, J
<i>Grevillea juniperina</i> subsp. <i>villosa</i>			NSW	D, E, J
<i>Grevillea kedumbensis</i>			NSW	A, D, I
<i>Grevillea lavandulacea</i> subsp. <i>rogersii</i>	Lavender Grevillea		SA	B, D
<i>Grevillea linsmithii</i>	Linsmith's Grevillea		NSW, Qld	D, J
<i>Grevillea lullfitzii</i>	Lullfitz's Grevillea		WA	D, J
<i>Grevillea macleayana</i>	Jervis Bay Grevillea		NSW	A, D, J
<i>Grevillea mollis</i>		Endangered	NSW	J
<i>Grevillea molyneuxii</i>	Jervis Bay Grevillea	Endangered	NSW	A, D, I, J
<i>Grevillea muelleri</i>	Mueller's Grevillea		WA	D, J
<i>Grevillea neurophylla</i>	Granite Grevillea		ACT, NSW, Vic	A, D
<i>Grevillea oxyantha</i> subsp. <i>ecarinata</i>			NSW	D
<i>Grevillea pachylostyla</i>			Vic	D, E
<i>Grevillea parvula</i>	Genoa Grevillea		NSW, Vic	A, D
<i>Grevillea phyllicoides</i>	Grey Spider Flower		NSW	D, J
<i>Grevillea polychroma</i>			Vic	D, E
<i>Grevillea quinquenervis</i>	Five-veined Grevillea		SA	B, D
<i>Grevillea ramosissima</i> subsp. <i>hypargyrea</i>	Fan Grevillea		Vic	D, E
<i>Grevillea renwickiana</i>	Nerriga Grevillea		NSW	D, E
<i>Grevillea rhizomatosa</i>		Vulnerable	NSW	A, D, E

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Grevillea rhyolitica</i>	Deua Grevillea, Deua Flame		NSW	D
<i>Grevillea scortechinii</i> <i>subsp. sarmentosa</i>	Toothbrush Grevillea, Backwater Grevillea		NSW	A, C, D, E
<i>Grevillea sericea</i> <i>subsp. riparia</i>			NSW	D, J
<i>Grevillea sp.</i> <i>Gillingarra</i> (R.J.Cranfield 4087)		Critically Endangered	WA	D
<i>Hakea aenigma</i>	Enigma Hakea		SA	B, D
<i>Hakea constablei</i>			NSW	A, B, D, E, H, I, J
<i>Hakea dohertyi</i>	Kowmung Hakea	Endangered	NSW	A, D, E, H, I, J
<i>Hakea macraeana</i>	Macrae's Hakea		NSW, Vic	D, H, J
<i>Hakea macrorrhyncha</i>			NSW, Qld	D, E, H, J
<i>Hakea pachyphylla</i>			NSW	A, B, D, E, I
<i>Haloragodendron</i> <i>lucasii</i>			NSW	B, E, I
<i>Haloragodendron</i> <i>gibsonii</i>			NSW	B, I
<i>Hibbertia</i> <i>acaulothrix</i>			NSW	A, B, D, E, I
<i>Hibbertia circinata</i>			NSW	K
<i>Hibbertia cistiflora</i> <i>subsp.</i> <i>quadristaminea</i>			NSW	A, B, D, E, I, J
<i>Hibbertia coloensis</i>			NSW	A, B, D, I
<i>Hibbertia</i> <i>empetrifolia subsp.</i> <i>radians</i>	Scrambling Guinea-flower		SA	B, D
<i>Hibbertia glebosa</i> <i>subsp. oblonga</i>	Stalked Guinea- flower		SA	B, D
<i>Hibbertia marginata</i>		Vulnerable	NSW	D, E
<i>Hibbertia notabilis</i>	Howe Guinea- flower		NSW, Vic	A, D, E
<i>Hibbertia</i> <i>oxycraspedota</i>			NSW	A, D
<i>Hibbertia patens</i>			Qld	D, E
<i>Hibbertia</i> <i>platyphylla subsp.</i> <i>halmaturina</i>	Robust Guinea- flower		SA	B, D
<i>Hibbertia praemorsa</i>			NSW	A, B, D, E, I

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Hibbertia rhynchocalyx</i>			NSW	A, D, E, J
<i>Hibbertia saligna</i>			NSW	A, B, D, E, I, J
<i>Hibbertia scandens</i> <i>var. glabra</i>	Snake vine		Qld	A, D
<i>Hibbertia</i> sp. <i>Toolbrunup</i> (J.R.Wheeler 2504) = <i>Hibbertia barrettiae</i>	Barrett's Guinea Flower		WA	D, E
<i>Hibbertia spathulata</i>			NSW, Vic	A, D
<i>Hibbertia villosa</i>			NSW	A, D, E, J
<i>Homoranthus binghiensis</i>	Binghi Homoranthus		NSW	A, B, D, E, J
<i>Hydrocotyle crassiuscula</i>	Spreading Pennywort		SA	K
<i>Hymenophyllum pumilum</i>			NSW	A, F, I
<i>Hypocalymma phillipsii</i>			WA	D
<i>Irenepharsus phasmatodes</i>	Kangaroo Island Cress		SA	K
<i>Isopogon fletcheri</i>	Fletcher's Drumsticks	Vulnerable	NSW	A, B, D, E, I
<i>Isopogon latifolius</i>			WA	D, J
<i>Isopogon prostratus</i>			NSW, Vic	D
<i>Kardomia odontocalyx</i>			NSW	B, D, E
<i>Kardomia prominens</i>			NSW	D, I, J
<i>Lasiopetalum joyceae</i>		Vulnerable	NSW	I, J
<i>Latrobea colophona</i>	Mountain Latrobea	Critically Endangered	WA	D
<i>Laxmannia grandiflora</i> subsp. <i>brendae</i>	Mount Lindesay Laxmannia		WA	D, J
<i>Leionema ceratogynum</i>			NSW	D, E
<i>Leionema coxii</i>			NSW	D, E, I
<i>Leionema equestre</i>	Kangaroo Island Phebalium	Endangered	SA	D
<i>Leionema lamprophyllum</i> subsp. <i>orbiculare</i>			NSW	A, D, E
<i>Leionema scopulinum</i>			NSW	D, E

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Leionema sympetalum</i>	Rylstone Bell	Vulnerable	NSW	D, E
<i>Lenwebbia</i> sp. Main Range			NSW, Qld	K
<i>Leptospermum benwellii</i>			NSW	A, D, E
<i>Leptospermum blakelyi</i>			NSW	B, D
<i>Leptospermum crassifolium</i>			NSW	A, B, D, E, I
<i>Leptospermum deuense</i>			NSW	D, E, I
<i>Leptospermum epacridoideum</i>			NSW	A, D
<i>Leptospermum glabrescens</i>	Smooth Tea-tree		Vic	A, D
<i>Leptospermum jingera</i>			Vic	D, E
<i>Leptospermum macrocarpum</i>			NSW	B, D, E, I
<i>Leptospermum petraeum</i>			NSW	A, D, E, I
<i>Leptospermum rotundifolium</i>			NSW	A, D
<i>Leptospermum sejunctum</i>			NSW	A, D
<i>Leptospermum spectabile</i>			NSW	B, D, E, I
<i>Leptospermum sphaerocarpum</i>			NSW	D, E
<i>Leptospermum subglabratum</i>			NSW	A, D, E
<i>Leptospermum thompsonii</i>	Monga Tea-tree	Vulnerable	NSW	D, I, J
<i>Lepyrodia oligocolea</i>			NSW	A, E
<i>Lepyrodia valliculae</i>	Kangaroo Island Scale-rush		SA	K
<i>Leucochrysum graminifolium</i>			NSW	E, I
<i>Leucopogon acicularis</i>			WA	D, J
<i>Leucopogon atherolepis</i>			WA	D, J
<i>Leucopogon bracteolaris</i>			WA	D, J
<i>Leucopogon confertus</i>	Torrington Beard-heath	Endangered	NSW	D, J

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Leucopogon cryptanthus</i>	Small-flowered Leucopogon		WA	D
<i>Leucopogon extremus</i>			WA	D, E
<i>Leucopogon gnaphalioides</i>	Stirling Range Beard Heath	Endangered	WA	D
<i>Leucopogon lasiostachyus</i>			WA	D, J
<i>Leucopogon mollis</i>			WA	D, J
<i>Leucopogon pogonocalyx</i>			WA	D, J
<i>Leucopogon psilopus</i>			WA	D, J
<i>Leucopogon riparius</i>			Vic	A, B, D
<i>Leucopogon setiger</i>			NSW	D, J
<i>Logania insularis</i>	Kangaroo Island Logania	Vulnerable	SA	B
<i>Logania scabrella</i>	Rough Logania		SA	B, E
<i>Lysimachia fortunei</i>			NSW	E
<i>Macrozamia johnsonii</i>	Johnson's Cycad		NSW	A, D, E, I
<i>Macrozamia montana</i>			NSW	D
<i>Melaleuca agathosmoides</i>			WA	B, D
<i>Melaleuca capitata</i>	Sandstone Honey-myrtle		NSW	A, D
<i>Melichrus sp. Gibberagee</i>			NSW	K
<i>Microlaena stipoides var. breviseta</i>			NSW	A, I
<i>Monotoca rotundifolia</i>	Trailing Monotoca		NSW, Vic	D, E, J
<i>Myoporum bateae</i>			NSW	E, J
<i>Nematolepis elliptica</i>			NSW	D, E
<i>Nematolepis frondosa</i>	Leafy Nematolepis	Vulnerable	Vic	D, E
<i>Nematolepis rhytidophylla</i>		Vulnerable	NSW	A, D, J
<i>Nematolepis squamea subsp. coriacea</i>	Harsh Nematolepis	Vulnerable	Vic	D, E
<i>Ochrosperma oligomerum</i>			NSW	A, D, E
<i>Olearia aglossa</i>			NSW, Vic	A, D
<i>Olearia burgessii</i>			NSW	A, D, I

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Olearia cordata</i>		Vulnerable	NSW	D, E
<i>Olearia coventyi</i>			NSW	A, D, E
<i>Olearia flocktoniae</i>	Dorrigo Daisy-bush	Endangered	NSW	D, J
<i>Olearia oliganthera</i>			NSW	D
<i>Olearia quercifolia</i>			NSW	B, D, E, I
<i>Olearia rugosa</i> <i>subsp. angustifolia</i>			Vic	A, D
<i>Olearia stenophylla</i>			NSW	D
<i>Pentachondra dehiscens</i>			NSW	A, I
<i>Persoonia acerosa</i>	Needle Geebung	Vulnerable	NSW	A, D, I, J
<i>Persoonia asperula</i>			NSW, Vic	D, J
<i>Persoonia brevifolia</i>			NSW, Vic	A, D
<i>Persoonia chamaepitys</i>			NSW	B, D, E, J
<i>Persoonia hindii</i>			NSW	B, D, E, I
<i>Persoonia micranthera</i>	Small-flowered Snottygobble	Endangered	WA	K
<i>Persoonia mollis</i> <i>subsp. budawangensis</i>			NSW	D, I
<i>Persoonia mollis</i> <i>subsp. leptophylla</i>			NSW	A, D, J
<i>Persoonia mollis</i> <i>subsp. mollis</i>			NSW	B, D, E, I, J
<i>Persoonia myrtilloides</i>			NSW	B, D, E, I
<i>Persoonia oblongata</i>			NSW	D, J
<i>Persoonia oleoides</i>			NSW	A, D, E
<i>Persoonia procumbens</i>			NSW	A, D, E
<i>Persoonia prostrata</i>			Qld	A, D
<i>Persoonia recedens</i>			NSW	B, D, E, I
<i>Persoonia rufa</i>			NSW	A, B, D, E, J
<i>Persoonia terminalis</i> <i>subsp. terminalis</i>			NSW	B, D, E
<i>Philotheca hispidula</i>			NSW	D, J
<i>Philotheca myoporoides</i> <i>subsp. brevipedunculata</i>			NSW, Vic	D
<i>Philotheca obovalis</i>			NSW	B, D, E, I, J
<i>Philotheca obovatifolia</i>	Mountain Wax- flower		NSW, Qld	C, D, E, J
<i>Philotheca scabra</i> <i>subsp. latifolia</i>			NSW	A, D

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Phyllota squarrosa</i>	Dense Phyllota		NSW	B, I
<i>Pimelea cremnophila</i>			NSW	C, D, E, I
<i>Pimelea latifolia</i> <i>subsp. elliptifolia</i>			NSW	D, J
<i>Pimelea umbratica</i>			NSW, Qld	A, D, E
<i>Platysace heterophylla</i> var. <i>tepperi</i>	Lobed Platysace		SA	K
<i>Platytheca juniperina</i>			WA	D, E, J
<i>Plinthanthesis rodwayi</i>	Budawang's Wallaby-grass	Vulnerable	NSW	A, C, E, I
<i>Podolobium aestivum</i>			NSW	A, E
<i>Pomaderris brunnea</i>	Rufous Pomaderris	Vulnerable	NSW, Vic	C, D, J
<i>Pomaderris buchanensis</i>			Vic	A, D
<i>Pomaderris costata</i>			NSW, Vic	A, D, J
<i>Pomaderris cotoneaster</i>	Cotoneaster Pomaderris	Endangered	NSW, Vic	C, D, J
<i>Pomaderris gilmourii</i>			NSW	D, E, I
<i>Pomaderris gilmourii</i> var. <i>cana</i>	Grey Deua Pomaderris	Vulnerable	NSW	D, E, J
<i>Pomaderris gilmourii</i> var. <i>gilmourii</i>			NSW	D
<i>Pomaderris helianthemifolia</i>			NSW, Vic	B, D
<i>Pomaderris oblongifolia</i>			Vic	A, B, D
<i>Pomaderris parrisiae</i>	Parris' Pomaderris	Vulnerable	NSW	D, J
<i>Pomaderris sericea</i>	Bent Pomaderris	Vulnerable	NSW, Vic	D, J
<i>Pomaderris virgata</i>	Upright Pomaderris		NSW, Vic	D, J
<i>Prasophyllum bagoense</i>	Bago Leek-orchid	Critically Endangered	NSW	C
<i>Prasophyllum fuscum</i>	Tawny Leek-orchid, Slaty Leek-orchid	Vulnerable	NSW	A, I
<i>Prasophyllum innubum</i>	Brandy Marys Leek-orchid	Critically Endangered	NSW, ACT	C
<i>Prasophyllum keltonii</i>	Kelton's Leek-orchid	Critically Endangered	NSW	C

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Prasophyllum</i> sp. <i>Majors Creek (Jones 11084)</i>			NSW	K
<i>Prostanthera caerulea</i>			NSW	A, B, D
<i>Prostanthera hindii</i>			NSW	D, E
<i>Prostanthera palustris</i>	Swamp Mint-bush	Vulnerable	NSW	B, D, E, I, J
<i>Prostanthera porcata</i>			NSW	D, E, I
<i>Prostanthera saxicola</i> var. <i>montana</i>			NSW	A, D, E, I
<i>Prostanthera sejuncta</i>			NSW	D, J
<i>Prostanthera staurophylla</i>		Vulnerable	NSW	B, C, D, E, J
<i>Prostanthera stenophylla</i>			NSW	A, D, E
<i>Prostanthera tallowa</i>			NSW	A, D, E, I
<i>Prostanthera teretifolia</i>			NSW	D, E, J
<i>Prostanthera violacea</i>			NSW	A, D
<i>Prostanthera walteri</i>	Blotchy Mintbush		NSW, Vic	A, D, J
<i>Pterostylis oreophila</i>	Blue-tongue Greenhood	Critically Endangered	NSW, ACT	K
<i>Pultenaea altissima</i>	Tall Bush-pea		NSW, Qld, Vic	D, J
<i>Pultenaea baeuerlenii</i>	Budawang's Bush-pea	Vulnerable	NSW	A, D, J
<i>Pultenaea canescens</i>			NSW	B, D, E, I
<i>Pultenaea echinula</i>			NSW	D, E
<i>Pultenaea elusa</i>	Elusive Bush-pea	Endangered	NSW	A, D, J
<i>Pultenaea glabra</i>	Smooth Bush-pea, Swamp Bush-pea	Vulnerable	NSW	C, D, E, I, J
<i>Pultenaea parrisiae</i>	Bantam Bush-pea	Vulnerable	NSW, Vic	A, D, J
<i>Pultenaea rodwayi</i>			NSW	A, D, E, I
<i>Pultenaea</i> sp. <i>Olinda</i>			NSW	K
<i>Pultenaea tarik</i>			NSW	A, D, E, J
<i>Pultenaea trifida</i>	Kangaroo Island Bush-pea		SA	B, D
<i>Pultenaea villifera</i>			NSW	D, J
<i>Pultenaea viscosa</i>			NSW	D, J
<i>Pultenaea vrolandii</i>			NSW, Vic	D, J

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Rhodamnia whiteana</i>	White Malletwood, Cliff Malletwood		Qld	A, D, E
<i>Rinzia morrisonii</i>	Creeping Rinzia		WA	D, J
<i>Schoenus evansianus</i>			NSW	A, E
<i>Solanum armourense</i>			NSW	A, E, I, J
<i>Solanum curvicutuspe</i>			NSW	E
<i>Solanum sulphureum</i>		Endangered	NSW	J
<i>Spyridium burragorang</i>			NSW	A, I
<i>Spyridium cinereum</i>	Tiny Spyridium		NSW, Vic	A, J
<i>Stylidium spinulosum subsp. montanum</i>	Stirling Range Topsy-turvy Triggerplant		WA	E, J
<i>Stylidium tepperianum</i>	Tepper's Trigger-plant		SA	K
<i>Styphelia laeta subsp. latifolia</i>			NSW	D, J
<i>Styphelia perileuca</i>		Vulnerable	NSW	A, D, E, J
<i>Styphelia psiloclada</i>			NSW	D, J
<i>Symphionema montanum</i>			NSW	B, J
<i>Tasmania xerophila subsp. robusta</i>			Vic	A, D
<i>Telopea aspera</i>	Gibraltar Range waratah		NSW	A, D, E
<i>Telopea mongaensis</i>	Monga Waratah, Braidwood Waratah		NSW	D, E, I
<i>Telopea oreades</i>	Gippsland Waratah, mountain Waratah, Victorian Waratah		NSW, Vic	A, D
<i>Tetradthea halmaturina</i>	Curly Pink-bells		SA	D
<i>Tetradthea insularis</i>	Kangaroo Island Pink-eyes		SA	B, D
<i>Tetradthea rupicola</i>			NSW	A, D, I
<i>Tetradthea subaphylla</i>	Leafless Pinkbells		NSW, Vic	A, D
<i>Thismia clavarioides</i>			NSW	A, I

Species	Common name	EPBC Act status*	States and territories	High criteria
<i>Trachymene scapigera</i>	Mountain Trachymene	Endangered	NSW	C, E, G, I
<i>Triplarina imbricata</i>		Endangered	NSW	D, I
<i>Triplarina nowraensis</i>	Nowra Heath-myrtle	Endangered	NSW	D
<i>Tylophora woollsii</i>		Endangered	NSW, Qld	J
<i>Velleia perfoliata</i>		Vulnerable	NSW	E, J
<i>Veronica blakelyi</i>			NSW	E, I
<i>Veronica brownii</i>			NSW	A, E, I
<i>Veronica derwentiana subsp. subglauca</i>			NSW	E, I
<i>Veronica lithophila</i>			NSW	A, E, I
<i>Verticordia sieberi var. pachyphylla</i>			WA	D, J
<i>Viola improcera</i>	Dwarf Violet		ACT, Vic	E
<i>Westringia cremnophila</i>	Snowy River Westringia	Vulnerable	Vic	A
<i>Westringia lucida</i>			ACT, NSW, Vic	C, G, J
<i>Wollemia nobilis</i>	Wollemi Pine	Critically Endangered	NSW	B, D, E, H
<i>Xyris exilis</i>	Stirling Range Xyris	Vulnerable	WA	K
<i>Zieria adenophora</i>		Endangered	NSW, ACT	K
<i>Zieria caducibracteata</i>			NSW	A
<i>Zieria citriodora</i>	Lemon-scented Zieria	Vulnerable	NSW, Vic	C, J
<i>Zieria covenyi</i>	Coveny's Zieria	Endangered	NSW	A, E, I
<i>Zieria floydii</i>		Endangered	NSW	A, B, E, I, J
<i>Zieria hindii</i>			NSW	K
<i>Zieria lasiocaulis</i>	Willi Willi Zieria	Endangered	NSW	J
<i>Zieria montana</i>	Mountain Zieria		Qld	E
<i>Zieria murphyi</i>	Velvet Zieria	Vulnerable	NSW	A, E, I, J
<i>Zieria veronicea subsp. insularis</i>	Pink Zieria		SA	K

[1] Common names are intended as a guide only and different species may be known by the same common name. All applications should reference the scientific name of the species being targeted. [2] Some EPBC Act Vulnerable taxa will be included in this high priority list. Although they are not CR or END, they are listed in or endemic to states or territories and have been rated as high.

This table is intended as a general guide, and is not intended to be comprehensive for each species. Specific interventions required for each species are best informed by species experts, and a detailed suite of actions at local and regional scales should be developed – in many cases, planning and action by state agencies and other land managers is already underway. However, the trait information collated for each species provides indications of the type of actions likely to be required

for any species. For example, if a species is highly susceptible to introduced herbivores in the post-fire period, then some form of herbivore control or exclusion is indicated. If a species is particularly susceptible to weed invasion, then weed control may be considered.

FURTHER INFORMATION

Australian Government's Wildlife and Habitat Recovery Package:

<http://www.environment.gov.au/biodiversity/bushfire-recovery>

Species Profile and Threats (SPRAT) Database: <https://www.environment.gov.au/cgi-bin/sprat/public/sprat.pl>

GIS data on Species of National Environmental Significance:

<https://www.environment.gov.au/science/erin/databases-maps/snes>

Published by the Department of Agriculture, Water and the Environment on 23 April 2020.

Copyright Commonwealth of Australia. Licensed by the Commonwealth of Australia for use under a Creative Commons Attribution 4.0 International license. For license conditions see:

<https://creativecommons.org/licenses/by/4.0/>