



## Biodiversity Summary for NRM Regions Species List

### What is the summary for and where does it come from?

This list has been produced by the Department of Sustainability, Environment, Water, Population and Communities (SEWPC) for the Natural Resource Management Spatial Information System.

The list was produced using the **Australian Natural Heritage Assessment Tool (ANHAT)**, which analyses data from a range of plant and animal surveys and collections from across Australia to automatically generate a report for each NRM region. Data sources (Appendix 2) include national and state herbaria, museums, state governments, CSIRO, Birds Australia and a range of surveys conducted by or for DEWHA.

For each family of plant and animal covered by ANHAT (Appendix 1), this document gives the number of species in the country and how many of them are found in the region. It also identifies species listed as Vulnerable, Critically Endangered, Endangered or Conservation Dependent under the EPBC Act.

A biodiversity summary for this region is also available.

For more information please see: [www.environment.gov.au/heritage/anhat/index.html](http://www.environment.gov.au/heritage/anhat/index.html)

### Limitations

- ANHAT currently contains information on the distribution of over 30,000 Australian taxa. This includes all mammals, birds, reptiles, frogs and fish, 137 families of vascular plants (over 15,000 species) and a range of invertebrate groups. **Groups not yet covered in ANHAT are not included in the list.**
- The data used come from authoritative sources, but they are not perfect. All species names have been confirmed as valid species names, but it is not possible to confirm all species locations. The list summarises the input data, so errors in the data received would be reflected in this document.
- The scientific names and taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that found in government censuses, databases or other authoritative lists.



## Species List for NRM Region North Central, Victoria

This list was produced by the Department of Sustainability, Environment, Water, Population and Communities using the Australian Natural Heritage Assessment Tool (ANHAT). ANHAT is a database and decision support tool which uses over 33 million specimen and survey records for vertebrates, selected invertebrates and 137 vascular plant families (over 15,000 species). This species list does not include exotic or extinct species.

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.

	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Vertebrate fauna</b>				
<b>Actinopterygii</b>				
<b>Atherinidae</b>				
	<b>Hardyheads, Silversides, Whitebait</b>		<b>(4 out of 20 species in Australia)</b>	
<i>Atherinosoma microstoma</i>	Smallmouth Hardyhead		<1	1978
<i>Craterocephalus fluviatilis</i>	Murray Hardyhead		43	2002
<i>Craterocephalus fulvus</i>	Unspecked Hardyhead		8	2008
<i>Craterocephalus stercusmuscarum</i>	Flyspecked Hardyhead		1	2008
<b>Clupeidae</b>				
	<b>Herrings, Menhadens, Pilchards, Sardines, Shads, Sprats</b>		<b>(1 out of 11 species in Australia)</b>	
<i>Nematalosa erebi</i>	Bony Bream		1	2006
<b>Eleotridae</b>				
	<b>Gudgeons, Sleepers</b>		<b>(2 out of 39 species in Australia)</b>	
<i>Hypseleotris klunzingeri</i>	Western Carp Gudgeon		3	2008
<i>Philypnodon grandiceps</i>	Flathead Gudgeon		4	2008
<b>Engraulidae</b>				
	<b>Anchovies</b>		<b>(1 out of 12 species in Australia)</b>	
<i>Engraulis australis</i>	Australian anchovy		4	1978
<b>Galaxiidae</b>				
	<b>Galaxias, Salamanderfish</b>		<b>(4 out of 23 species in Australia)</b>	
<i>Galaxias maculatus</i>	Common Galaxias		<1	2095
<i>Galaxias olidus</i>	Mountain Galaxias		3	2002
<i>Galaxias rostratus</i>	Flathead Galaxias		13	1988
<i>Galaxias truttaceus</i>	Trout Galaxias		<1	1990



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Gobiidae</b>	<b>Gobies</b>	<b>(3 out of 99 species in Australia)</b>		
Afurcagobius tamarensis	Tamar Goby		1	1978
Arenigobius bifrenatus	Bridled Goby		2	1979
Pseudogobius olorum	Bluespot Goby		<1	1977
<b>Melanotaeniidae</b>	<b>Rainbowfishes</b>	<b>(1 out of 16 species in Australia)</b>		
Melanotaenia fluviatilis	Murray River Rainbowfish		2	2008
<b>Percichthyidae</b>	<b>Australian Freshwater Basses, Australian Freshwater Blackfish, Australian Freshwater Cods, Temperate Seabasses</b>	<b>(7 out of 17 species in Australia)</b>		
Gadopsis marmoratus	River Blackfish		2	1995
Maccullochella macquariensis	Trout Cod		3	1994
Maccullochella peelii	Murray Cod		1	2008
Macquaria ambigua	Golden Perch		5	2008
Macquaria australasica	Macquarie Perch		3	1994
Nannoperca australis	Southern Pygmy Perch		2	2000
Nannoperca obscura	Yarra Pygmy Perch	Vulnerable	3	2000
<b>Plotosidae</b>	<b>Eel-Tailed Catfishes</b>	<b>(1 out of 19 species in Australia)</b>		
Tandanus tandanus	Freshwater Catfish		2	2005
<b>Retropinnidae</b>	<b>Southern Graylings, Southern Smelts</b>	<b>(2 out of 3 species in Australia)</b>		
Prototroctes maraena	Australian Grayling		<1	1982
Retropinna semoni	Australian Smelt		2	2008
<b>Terapontidae</b>	<b>Grunters</b>	<b>(1 out of 33 species in Australia)</b>		
Bidyanus bidyanus	Silver Perch		7	2008



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Amphibia</b>			
<b>Hylidae</b>			
<b>Tree-Frogs (5 out of 81 species in Australia)</b>			
Litoria ewingii		3	2005
Litoria paraewingii		<1	1972
Litoria peronii		2	2005
Litoria raniformis	Vulnerable	5	2004
Litoria verreauxii		<1	1993
<b>Myobatrachidae</b>			
<b>Myobatrachid or Southern Frogs (14 out of 121 species in Australia)</b>			
Crinia parinsignifera		8	2006
Crinia signifera		4	2006
Crinia sloanei		8	1993
Geocrinia laevis		<1	
Geocrinia victoriana		2	2004
Limnodynastes dumerilii		4	2006
Limnodynastes fletcheri		2	2000
Limnodynastes interioris		<1	2000
Limnodynastes peronii		<1	2004
Limnodynastes tasmaniensis		3	2006
Neobatrachus pictus		2	1989
Neobatrachus sudelli		5	1999
Pseudophryne bibroni		6	2003
Pseudophryne semimarmorata		1	1975



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Aves</b>			
<b>Acanthizidae</b>			
<b>Scrubwrens, Thornbills (18 out of 43 species in Australia) and Allies</b>			
Acanthiza apicalis		<1	2004
Acanthiza chrysorrhoa		2	2006
Acanthiza lineata		2	2006
Acanthiza nana		3	2006
Acanthiza pusilla		2	2006
Acanthiza reguloides		3	2006
Acanthiza uropygialis		2	2006
Aphelocephala leucopsis		3	2006
Calamanthus campestris		<1	1999
Calamanthus cautus		3	2002
Calamanthus fuliginosus		<1	1990
Calamanthus pyrrhopygius		3	2006
Gerygone albogularis		<1	2001
Gerygone fusca		2	2006
Gerygone magnirostris		<1	1976
Pyrrholaemus sagittatus		3	2006
Sericornis frontalis		1	2008
Smicronis brevirostris		1	2006
<b>Accipitridae</b>			
<b>Eagles, Hawks and Kites (15 out of 19 species in Australia)</b>			
Accipiter cirrhocephalus		2	2005
Accipiter fasciatus		2	2006
Accipiter novaehollandiae		1	2001
Aquila audax		1	2008
Circus approximans		3	2006
Circus assimilis		1	2004
Elanus axillaris		2	2006
Elanus scriptus		1	1992
Erythrotriorchis radiatus	Vulnerable	<1	1994
Haliaeetus leucogaster		<1	2006
Haliastur sphenurus		2	2008
Hamirostra melanosternon		<1	2004
Hieraaetus morphnoides		3	2006
Lophoictinia isura		1	2005
Milvus migrans		1	2006
<b>Aegothelidae</b>			
<b>Owlet Nightjars (1 out of 1 species in Australia)</b>			
Aegotheles cristatus		2	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Alaudidae</b>	<b>Larks</b>	<b>(2 out of 2 species in Australia)</b>		
<i>Alauda arvensis</i>	Eurasian Skylark		4	2006
<i>Mirafra javanica</i>	Horsfield's Bushlark		2	2005
<b>Alcedinidae</b>	<b>Kingfishers and Kookaburras</b>	<b>(5 out of 10 species in Australia)</b>		
<i>Alcedo azurea</i>	Azure Kingfisher		<1	2002
<i>Dacelo novaeguineae</i>	Laughing Kookaburra		3	2009
<i>Todiramphus macleayii</i>	Forest Kingfisher		<1	1991
<i>Todiramphus pyrrhopygia</i>	Red-backed Kingfisher		<1	2001
<i>Todiramphus sanctus</i>	Sacred Kingfisher		2	2008
<b>Anatidae</b>	<b>Swans, Ducks and Geese</b>	<b>(17 out of 20 species in Australia)</b>		
<i>Anas castanea</i>	Chestnut Teal		4	2006
<i>Anas gracilis</i>	Grey Teal		2	2007
<i>Anas querquedula</i>	Garganey		5	1995
<i>Anas rhynchos</i>	Australasian Shoveler		4	2006
<i>Anas superciliosa</i>	Pacific Black Duck		2	2007
<i>Aythya australis</i>	Hardhead		3	2006
<i>Biziura lobata</i>	Musk Duck		4	2006
<i>Cereopsis novaehollandiae</i>	Cape Barren Goose		<1	2002
<i>Chenonetta jubata</i>	Australian Wood Duck		2	2007
<i>Cygnus atratus</i>	Black Swan		3	2007
<i>Dendrocygna arcuata</i>	Wandering Whistling-Duck		<1	1985
<i>Dendrocygna eytoni</i>	Plumed Whistling-Duck		2	2002
<i>Malacorhynchus membranaceus</i>	Pink-eared Duck		2	2006
<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose		<1	1990
<i>Oxyura australis</i>	Blue-billed Duck		5	2006
<i>Stictonetta naevosa</i>	Freckled Duck		5	2006
<i>Tadorna tadornoides</i>	Australian Shelduck		6	2007
<b>Anhingidae</b>	<b>Darter</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Anhinga melanogaster</i>	Darter		2	2007
<b>Anseranatidae</b>	<b>Magpie Goose</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Anseranas semipalmata</i>	Magpie Goose		<1	2003
<b>Apodidae</b>	<b>Swifts and Swiftlets</b>	<b>(2 out of 4 species in Australia)</b>		
<i>Apus pacificus</i>	Fork-tailed Swift		2	2001
<i>Hirundapus caudacutus</i>	White-throated Needletail		2	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Ardeidae</b>	<b>Hérons, Egrets and Bitterns</b>	<b>(10 out of 14 species in Australia)</b>		
<i>Ardea alba</i>	Great Egret		2	2006
<i>Ardea intermedia</i>	Intermediate Egret		2	2003
<i>Ardea pacifica</i>	White-necked Heron		2	2007
<i>Botaurus poiciloptilus</i>	Australasian Bittern		2	2001
<i>Bubulcus ibis</i>	Cattle Egret		2	2007
<i>Egretta garzetta</i>	Little Egret		<1	2001
<i>Egretta novaehollandiae</i>	White-faced Heron		2	2007
<i>Egretta picata</i>	Pied Heron		<1	1970
<i>Ixobrychus minutus</i>	Little Bittern		4	2006
<i>Nycticorax caledonicus</i>	Nankeen Night Heron		2	2003
<b>Artamidae</b>	<b>Butcherbirds, Currawongs and Woodswallows</b>	<b>(12 out of 15 species in Australia)</b>		
<i>Artamus cinereus</i>	Black-faced Woodswallow		<1	2005
<i>Artamus cyanopterus</i>	Dusky Woodswallow		3	2008
<i>Artamus leucorhynchus</i>	White-breasted Woodswallow		1	2008
<i>Artamus minor</i>	Little Woodswallow		<1	1992
<i>Artamus personatus</i>	Masked Woodswallow		1	2006
<i>Artamus superciliosus</i>	White-browed Woodswallow		3	2006
<i>Cracticus nigrogularis</i>	Pied Butcherbird		<1	2006
<i>Cracticus torquatus</i>	Grey Butcherbird		<1	2006
<i>Gymnorhina tibicen</i>	Australian Magpie		1	2008
<i>Strepera fuliginosa</i>	Black Currawong		<1	1990
<i>Strepera graculina</i>	Pied Currawong		1	2003
<i>Strepera versicolor</i>	Grey Currawong		2	2007
<b>Burhinidae</b>	<b>Thicknees (Stone-Curlews)</b>	<b>(1 out of 2 species in Australia)</b>		
<i>Burhinus grallarius</i>	Bush Stone-curlew		3	2008
<b>Cacatuidae</b>	<b>Cockatoos</b>	<b>(10 out of 14 species in Australia)</b>		
<i>Cacatua galerita</i>	Sulphur-crested Cockatoo		2	2008
<i>Cacatua leadbeateri</i>	Major Mitchell's Cockatoo		<1	2002
<i>Cacatua sanguinea</i>	Little Corella		1	2006
<i>Cacatua tenuirostris</i>	Long-billed Corella		14	2079
<i>Callocephalon fimbriatum</i>	Gang-gang Cockatoo		<1	2001
<i>Calyptorhynchus banksii</i>	Red-tailed Black-Cockatoo		<1	1994
<i>Calyptorhynchus funereus</i>	Yellow-tailed Black-Cockatoo		<1	2002
<i>Calyptorhynchus lathamii</i>	Glossy Black-Cockatoo		<1	1992
<i>Eolophus roseicapillus</i>	Galah		2	2008
<i>Nymphicus hollandicus</i>	Cockatiel		2	2006

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Campephagidae</b>	<b>Cuckoo-shrikes, Trillers and Minivets</b>	<b>(5 out of 8 species in Australia)</b>		
<i>Coracina maxima</i>	Ground Cuckoo-shrike		<1	1985
<i>Coracina novaehollandiae</i>	Black-faced Cuckoo-shrike		1	2008
<i>Coracina papuensis</i>	White-bellied Cuckoo-shrike		2	2006
<i>Coracina tenuirostris</i>	Cicadabird		<1	1975
<i>Lalage tricolor</i>	White-winged Triller		1	2008
<b>Caprimulgidae</b>	<b>Nightjars</b>	<b>(2 out of 3 species in Australia)</b>		
<i>Eurostopodus argus</i>	Spotted Nightjar		<1	2001
<i>Eurostopodus mystacalis</i>	White-throated Nightjar		<1	2005
<b>Casuariidae</b>	<b>Cassowary and Emus</b>	<b>(1 out of 2 species in Australia)</b>		
<i>Dromaius novaehollandiae</i>	Emu		<1	2001
<b>Charadriidae</b>	<b>Plovers, Dotterels and Lapwings</b>	<b>(11 out of 15 species in Australia)</b>		
<i>Charadrius australis</i>	Inland Plover		<1	1983
<i>Charadrius bicinctus</i>	Double-banded Plover		3	2001
<i>Charadrius leschenaultii</i>	Greater Sand Plover		<1	1982
<i>Charadrius ruficapillus</i>	Red-capped Plover		1	2006
<i>Charadrius veredus</i>	Oriental Plover		<1	1982
<i>Elseyonis melanops</i>	Black-fronted Dotterel		2	2006
<i>Erythrogonys cinctus</i>	Red-kneed Dotterel		3	2006
<i>Pluvialis fulva</i>	Pacific Golden Plover		<1	1999
<i>Thinornis rubricollis</i>	Hooded dotterel		<1	1994
<i>Vanellus miles</i>	Masked Lapwing		2	2007
<i>Vanellus tricolor</i>	Banded Lapwing		2	2005
<b>Climacteridae</b>	<b>Treecreepers</b>	<b>(4 out of 6 species in Australia)</b>		
<i>Climacteris affinis</i>	White-browed Treecreeper		<1	1999
<i>Climacteris erythroptus</i>	Red-browed Treecreeper		<1	2002
<i>Climacteris picumnus</i>	Brown Treecreeper		4	2008
<i>Cormobates leucophaeus</i>	White-throated Treecreeper		3	2008
<b>Columbidae</b>	<b>Pigeons and Doves</b>	<b>(7 out of 23 species in Australia)</b>		
<i>Geopelia cuneata</i>	Diamond Dove		<1	1999
<i>Geopelia humeralis</i>	Bar-shouldered Dove		<1	1994
<i>Geopelia striata</i>	Peaceful Dove		1	2008
<i>Lopholaimus antarcticus</i>	Topknot Pigeon		<1	1991
<i>Ocyphaps lophotes</i>	Crested Pigeon		1	2007
<i>Phaps chalcoptera</i>	Common Bronzewing		2	2008
<i>Phaps elegans</i>	Brush Bronzewing		2	2001

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.





	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Coraciidae</b>	<b>Dollarbird</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Eurystomus orientalis</i>	Dollarbird		<1	2008
<b>Corcoracidae</b>	<b>Australasian Mud-nesters</b>	<b>(2 out of 2 species in Australia)</b>		
<i>Corcorax melanorhamphos</i>	White-winged Chough		3	2008
<i>Struthidea cinerea</i>	Apostlebird		<1	1999
<b>Corvidae</b>	<b>Crows and Jays</b>	<b>(3 out of 5 species in Australia)</b>		
<i>Corvus coronoides</i>	Australian Raven		2	2008
<i>Corvus mellori</i>	Little Raven		5	2007
<i>Corvus orru</i>	Torresian Crow		<1	1995
<b>Cuculidae</b>	<b>Cuckoos</b>	<b>(10 out of 12 species in Australia)</b>		
<i>Cacomantis flabelliformis</i>	Fan-tailed Cuckoo		2	2004
<i>Cacomantis pallidus</i>	Pallid Cuckoo		2	2003
<i>Cacomantis variolosus</i>	Brush Cuckoo		<1	1997
<i>Chrysococcyx basalis</i>	Horsfield's Bronze-Cuckoo		2	2006
<i>Chrysococcyx lucidus</i>	Shining Bronze-Cuckoo		2	2006
<i>Chrysococcyx minutillus</i>	Little Bronze-Cuckoo		<1	1975
<i>Chrysococcyx osculans</i>	Black-eared Cuckoo		3	2002
<i>Chrysococcyx russatus</i>	Gould's Bronze-cuckoo		2	1991
<i>Eudynamys scolopacea</i>	Common Koel		<1	2004
<i>Scythrops novaehollandiae</i>	Channel-billed Cuckoo		<1	1974
<b>Dicaeidae</b>	<b>Flower-peckers</b>	<b>(1 out of 2 species in Australia)</b>		
<i>Dicaeum hirundinaceum</i>	Mistletoebird		1	2008
<b>Dicruridae</b>	<b>Fan-tails, Drongos and Monarchs</b>	<b>(9 out of 23 species in Australia)</b>		
<i>Grallina cyanoleuca</i>	Magpie-lark		1	2007
<i>Myiagra cyanoleuca</i>	Satin Flycatcher		1	2002
<i>Myiagra inquieta</i>	Restless Flycatcher		3	2008
<i>Myiagra rubecula</i>	Leaden Flycatcher		<1	2006
<i>Rhipidura albiscapa</i>	Grey Fantail		2	2008
<i>Rhipidura fuliginosa</i>	New Zealand Fantail		2	2003
<i>Rhipidura leucophrys</i>	Willie Wagtail		1	2008
<i>Rhipidura rufifrons</i>	Rufous Fantail		<1	2002
<i>Symphysiachrus trivirgatus</i>	Spectacled Monarch		<1	1994



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Estrildidae</b>	<b>Grass Finches</b>	<b>(5 out of 18 species in Australia)</b>		
<i>Neochmia modesta</i>	Plum-headed Finch		<1	1994
<i>Neochmia temporalis</i>	Red-browed Finch		2	2008
<i>Stagonopleura bella</i>	Beautiful Firetail		<1	1994
<i>Stagonopleura guttata</i>	Diamond Firetail		5	2006
<i>Taeniopygia guttata</i>	Zebra Finch		1	2006
<b>Eupetidae</b>	<b>Whipbirds, Quail-thrushes and Jewel-babblers</b>	<b>(3 out of 9 species in Australia)</b>		
<i>Cinclosoma castanotus</i>	Chestnut Quail-thrush		<1	1996
<i>Cinclosoma punctatum</i>	Spotted Quail-thrush		2	2002
<i>Psophodes cristatus</i>	Chirruping Wedgebill		<1	1957
<b>Falconidae</b>	<b>Falcons and Kestrels</b>	<b>(6 out of 6 species in Australia)</b>		
<i>Falco berigora</i>	Brown Falcon		2	2006
<i>Falco cenchroides</i>	Nankeen Kestrel		1	2006
<i>Falco hypoleucos</i>	Grey Falcon		2	2000
<i>Falco longipennis</i>	Australian Hobby		2	2006
<i>Falco peregrinus</i>	Peregrine Falcon		3	2006
<i>Falco subniger</i>	Black Falcon		3	2003
<b>Glareolidae</b>	<b>Pratincoles</b>	<b>(2 out of 2 species in Australia)</b>		
<i>Glareola maldivarum</i>	Oriental Pratincole		<1	1996
<i>Siltia isabella</i>	Australian Pratincole		1	2002
<b>Gruidae</b>	<b>Cranes</b>	<b>(1 out of 2 species in Australia)</b>		
<i>Grus rubicundus</i>	Brolga		2	2007
<b>Haematopodidae</b>	<b>Oystercatchers</b>	<b>(1 out of 2 species in Australia)</b>		
<i>Haematopus longirostris</i>	Pied Oystercatcher		<1	1977
<b>Hirundinidae</b>	<b>Swallows and Martins</b>	<b>(4 out of 6 species in Australia)</b>		
<i>Cheramoeca leucosternus</i>	White-backed Swallow		2	2004
<i>Hirundo neoxena</i>	Welcome Swallow		2	2007
<i>Petrochelidon ariel</i>	Fairy Martin		2	2009
<i>Petrochelidon nigricans</i>	Tree Martin		2	2008
<b>Hydrobatidae</b>	<b>Storm-petrels</b>	<b>(1 out of 3 species in Australia)</b>		
<i>Pelagodroma marina</i>	White-faced Storm-Petrel		<1	1992
<b>Jacaniae</b>	<b>Jacanas</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Irediparra gallinacea</i>	Comb-crested Jacana		<1	1990

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Laridae</b>				
<b>Gulls, Terns, Skuas and Jaegers (6 out of 18 species in Australia)</b>				
Chlidonias hybridus	Whiskered Tern		3	2007
Chroicocephalus novaehollandiae	Silver Gull		2	2007
Gelochelidon nilotica	Gull-billed Tern		1	2002
Larus dominicanus	Kelp Gull		<1	1987
Sterna caspia	Caspian Tern		1	2007
Sterna hirundo	Common Tern		<1	1968
<b>Maluridae</b>				
<b>Fairy-wrens and Grasswrens (6 out of 22 species in Australia)</b>				
Amytornis goyderi	Eyrean Grasswren		<1	1990
Malurus cyaneus	Superb Fairy-wren		3	2008
Malurus lamberti	Variegated Fairy-wren		<1	2002
Malurus leucopterus	White-winged Fairy-wren		<1	2006
Malurus splendens	Splendid Fairy-wren		<1	2001
Stipiturus malachurus	Southern Emu-wren		<1	1976
<b>Megapodiidae</b>				
<b>Mound-builders (1 out of 3 species in Australia)</b>				
Leipoa ocellata	Malleefowl	Vulnerable	<1	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Meliphagidae</b>	<b>Honeyeaters and Australian Chats</b>		(42 out of 72 species in Australia)	
<i>Acanthagenys rufogularis</i>	Spiny-cheeked Honeyeater		<1	2005
<i>Acanthorhynchus tenuirostris</i>	Eastern Spinebill		2	2006
<i>Anthochaera carunculata</i>	Red Wattlebird		3	2006
<i>Anthochaera chrysoptera</i>	Little Wattlebird		1	2006
<i>Certhionyx variegatus</i>	Pied Honeyeater		<1	1999
<i>Entomyzon cyanotis</i>	Blue-faced Honeyeater		<1	2008
<i>Epthianura albifrons</i>	White-fronted Chat		4	2006
<i>Epthianura aurifrons</i>	Orange Chat		<1	2002
<i>Epthianura tricolor</i>	Crimson Chat		<1	1999
<i>Gliciphila melanops</i>	Tawny-crowned Honeyeater		1	2004
<i>Grantiella picta</i>	Painted Honeyeater		5	2005
<i>Lichenostomus chrysops</i>	Yellow-faced Honeyeater		2	2006
<i>Lichenostomus cratitius</i>	Purple-gaped Honeyeater		2	2001
<i>Lichenostomus flavus</i>	Yellow Honeyeater		<1	1994
<i>Lichenostomus fuscus</i>	Fuscous Honeyeater		6	2006
<i>Lichenostomus keartlandi</i>	Grey-headed Honeyeater		<1	1990
<i>Lichenostomus leucotis</i>	White-eared Honeyeater		2	2006
<i>Lichenostomus melanops</i>	Yellow-tufted Honeyeater		8	2006
<i>Lichenostomus ornatus</i>	Yellow-plumed Honeyeater		2	2006
<i>Lichenostomus penicillatus</i>	White-plumed Honeyeater		3	2008
<i>Lichenostomus plumulus</i>	Grey-fronted Honeyeater		<1	1992
<i>Lichenostomus virescens</i>	Singing Honeyeater		<1	2006
<i>Lichmera indistincta</i>	Brown Honeyeater		<1	2001
<i>Manorina flavigula</i>	Yellow-throated Miner		<1	2006
<i>Manorina melanocephala</i>	Noisy Miner		3	2009
<i>Manorina melanophrys</i>	Bell Miner		<1	2001
<i>Melithreptus affinis</i>	Black-headed Honeyeater		<1	1976
<i>Melithreptus albogularis</i>	White-throated Honeyeater		<1	1993
<i>Melithreptus brevirostris</i>	Brown-headed Honeyeater		3	2006
<i>Melithreptus gularis</i>	Black-chinned Honeyeater		5	2006
<i>Melithreptus lunatus</i>	White-naped Honeyeater		3	2006
<i>Melithreptus validirostris</i>	Strong-billed Honeyeater		<1	1982
<i>Myzomela sanguinolenta</i>	Scarlet Honeyeater		<1	2003
<i>Philemon buceroides</i>	Helmeted Friarbird		<1	1955
<i>Philemon citreogularis</i>	Little Friarbird		1	2008
<i>Philemon corniculatus</i>	Noisy Friarbird		1	2008
<i>Phylidonyris novaehollandiae</i>	New Holland Honeyeater		2	2006
<i>Phylidonyris pyrrhoptera</i>	Crescent Honeyeater		<1	2006
<i>Plectorhyncha lanceolata</i>	Striped Honeyeater		<1	2001
<i>Purnella albifrons</i>	White-fronted Honeyeater		<1	2004
<i>Sugomel niger</i>	Black Honeyeater		2	2003
<i>Xanthomyza phrygia</i>	Regent Honeyeater	Endangered	4	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Menuridae</b>	<b>Lyrebirds</b>	<b>(1 out of 2 species in Australia)</b>		
<i>Menura novaehollandiae</i>	Superb Lyrebird		<1	2002
<b>Meropidae</b>	<b>Rainbow Bee-eater</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Merops ornatus</i>	Rainbow Bee-eater		1	2004
<b>Motacillidae</b>	<b>Pipits and Wagtails</b>	<b>(1 out of 5 species in Australia)</b>		
<i>Anthus australis</i>	Australian Pipit		2	2006
<b>Muscicapidae</b>	<b>Old World Flycatchers and Thrushes</b>	<b>(1 out of 6 species in Australia)</b>		
<i>Zoothera lunulata</i>	Bassian Thrush		1	2002
<b>Neosittidae</b>	<b>Australian Sittella</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Daphoenositta chrysoptera</i>	Varied Sittella		2	2006
<b>Oriolidae</b>	<b>Old World Orioles and Figbirds</b>	<b>(1 out of 3 species in Australia)</b>		
<i>Oriolus sagittatus</i>	Olive-backed Oriole		2	2008
<b>Otididae</b>	<b>Australian Bustard</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Ardeotis australis</i>	Australian Bustard		<1	2005
<b>Pachycephalidae</b>	<b>Whistlers, Shrike-thrushes and Allies</b>	<b>(9 out of 16 species in Australia)</b>		
<i>Colluricincla harmonica</i>	Grey Shrike-thrush		1	2008
<i>Colluricincla megarhyncha</i>	Little Shrike-thrush		<1	1994
<i>Falcunculus frontatus</i>	Eastern Shrike-tit		5	2006
<i>Oreoica gutturalis</i>	Crested Bellbird		<1	2006
<i>Pachycephala inornata</i>	Gilbert's Whistler		6	2008
<i>Pachycephala olivacea</i>	Olive Whistler		<1	1999
<i>Pachycephala pectoralis</i>	Golden Whistler		2	2006
<i>Pachycephala rufiventris</i>	Rufous Whistler		1	2008
<i>Pachycephala rufogularis</i>	Red-lored Whistler	Vulnerable	1	1990
<b>Pardalotidae</b>	<b>Pardalotes</b>	<b>(2 out of 4 species in Australia)</b>		
<i>Pardalotus punctatus</i>	Spotted Pardalote		2	2008
<i>Pardalotus striatus</i>	Striated Pardalote		2	2008
<b>Pedionomidae</b>	<b>Plains-wanderer</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Pedionomus torquatus</i>	Plains-wanderer	Vulnerable	7	2002



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Pelecanidae</b>	<b>Pelicans</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Pelecanus conspicillatus</i>	Australian Pelican		2	2007
<b>Petroicidae</b>	<b>Australasian Robins</b>	<b>(10 out of 23 species in Australia)</b>		
<i>Drymodes brunneopygia</i>	Southern Scrub-robin		<1	2001
<i>Eopsaltria australis</i>	Eastern Yellow Robin		2	2006
<i>Melanodryas cucullata</i>	Hooded Robin		2	2006
<i>Microeca fascians</i>	Jacky Winter		2	2008
<i>Petroica boodang</i>	Scarlet Robin		4	2006
<i>Petroica goodenovii</i>	Red-capped Robin		1	2006
<i>Petroica multicolor</i>	Pacific Robin		4	2002
<i>Petroica phoenicea</i>	Flame Robin		5	2006
<i>Petroica rodinogaster</i>	Pink Robin		2	2002
<i>Petroica rosea</i>	Rose Robin		<1	2002
<b>Phalacrocoracidae</b>	<b>Cormorants and Shags</b>	<b>(4 out of 6 species in Australia)</b>		
<i>Microcarbo melanoleucos</i>	Little Pied Cormorant		2	2007
<i>Phalacrocorax carbo</i>	Great Cormorant		3	2007
<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant		2	2007
<i>Phalacrocorax varius</i>	Pied Cormorant		2	2007
<b>Phasianidae</b>	<b>Quail, Fowl and Allies</b>	<b>(3 out of 3 species in Australia)</b>		
<i>Coturnix pectoralis</i>	Stubble Quail		3	2003
<i>Coturnix ypsilophora</i>	Brown Quail		<1	2004
<i>Excalfactoria chinensis</i>	King Quail		<1	1973
<b>Pittidae</b>	<b>Pittas</b>	<b>(1 out of 4 species in Australia)</b>		
<i>Pitta versicolor</i>	Noisy Pitta		<1	1972
<b>Podargidae</b>	<b>Frogmouths</b>	<b>(1 out of 3 species in Australia)</b>		
<i>Podargus strigoides</i>	Tawny Frogmouth		2	2008
<b>Podicipedidae</b>	<b>Grebes</b>	<b>(3 out of 3 species in Australia)</b>		
<i>Podiceps cristatus</i>	Great Crested Grebe		5	2006
<i>Poliiocephalus poliocephalus</i>	Hoary-headed Grebe		3	2007
<i>Tachybaptus novaehollandiae</i>	Australasian Grebe		2	2007
<b>Pomatostomidae</b>	<b>Australasian Babblers</b>	<b>(3 out of 4 species in Australia)</b>		
<i>Pomatostomus ruficeps</i>	Chestnut-crowned Babbler		<1	1999
<i>Pomatostomus superciliosus</i>	White-browed Babbler		2	2006
<i>Pomatostomus temporalis</i>	Grey-crowned Babbler		1	2008



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Procellariidae</b>		<b>Fulmars, Petrels, Prions (4 out of 22 species in Australia) and Shearwaters</b>		
<i>Ardenna carneipes</i>	Flesh-footed Shearwater		<1	2000
<i>Ardenna tenuirostris</i>	Short-tailed Shearwater		<1	1981
<i>Macronectes giganteus</i>	Southern Giant-Petrel	Endangered	<1	1982
<i>Pterodroma leucoptera</i>	Gould's Petrel	Endangered	1	1994
<b>Psittacidae</b>		<b>Parrots (19 out of 39 species in Australia)</b>		
<i>Alisterus scapularis</i>	Australian King-Parrot		<1	1996
<i>Barnardius zonarius</i>	Australian Ringneck		<1	2006
<i>Glossopsitta concinna</i>	Musk Lorikeet		8	2007
<i>Glossopsitta porphyrocephala</i>	Purple-crowned Lorikeet		5	2006
<i>Glossopsitta pusilla</i>	Little Lorikeet		4	2006
<i>Lathamus discolor</i>	Swift Parrot	Endangered	9	2006
<i>Melopsittacus undulatus</i>	Budgerigar		<1	2002
<i>Neophema chrysostoma</i>	Blue-winged Parrot		3	2002
<i>Neophema elegans</i>	Elegant Parrot		<1	1995
<i>Neophema pulchella</i>	Turquoise Parrot		<1	2001
<i>Northiella haematogaster</i>	Bluebonnet		<1	2004
<i>Platycercus adscitus</i>	Pale-headed Rosella		<1	2006
<i>Platycercus elegans</i>	Crimson Rosella		3	2008
<i>Platycercus eximius</i>	Eastern Rosella		5	2008
<i>Polytelis anthopeplus</i>	Regent Parrot		<1	1995
<i>Polytelis swainsonii</i>	Superb Parrot	Vulnerable	<1	1996
<i>Psephotus haematonotus</i>	Red-rumped Parrot		5	2008
<i>Psephotus varius</i>	Mulga Parrot		<1	1995
<i>Trichoglossus haematodus</i>	Rainbow Lorikeet		<1	2006
<b>Ptilonorhynchidae</b>		<b>Bowerbirds (1 out of 9 species in Australia)</b>		
<i>Chlamydera maculata</i>	Spotted Bowerbird		<1	1996
<b>Rallidae</b>		<b>Crakes, Moorhens, Rails and Allies (9 out of 16 species in Australia)</b>		
<i>Fulica atra</i>	Eurasian Coot		3	2009
<i>Gallinula tenebrosa</i>	Dusky Moorhen		4	2007
<i>Gallinula ventralis</i>	Black-tailed Native-hen		3	2006
<i>Gallirallus philippensis</i>	Buff-banded Rail		2	2004
<i>Lewinia pectoralis</i>	Lewin's Rail		<1	2001
<i>Porphyrio porphyrio</i>	Purple Swamphen		3	2009
<i>Porzana fluminea</i>	Australian Spotted Crake		4	2006
<i>Porzana pusilla</i>	Baillon's Crake		3	2004
<i>Porzana tabuensis</i>	Spotless Crake		2	2001



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Recurvirostridae</b>	<b>Stilts and Avocet</b>	<b>(3 out of 3 species in Australia)</b>		
<i>Cladorhynchus leucocephalus</i>	Banded Stilt		3	2002
<i>Himantopus himantopus</i>	Black-winged Stilt		2	2007
<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet		3	2006
<b>Rostratulidae</b>	<b>Painted Snipe</b>	<b>(1 out of 1 species in Australia)</b>		
<i>Rostratula benghalensis</i>	Painted Snipe	Vulnerable	3	2004
<b>Scolopacidae</b>	<b>Waders (Snipe, Godwits, Curlew, Sandpipers and Allies)</b>	<b>(21 out of 31 species in Australia)</b>		
<i>Actitis hypoleucos</i>	Common Sandpiper		<1	1999
<i>Arenaria interpres</i>	Ruddy Turnstone		<1	2000
<i>Calidris acuminata</i>	Sharp-tailed Sandpiper		2	2006
<i>Calidris canutus</i>	Red Knot		<1	1990
<i>Calidris ferruginea</i>	Curlew Sandpiper		2	2000
<i>Calidris melanotos</i>	Pectoral Sandpiper		4	2001
<i>Calidris ruficollis</i>	Red-necked Stint		2	2006
<i>Calidris subminuta</i>	Long-toed Stint		4	1994
<i>Calidris tenuirostris</i>	Great Knot		<1	1989
<i>Gallinago hardwickii</i>	Latham's Snipe		3	2002
<i>Heteroscelus brevipes</i>	Grey-tailed Tattler		<1	1961
<i>Limicola falcinellus</i>	Broad-billed Sandpiper		<1	1962
<i>Limosa lapponica</i>	Bar-tailed Godwit		<1	1989
<i>Limosa limosa</i>	Black-tailed Godwit		1	2002
<i>Numenius madagascariensis</i>	Eastern Curlew		<1	1997
<i>Numenius minutus</i>	Little Curlew		<1	1994
<i>Phalaropus lobatus</i>	Red-necked Phalarope		11	1999
<i>Philomachus pugnax</i>	Ruff		4	1984
<i>Tringa glareola</i>	Wood Sandpiper		2	1996
<i>Tringa nebularia</i>	Common Greenshank		2	2006
<i>Tringa stagnatilis</i>	Marsh Sandpiper		2	2002
<b>Spheniscidae</b>	<b>Penguins</b>	<b>(1 out of 6 species in Australia)</b>		
<i>Eudyptula minor</i>	Little Penguin		<1	1987
<b>Strigidae</b>	<b>Hawk-type Owls</b>	<b>(3 out of 5 species in Australia)</b>		
<i>Ninox connivens</i>	Barking Owl		2	2009
<i>Ninox novaeseelandiae</i>	Southern Boobook		2	2009
<i>Ninox strenua</i>	Powerful Owl		3	2006





	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Sylviidae</b>	<b>Old World Warblers</b>	<b>(5 out of 9 species in Australia)</b>		
<i>Acrocephalus australis</i>	Australian Reed-Warbler		4	2006
<i>Cincloramphus cruralis</i>	Brown Songlark		2	2006
<i>Cincloramphus mathewsi</i>	Rufous Songlark		2	2008
<i>Cisticola exilis</i>	Golden-headed Cisticola		2	2004
<i>Megalurus gramineus</i>	Little Grassbird		4	2006
<b>Threskiornithidae</b>	<b>Ibis and Spoonbills</b>	<b>(5 out of 5 species in Australia)</b>		
<i>Platalea flavipes</i>	Yellow-billed Spoonbill		3	2006
<i>Platalea regia</i>	Royal Spoonbill		2	2006
<i>Plegadis falcinellus</i>	Glossy Ibis		2	2004
<i>Threskiornis molucca</i>	Australian White Ibis		3	2007
<i>Threskiornis spinicollis</i>	Straw-necked Ibis		2	2007
<b>Turnicidae</b>	<b>Button-quail</b>	<b>(4 out of 7 species in Australia)</b>		
<i>Turnix maculosa</i>	Red-backed Button-quail		<1	1997
<i>Turnix pyrrhothorax</i>	Red-chested Button-quail		<1	2000
<i>Turnix varia</i>	Painted Button-quail		4	2008
<i>Turnix velox</i>	Little Button-quail		1	2006
<b>Tytonidae</b>	<b>Barn-type Owls</b>	<b>(3 out of 6 species in Australia)</b>		
<i>Tyto alba</i>	Barn Owl		2	2002
<i>Tyto javanica</i>	Barn Owl		2	2005
<i>Tyto novaehollandiae</i>	Masked Owl		<1	1987
<b>Zosteropidae</b>	<b>White-eyes (Silvereyes)</b>	<b>(1 out of 6 species in Australia)</b>		
<i>Zosterops lateralis</i>	Silvereye		2	2008



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Mammalia</b>				
<b>Acrobatidae</b>				
<b>Feathertailed Gliders (1 out of 1 species in Australia)</b>				
<i>Acrobates pygmaeus</i>	Feathertail glider		2	2003
<b>Burramyidae</b>				
<b>Pygmy-possums (1 out of 5 species in Australia)</b>				
<i>Cercartetus nanus</i>	Eastern pygmy-possum		1	1996
<b>Dasyuridae</b>				
<b>Dasyurids (Quolls, Antechinus, Dunnarts and Allies) (11 out of 55 species in Australia)</b>				
<i>Antechinus agilis</i>	Agile antechinus		2	2006
<i>Antechinus flavipes</i>	Yellow-footed antechinus		6	2005
<i>Antechinus stuartii</i>	Brown antechinus		1	
<i>Antechinus swainsonii</i>	Dusky antechinus		<1	1986
<i>Dasyurus maculatus</i>	Spotted-tailed quoll	Vulnerable	<1	2006
<i>Phascogale tapoatafa</i>	Brush-tailed phascogale		7	2006
<i>Planigale tenuirostris</i>	Narrow-nosed planigale		<1	1975
<i>Sarcophilus harrisii</i>	Tasmanian devil	Endangered	<1	1991
<i>Sminthopsis crassicaudata</i>	Fat-tailed dunnart		4	2004
<i>Sminthopsis leucopus</i>	White-footed dunnart		<1	1970
<i>Sminthopsis murina</i>	Common dunnart		<1	1995
<b>Macropodidae</b>				
<b>Wallabies, Kangaroos and Tree-kangaroos (4 out of 41 species in Australia)</b>				
<i>Macropus fuliginosus</i>	Western grey kangaroo		<1	1995
<i>Macropus giganteus</i>	Eastern grey kangaroo		3	2006
<i>Petrogale assimilis</i>	Allied rock-wallaby		6	
<i>Wallabia bicolor</i>	Swamp wallaby		4	2006
<b>Molossidae</b>				
<b>Free-tailed Bats (5 out of 11 species in Australia)</b>				
<i>Mormopterus (big penis)</i>	Inland Freetail Bat ( <i>Planiceps Big Penis</i> )		<1	2009
<i>Mormopterus 1</i>	undescribed Mastiff-bat		27	2000
<i>Mormopterus norfolkensis</i>	Eastern little mastiff-bat		<1	1964
<i>Mormopterus planiceps</i>	Little mastiff-bat		2	1994
<i>Tadarida australis</i>	White-striped Freetail Bat, White-striped		3	2009
<b>Muridae</b>				
<b>Rats and Mice (4 out of 60 species in Australia)</b>				
<i>Hydromys chrysogaster</i>	Water-rat		4	2004
<i>Pseudomys shortridgei</i>	Heath rat	Vulnerable	3	1978
<i>Rattus fuscipes</i>	Bush Rat		<1	2005
<i>Rattus lutreolus</i>	Swamp Rat		<1	2002

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Ornithorhynchidae</b>	<b>Platypus</b>	<b>(1 out of 1 species in Australia)</b>		
Ornithorhynchus anatinus	Platypus		2	2006
<b>Peramelidae</b>	<b>Bandicoots and Spiny Bandicoot</b>	<b>(2 out of 7 species in Australia)</b>		
Isoodon obesulus	Southern brown bandicoot	Endangered	<1	1974
Perameles bougainville	Western barred bandicoot	Endangered	3	1972
<b>Petauridae</b>	<b>Wrist-winged Gliders, Striped Possum and Leadbeaters Possum</b>	<b>(2 out of 6 species in Australia)</b>		
Petaurus breviceps	Sugar glider		3	2006
Petaurus norfolcensis	Squirrel glider		<1	2000
<b>Phalangeridae</b>	<b>Brush-tail Possums, Cuscuses and Scaly-tailed Possum</b>	<b>(2 out of 6 species in Australia)</b>		
Trichosurus cunninghami			1	2006
Trichosurus vulpecula	Common brushtail possum		3	2006
<b>Phascolarctidae</b>		<b>(1 out of 1 species in Australia)</b>		
Phascolarctos cinereus	Koala		2	2007
<b>Potoroidae</b>	<b>Pottoroos, Bettongs and the Musky Rat Kangaroo</b>	<b>(1 out of 11 species in Australia)</b>		
Aepyprymnus rufescens	Rufous bettong		<1	
<b>Pseudocheiridae</b>	<b>Ring-tailed Possums and Greater Glider</b>	<b>(2 out of 7 species in Australia)</b>		
Petauroides volans	Greater glider		<1	2005
Pseudocheirus peregrinus	Common ringtail possum		3	2006
<b>Pteropodidae</b>	<b>Fruit-bats and Allies</b>	<b>(2 out of 11 species in Australia)</b>		
Pteropus poliocephalus	Grey-headed flying-fox	Vulnerable	<1	1994
Pteropus scapulatus	Little red flying-fox		<1	1996
<b>Tachyglossidae</b>	<b>Echidna</b>	<b>(1 out of 1 species in Australia)</b>		
Tachyglossus aculeatus	Short-beaked Echidna		2	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Vespertilionidae</b>	<b>Vespertilionid Bats</b>	<b>(14 out of 37 species in Australia)</b>		
Chalinolobus gouldii	Gould's wattled bat		2	2009
Chalinolobus morio	Chocolate wattled bat		3	2009
Chalinolobus picatus	Little pied bat		<1	2001
Falsistrellus tasmaniensis	Eastern false pipistrelle		1	2002
Miniopterus schreibersii	Bent-wing Bat	Conservation dependent	<1	2002
Myotis adversus	Large-footed myotis		<1	2009
Nyctophilus geoffroyi	Lesser long-eared bat		2	2005
Nyctophilus gouldi	Gould's long-eared bat		<1	2003
Nyctophilus timoriensis	Greater Long-eared Bat		<1	1992
Scotorepens balstoni	Inland Broad-nosed Bat		<1	2000
Vespadelus darlingtoni	Large Forest Bat		3	2002
Vespadelus pumilus	Eastern Forest Bat		<1	1976
Vespadelus regulus	Southern Forest Bat		2	2000
Vespadelus vulturnus	Little Forest Bat		3	2009
<b>Vombatidae</b>		<b>(1 out of 3 species in Australia)</b>		
Vombatus ursinus	Common wombat		<1	2003
<b>Petromyzontida</b>		<b>(1 out of 3 species in Australia)</b>		
<b>Petromyzontidae</b>	<b>Lampreys</b>	<b>(1 out of 3 species in Australia)</b>		
Mordacia mordax	Shorthead Lamprey		<1	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Reptilia</b>				
<b>Agamidae</b>				
	<b>Dragon lizards</b>	<b>(3 out of 70 species in Australia)</b>		
Amphibolurus muricatus	Jacky Lizard		3	2003
Pogona barbata	Bearded Dragon		4	2006
Pogona vitticeps	Bearded Dragon		<1	
<b>Boidae</b>				
	<b>Pythons</b>	<b>(1 out of 14 species in Australia)</b>		
Morelia spilota	Python		1	2002
<b>Chelidae</b>				
	<b>Side-necked Tortoises</b>	<b>(3 out of 26 species in Australia)</b>		
Chelodina longicollis	Long-necked Turtle		3	2003
Emydura macquarii	Murray Turtle		2	1996
Macrochelodina expansa	Broad-shelled River Turtle		4	2002
<b>Elapidae</b>				
	<b>Front fang snakes</b>	<b>(13 out of 90 species in Australia)</b>		
Acanthophis antarcticus	Common Death Adder		<1	
Austrelaps superbus	Lowland Copperhead		<1	2000
Cryptophis nigrescens	Eastern Small-eyed Snake		<1	1999
Drysdalia coronoides	White-lipped Snake		1	2004
Notechis scutatus	Tiger Snake		2	2003
Parasuta dwyeri	Dwyers Snake		<1	1988
Parasuta flagellum	Little Whip Snake		8	2003
Parasuta nigriceps	Mitchell's Short-tailed Snake		5	2004
Parasuta spectabilis	Mallee Black-headed Snake		<1	
Pseudechis porphyriacus	Red-bellied Black Snake		<1	2001
Pseudonaja textilis	Eastern Brown Snake		3	2006
Suta suta	Curl Snake		2	2006
Vermicella annulata	Bandy Bandy		<1	2001
<b>Gekkonidae</b>				
	<b>Gekcos</b>	<b>(5 out of 114 species in Australia)</b>		
Christinus marmoratus	Marbled Gecko		8	2005
Diplodactylus tessellatus	Tessellated Gecko		1	1998
Diplodactylus vittatus	Eastern Stone Gecko		3	2000
Strophurus intermedius	Southern SpinyTailed Gecko		<1	2004
Underwoodisaurus milii	Thick-tailed Gecko		3	2003
<b>Pygopodidae</b>				
	<b>Legless lizards</b>	<b>(7 out of 38 species in Australia)</b>		
Aprasia parapulchella	Pink-tailed Worm Lizard	Vulnerable	26	2004
Delma australis	Legless-lizard		<1	
Delma impar	Striped Legless Lizard	Vulnerable	17	2006
Delma inornata	Olive Legless Lizard		17	2006
Pygopus lepidopodus	Common Scaly-foot		2	1998
Pygopus nigriceps	Western Hooded Scaly-foot		<1	2005
Pygopus schraderi	Eastern Hooded Scaly-foot		<1	2001

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Scincidae</b>	<b>Skinks</b>	<b>(28 out of 393 species in Australia)</b>		
<i>Acritoscincus duperreyi</i>	Eastern Three-lined Skink		<1	1978
<i>Cryptoblepharus australis</i>	Inland Snake-eyed Skink		1	1994
<i>Cryptoblepharus plagiocephalus</i>	Slant-headed Fence-skink		<1	
<i>Ctenotus orientalis</i>	Oriental Comb-eared Skink		4	1995
<i>Ctenotus robustus</i>	Robust Comb-eared Skink		2	2006
<i>Ctenotus uber</i>	Many-spotted Comb-eared Skink		2	
<i>Egernia cunninghami</i>	Cunninghams Rock Skink		1	2004
<i>Egernia saxatilis</i>	Black Rock Skink		1	2004
<i>Egernia striolata</i>	Tree Skink		2	2004
<i>Eulamprus heatwolei</i>	Heatwoles Water Skink		<1	1993
<i>Eulamprus tympanum</i>	Highland Water Skink		<1	1999
<i>Hemiergis decresiensis</i>	Three-toed Earless-skink		3	2000
<i>Lampropholis guichenoti</i>	Guichenots Sun-skink		3	2005
<i>Lerista bougainvillii</i>	Bougainvilles Slider		9	2006
<i>Lerista punctatovittata</i>	Slider		<1	
<i>Liopholis whitii</i>	White's Skink		2	2004
<i>Menetia greyii</i>	Common Dwarf-skink		<1	2004
<i>Morethia adelaidensis</i>	Skink		1	1999
<i>Morethia boulengeri</i>	Boulenger's Skink		4	2006
<i>Nannoscincus maccoyi</i>	McCoy's Skink		<1	2002
<i>Niveoscincus coventryi</i>	Snow-skink		2	2002
<i>Pseudemoia entrecasteauxii</i>	Southern Grass Skink		1	2002
<i>Pseudemoia spenceri</i>	Spencers Grass Skink		<1	1990
<i>Saproscincus mustelinus</i>	Weasel Skink		<1	1976
<i>Tiliqua nigrolutea</i>	Blotched-Blue-Tongued Lizard		<1	1996
<i>Tiliqua occipitalis</i>	Western Blue-tongue		<1	
<i>Tiliqua rugosus</i>	Shingleback		3	2005
<i>Tiliqua scincoides</i>	Eastern-Blue-Tongued Lizard		2	2006
<b>Typhlopidae</b>	<b>Worm-snakes and Blind-</b>	<b>(4 out of 40 species in Australia)</b>		
	<b>Snakes</b>			
<i>Ramphotyphlops australis</i>	Southern Blind-snake		<1	
<i>Ramphotyphlops bituberculatus</i>	Prong-snouted Blind-snake		2	1997
<i>Ramphotyphlops nigrescens</i>	Blackish Blind-snake		1	2003
<i>Ramphotyphlops proximus</i>	Blind-snake		17	2005
<b>Varanidae</b>	<b>Monitors</b>	<b>(2 out of 26 species in Australia)</b>		
<i>Varanus gouldii</i>	Sand Monitor		1	2005
<i>Varanus varius</i>	Lace Monitor		3	2006



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Invertebrate fauna</b>			
<b>Araneae</b>			
<b>Actinopodidae</b>			
<b>Two-doored Trapdoor Spiders (2 out of 31 species in Australia)</b>			
Missulena bradleyi		<1	
Missulena occatoria		3	1982
<b>Hexathelidae</b>			
<b>Funnel-web Spiders (1 out of 75 species in Australia)</b>			
Hadronyche meridiana		6	
<b>Lycosidae</b>			
<b>Wolf Spiders (19 out of 149 species in Australia)</b>			
Allocosa palabunda		2	2003
Anomalosa kochi		6	2003
Anomalosa oz		12	2003
Artoria howquaensis		5	2000
Artoria lineata		<1	1996
Artoria triangularis		12	1995
Artoria victoriensis		5	1997
Artoriopsis expolita		2	1995
Artoriopsis klausii		6	1995
Lycosa gilberta		5	2003
Lycosa godeffroyi		<1	2002
Lycosa leuckartii		<1	1991
Venator spenceri		<1	2003
Venatrix esposita		4	1995
Venatrix fontis		4	1996
Venatrix funesta		1	1977
Venatrix konei		5	2003
Venatrix speciosa		2	1991
Venonia micarioides		1	1998
<b>Nemesiidae</b>			
<b>Funnel-web Spiders (2 out of 227 species in Australia)</b>			
Chenistonia maculata		33	1980
Teyloides bakeri		4	1983
<b>Sparassidae</b>			
<b>Huntsman Spiders (5 out of 119 species in Australia)</b>			
<b>(formerly Heteropodidae)</b>			
Delena cancerides		2	1990
Holconia colberti		50	1990
Isopeda echuca		33	1988
Isopedella frenchi		25	1990
Neosparassus calligaster		8	1990



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Basommatophora</b>				
<b>Ancylidae</b>				
<b>Freshwater Limpets (1 out of 3 species in Australia)</b>				
Ferrissia petterdi	Freshwater Limpet		2	2003
<b>Glacidorbidae</b>				
<b>Freshwater Snails (1 out of 23 species in Australia)</b>				
Glacidorbis hedleyi	Hedleys Freshwater Snail		1	1994
<b>Lymnaeidae</b>				
<b>Eutrophic Freshwater Snails (2 out of 4 species in Australia)</b>				
Austropeplea lessoni	Lessons Eutrophic Freshwater Snail		<1	1990
Austropeplea tormentosa	South-east Eutrophic Freshwater Snail		3	2003
<b>Planorbidae</b>				
<b>Freshwater Snails (5 out of 71 species in Australia)</b>				
Bayardella cosmata	Freshwater Snail		12	1990
Glyptophysa aliciae	Alicias Freshwater Snail		12	2003
Glyptophysa gibbosa	Freshwater Snail		<1	1999
Gyraulus isingi	Freshwater Snail		4	1991
Helicorbis australiensis	Freshwater Snail		2	1990
<b>Bivalvia</b>				
<b>Hyriidae</b>				
<b>Freshwater Mussels (2 out of 21 species in Australia)</b>				
Alathyria jacksoni	Jacksons Freshwater Mussel		3	1969
Velesunio ambiguus	Freshwater Mussel		2	1999
<b>Caenogastropoda</b>				
<b>Bithyniidae</b>				
<b>Operculate Freshwater Snails (1 out of 21 species in Australia)</b>				
Gabbia vertiginosa	Freshwater Snail		3	1976
<b>Hydrobiidae</b>				
<b>Freshwater Operculate Snails (3 out of 330 species in Australia)</b>				
Austropyrgus angasi	Freshwater Snail		12	1991
Austropyrgus daylesfordensis	Daylesford Freshwater Snail		67	1994
Austropyrgus latus	Freshwater Snail		1	1983
<b>Viviparidae</b>				
<b>Freshwater Subspirial Horny Operculate Snails (2 out of 21 species in Australia)</b>				
Notopala hanleyi	Freshwater Snail		7	1976
Notopala sublineata	Bulloo River Freshwater Snail		2	1963





Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Coleoptera</b>			
<b>Carabidae</b>			
<b>Ground Beetles (39 out of 2305 species in Australia)</b>			
Adelotopus puncticollis		50	
Agonocheila curta		2	1991
Agonocheila fenestrata		29	1991
Agonocheila lutosa		40	1991
Agonocheila sinuosa		12	1991
Arthropterus mastersii		33	
Arthropterus wilsoni		25	1965
Bembidion jacksoniense		4	
Carenum laevigatum		7	
Catadromus australis		8	1998
Catadromus lacordairei		8	1995
Clivina australasiae		5	
Clivina elegans		25	
Demetrida grandis		2	1988
Demetrida vittata		12	1991
Dicrochile goryi		6	1952
Dicrochile quadricollis		33	
Haplener australis		25	
Hyperion schroetteri		12	1962
Laccocenus ambiguus		100	1956
Megacephala australis		1	
Minuthodes minima		15	1991
Philophloeus australis		8	1988
Philophloeus immaculatus		14	1989
Philophloeus luculentus		10	1988
Philophloeus unicolor		33	1989
Platycoelus prolixus		4	
Promecoderus gracilis		10	
Promecoderus lucidicollis		17	
Sarothrocrepis gravis		50	
Sarothrocrepis suavis		12	
Sarticus discopunctatus		7	
Scopodes aeneus		33	
Sphallomorpha castelnaui		5	
Sphallomorpha fallax		7	1955
Sphallomorpha guttigera		10	
Trigonothops flavofasciata		12	1990
Trigonothops longiplaga		22	1991
Trigonothops pacifica		6	1991



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Dytiscidae</b>	<b>Dytiscidine Water Beetles</b>		<b>(11 out of 302 species in Australia)</b>	
<i>Allodessus bistrigatus</i>	Water Beetle		<1	
<i>Antiporus blakei</i>	Blakes Water Beetle		4	1961
<i>Lancetes lanceolatus</i>	Lanceolate Water Beetle		2	1961
<i>Limbodessus compactus</i>	Water Beetle		1	2000
<i>Limbodessus shuckardii</i>	Shuckyards Water Beetle		3	2000
<i>Megaporus hamatus</i>	Water Beetle		3	1961
<i>Megaporus howittii</i>	Howitts Water Beetle		1	1961
<i>Necterosoma penicillatum</i>	Water Beetle		<1	1961
<i>Onychohydus scutellaris</i>	Water Beetle		2	1960
<i>Rhantus suturalis</i>	Water Beetle		<1	
<i>Sternopriscus multimaculatus</i>	Multi-spotted Water Beetle		2	1961
<b>Collothecacea</b>				
<b>Atrochidae</b>	<b>Sessile Wheel Animals</b>		<b>(1 out of 1 species in Australia)</b>	
<i>Cupelopagis vorax</i>	Sessile Wheel Animal		33	
<b>Collothecidae</b>	<b>Sessile Wheel Animals</b>		<b>(2 out of 15 species in Australia)</b>	
<i>Collotheca mutabilis</i>	Sessile Wheel Animal		17	
<i>Collotheca pelagica</i>	Deep Water Sessile Wheel Animal		11	
<b>Diptera</b>				
<b>Therevidae</b>	<b>Stiletto Flies</b>		<b>(3 out of 252 species in Australia)</b>	
<i>Acupalpa semirufa</i>			5	1958
<i>Anabarhynchus plumbeoides</i>			3	1966
<i>Anabarhynchus yeatesi</i>			11	1956



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Eupulmonata</b>				
<b>Caryodidae</b>				
	<b>Giant Land Snails</b>		<b>(1 out of 18 species in Australia)</b>	
Pygmipanda atomata	Land Snail		2	
<b>Charopidae</b>				
	<b>Flattened and Turbinate Land Snails</b>		<b>(3 out of 642 species in Australia)</b>	
Elsothera funerea	Funerary Land Snail		<1	
Pernagera officeri	Officers Land Snail		<1	
Pernagera tamarensis	Tamar Land Snail		5	1969
<b>Cystopeltidae</b>				
	<b>Australian "Half" Slugs</b>		<b>(1 out of 13 species in Australia)</b>	
Cystopelta petterdi	Petterds Half-slug		<1	1970
<b>Helicarionidae</b>				
	<b>Helicarionid Land Snails</b>		<b>(1 out of 300 species in Australia)</b>	
Nitor subrugata	Land Snail		2	
<b>Punctidae</b>				
	<b>Translucent Frosted Land Snails</b>		<b>(2 out of 107 species in Australia)</b>	
Excellaoma retipora	Land Snail		13	1995
Paralaoma caputspinulae	Punctid Land Snail		1	1981
<b>Rhytididae</b>				
	<b>Carnivorous Land Snails</b>		<b>(1 out of 107 species in Australia)</b>	
Strangesta gawleri	Gawlers Carnivorous Land Snail		3	
<b>Succineidae</b>				
	<b>Amber Land Snails</b>		<b>(1 out of 25 species in Australia)</b>	
Succinea australis	Australian Amber Land Snail		2	1983



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Flosculariaceae</b>				
<b>Conochilidae</b>				
	<b>Six-"armed" Wheel Animals</b>		<b>(2 out of 5 species in Australia)</b>	
Conochilus dossuarius	Six-"armed" Wheel Animal			6
Conochilus natans	Six-"armed" Wheel Animal			9
<b>Flosculariidae</b>				
	<b>Sessile-footed Wheel Animals</b>		<b>(3 out of 43 species in Australia)</b>	
Lacinularia pedunculata	Pedunculate Sessile-footed Wheel Animal			33
Limnias ceratophylli	Sessile-footed Wheel Animal			6
Ptygura furcillata	Sessile-footed Wheel Animal			50
<b>Hexarthridae</b>				
	<b>Gelatinous-colonial Wheel Animals</b>		<b>(2 out of 8 species in Australia)</b>	
Hexarthra intermedia	Intermediate Gelatinous-colonial Wheel A			6
Hexarthra mira	Miras Gelatinous-colonial Wheel Animal			3
<b>Testudinellidae</b>				
	<b>Free-swimming Round-shelled Wheel Animals</b>		<b>(2 out of 24 species in Australia)</b>	
Pompholyx complanata	Free-swimming Round-shelled Wheel Ani			9
Testudinella patina	Free-swimming Round-shelled Wheel Ani			5
<b>Trochosphaeridae</b>				
	<b>Globular Wheel Animals</b>		<b>(4 out of 17 species in Australia)</b>	
Filinia grandis	Grand Globular Wheel Animal			7
Filinia longiseta	Globular Wheel Animal			3
Filinia pejleri	Globular Wheel Animal			6
Filinia terminalis	Globular Wheel Animal			4



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Hemiptera</b>			
<b>Cicadidae (3 out of 233 species in Australia)</b>			
Cicadetta denisoni	Firetail	8	1956
Cicadetta murrayensis	Pygmy Yellowtail	5	1951
Pauropsalta fuscata		8	1951
<b>Coreidae (3 out of 81 species in Australia)</b>			
Cletus similis		8	
Gelonus tasmanicus		8	
Mictis profana	Crusader Bug	<1	
<b>Corixidae Waterboatmen (2 out of 31 species in Australia)</b>			
Agraptocorixa hirtifrons		3	
Sigara sublaevifrons		3	
<b>Cryptorhamphidae (1 out of 4 species in Australia)</b>			
Cryptorhamphus orbus		2	
<b>Cydnidae Burrower Bugs (1 out of 82 species in Australia)</b>			
Blaena blothroposa		100	
<b>Geocoridae (1 out of 20 species in Australia)</b>			
Stylogeocoris elongatus		3	
<b>Gerridae Water-striders (2 out of 35 species in Australia)</b>			
Aquarius antigone		1	1995
Tenagogerris euphrosyne		<1	2013
<b>Lygaeidae (1 out of 80 species in Australia)</b>			
Spilostethus pacificus		3	1951
<b>Nepidae Water Scorpions (1 out of 8 species in Australia)</b>			
Ranatra dispar	Needle Bug	3	
<b>Ochteridae Velvety Shore Bugs (1 out of 11 species in Australia)</b>			
Ochterus eurythorax		6	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Pentatomidae</b>	<b>Stinkbugs</b>		<b>(12 out of 361 species in Australia)</b>	
<i>Aglaophon variegatus</i>			50	
<i>Cuspicona simplex</i>	Green Potato Bug		6	
<i>Dictyotus caenosus</i>	Brown Shield Bug		<1	
<i>Dictyotus conspicuus</i>			2	
<i>Dysnoetus rugulosus</i>			4	
<i>Niarius illuminatus</i>			20	
<i>Ocirrhoe cavenda</i>			25	
<i>Oechalia schellenbergii</i>	Predatory Shield Bug		<1	1979
<i>Poecilometis fuscescens</i>			<1	1976
<i>Poecilometis parilis</i>			11	
<i>Testrica antica</i>			6	
<i>Trachyops australis</i>			3	
<b>Psyllidae</b>			<b>(1 out of 319 species in Australia)</b>	
<i>Glycaspis amnicola</i>			100	1959
<b>Reduviidae</b>	<b>Assassin Bugs</b>		<b>(6 out of 226 species in Australia)</b>	
<i>Aradelloides wilsoni</i>			100	
<i>Aradellus fulvus</i>			6	
<i>Coranus callosus</i>			6	
<i>Coranus granosus</i>			2	
<i>Coranus sydnicus</i>			5	
<i>Piestolestes inermis</i>			20	
<b>Rhyparochromidae</b>	<b>Seed Bugs</b>		<b>(5 out of 191 species in Australia)</b>	
<i>Arcleda magna</i>			11	
<i>Dieuches maculicollis</i>			3	
<i>Dieuches notatus</i>			3	
<i>Euander lacertosus</i>	Strawberry Bug		3	
<i>Stizocephalus explanatus</i>			11	
<b>Veliidae</b>	<b>Small Water Striders, Riffle Bugs</b>		<b>(2 out of 53 species in Australia)</b>	
<i>Drepanovelia dubia</i>			2	1966
<i>Microvelia peramoena</i>			<1	1995



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Hymenoptera</b>			
<b>Apidae</b>			
<b>Social Bees (3 out of 195 species in Australia)</b>			
Amegilla chlorocyanea		<1	1976
Thyreus caeruleopunctatus		10	1954
Thyreus waroonensis		6	1954
<b>Colletidae</b>			
<b>Short-tongued Bees (11 out of 878 species in Australia)</b>			
Callohesma calliopsella		9	1982
Euryglossa adalaidae		27	1982
Euryglossina crococephala		25	1982
Euryglossina fuscescens		5	1982
Euryglossina hypochroma		8	1982
Euryglossula fultoni		22	1982
Hyphesma atromicans		5	1982
Leioproctus fimbriatus		33	1953
Pachyprosopis mirabilis		25	1982
Pachyprosopis psilosomata		25	1982
Xanthesma furcifera		9	1982



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Formicidae</b>			
<b>Ants</b>		<b>(46 out of 1944 species in Australia)</b>	
<i>Acropyga myops</i>		2	1956
<i>Acropyga pallida</i>		2	1976
<i>Amblyopone longidens</i>		8	
<i>Aphaenogaster barbigula</i>		4	1966
<i>Camponotus consobrinus</i>		3	1976
<i>Camponotus intrepidus-r</i>		8	1956
<i>Camponotus molossus</i>		50	1956
<i>Camponotus nigriceps</i>		4	1956
<i>Camponotus suffusus</i>		6	1972
<i>Camponotus suffusus-r</i>		11	1961
<i>Cardiocondyla nuda</i>		2	1955
<i>Cerapachys macrops</i>		100	
<i>Dolichoderus australis</i>		15	
<i>Dolichoderus scrobiculatus</i>		8	
<i>Epopostruma monstrosa</i>		9	1961
<i>Epopostruma terrula</i>		50	1961
<i>Iridomyrmex bicknelli</i>		<1	1972
<i>Iridomyrmex coeruleus</i>		5	1959
<i>Iridomyrmex discors</i>		<1	1961
<i>Iridomyrmex dromus</i>		1	1961
<i>Iridomyrmex hartmeyeri</i>		1	1956
<i>Iridomyrmex mjobergi</i>		2	1972
<i>Iridomyrmex omalonotus</i>		3	1956
<i>Iridomyrmex purpureus</i>		1	1958
<i>Iridomyrmex rufoniger</i>		2	1972
<i>Iridomyrmex suchieri</i>		<1	
<i>Iridomyrmex viridigaster</i>		6	
<i>Linepithema humile</i>		4	1955
<i>Myrmecia dichospila</i>		3	
<i>Myrmecia forficata</i>		<1	1976
<i>Myrmecia mandibularis</i>		3	1961
<i>Myrmecia nigriceps</i>		4	1975
<i>Myrmecia potteri</i>		50	
<i>Myrmecia pyriformis</i>		2	1958
<i>Myrmecia tepperi</i>		3	1961
<i>Myrmecia testaceipes</i>		6	1961
<i>Myrmecia tridentata</i>		12	
<i>Myrmecia varians</i>		2	1976
<i>Myrmecorhynchus emeryi</i>		2	1961
<i>Notoncus hickmani</i>		3	1961
<i>Odontomachus ruficeps</i>		2	
<i>Paratrechina anic_sos_sp.3</i>		1	
<i>Rhytidoponera metallica</i>		1	1983
<i>Rhytidoponera punctiventris</i>		2	1994
<i>Sphinctomyrmex sp.11</i>		4	1976

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.





Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Strumigenys buleru		50	1961
<b>Halictidae</b>		<b>(28 out of 438 species in Australia)</b>	
Homalictus dotatus		1	1982
Homalictus punctatus		3	1982
Homalictus sphecodoides		5	1954
Lasioglossum aspratulum		3	1982
Lasioglossum bicingulatum		1	1982
Lasioglossum brazieri		2	1953
Lasioglossum brunnesetum		6	1986
Lasioglossum bryotrichum		4	
Lasioglossum carbonarium		3	1955
Lasioglossum clelandi		2	1976
Lasioglossum conspicuum		5	1954
Lasioglossum dissimulator		3	1955
Lasioglossum erythrurum		1	1982
Lasioglossum expansifrons		2	1954
Lasioglossum gilesi		2	1954
Lasioglossum globosum		6	1990
Lasioglossum gunbowerense		3	1954
Lasioglossum helichrysi		2	1953
Lasioglossum hiltacum		2	1957
Lasioglossum lanarium		2	1990
Lasioglossum mediopolitum		1	1950
Lasioglossum orbatum		2	1976
Lasioglossum repraesentans		3	1990
Lasioglossum speculatum		5	1950
Lasioglossum sulthicum		2	1967
Lasioglossum vitripenne		<1	1982
Lipotriches flavoviridis		1	1954
Lipotriches hippophila		25	1954
<b>Megachilidae</b>		<b>(9 out of 165 species in Australia)</b>	
Megachile apicata		11	1951
Megachile maculariformis		5	1982
Megachile macularis		3	1954
Megachile oblonga		2	1950
Megachile obtusa		7	1954
Megachile ramulipes		25	1950
Megachile semiluctuosa		3	1953
Megachile serricauda		10	1950
Megachile tosticauda		4	1982



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Isoptera</b>				
<b>Rhinotermitidae</b>				
	<b>Termite</b>		<b>(3 out of 24 species in Australia)</b>	
Coptotermes acinaciformis	Subterranean Termite		<1	1952
Coptotermes frenchi	Termite		<1	1957
Heterotermes ferox	Termite		<1	1951
<b>Termitidae</b>				
	<b>Termite</b>		<b>(4 out of 196 species in Australia)</b>	
Amitermes neogermanus	Termite		2	1954
Microcerotermes implacidus	Termite		5	1954
Nasutitermes exitiosus	Termite		<1	1951
Nasutitermes fumigatus	Termite		3	1963



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Lepidoptera</b>				
<b>Hesperiidae</b>				
	<b>Skippers, flats, awls &amp; darts</b>	<b>(9 out of 123 species in Australia)</b>		
Anisynta cynone	Mottled Grass-skipper		7	1983
Hesperilla donnysa	Varied Sedge-skipper		<1	1988
Hesperilla idothea	Flame Sedge-skipper		<1	1964
Ocybadistes walkeri	Green Grass-dart		2	1989
Oreisplanus perornata	Montane Sedge-skipper		7	1983
Taractrocera papyria	White-banded Grass-dart		1	1977
Trapezites lutea	Yellow Ochre		4	1987
Trapezites phigalia	Heath Ochre		2	1992
Trapezites phigalioides	Montane Ochre		4	1992
<b>Lycaenidae</b>				
	<b>Blues, Coppers, Hairstreaks and Metalmarks</b>	<b>(19 out of 145 species in Australia)</b>		
Candalides hyacinthina	Varied Dusky-blue		2	1987
Hypochrysops ignita	Fiery Jewel		<1	
Jalmenus evagoras	Imperial Hairstreak		<1	1958
Jalmenus icilius	Amethyst Hairstreak		<1	
Jalmenus ictinus	Stencilled Hairstreak		<1	
Lampides boeticus	Long-tailed Pea-blue		1	1989
Lucia limbaria	Grassland Copper		6	1987
Nacaduba biocellata	Two-spotted Line-blue		2	1983
Neolucia agricola	Fringed Heath-blue		<1	1987
Ogyris abrota	Dark Purple Azure		1	1983
Ogyris amaryllis	Satin Azure		2	1992
Ogyris genoveva	Southern Purple Azure		4	1990
Ogyris olane	Broad-Margined Azure		3	1983
Paralucia aurifera	Bright Copper		<1	1973
Paralucia pyrodiscus	Fiery Copper		3	2005
Pseudalmenus chlorinda	Silky Hairstreak		2	1979
Theclinesthes miskini	Wattle Blue		<1	1976
Theclinesthes serpentata	Saltbush Blue		3	1979
Zizina labradus	Common Grass-blue		2	1990



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Nymphalidae</b>	<b>Browns, Nymphs, Danaines</b>	<b>(16 out of 83 species in Australia)</b>		
Argynnis cyrila	Forest Brown		<1	1976
Danaus chrysippus	Lesser Wanderer		<1	1973
Danaus plexippus	Monarch Butterfly		<1	1991
Geitoneura acantha	Ringed Xenica		1	1977
Geitoneura klugii	Marbled Xenica		<1	1987
Heteronympha banksii	Bank's Brown		<1	
Heteronympha merope	Common Brown		1	1992
Heteronympha penelope	Shouldered Brown		1	1990
Heteronympha solandri	Solander's Brown		1	1984
Junonia villida	Meadow Argus		<1	1990
Oreixenica lathoniella	Silver Xenica		1	1974
Oreixenica orichora	Spotted Alpine Xenica		2	1984
Polyura sempronius	Tailed Emperor		<1	1989
Tisiphone abeona	Varied Sword-grass Brown		<1	1982
Vanessa itea	Red Admiral		2	1991
Vanessa kershawi	Australian Painted Lady		2	1992
<b>Papilionidae</b>	<b>Swallowtails</b>	<b>(2 out of 19 species in Australia)</b>		
Papilio anactus	Dainty Swallowtail		3	1992
Papilio demoleus	Chequered Swallowtail		<1	
<b>Pieridae</b>	<b>Whites and Yellows</b>	<b>(3 out of 35 species in Australia)</b>		
Belenois java	Caper White		<1	1990
Delias aganippe	Spotted Jezebel		3	1991
Delias harpalyce	Imperial Jezebel		2	1990



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Odonata</b>				
<b>Aeshnidae</b>				
	<b>Hawker, Duskhawker and Emperor Damselflies</b>	<b>(1 out of 13 species in Australia)</b>		
Hemianax papuensis	Australian Emperor		<1	1990
<b>Coenagrionidae</b>				
	<b>Bluetail and Thin Damselflies</b>	<b>(3 out of 32 species in Australia)</b>		
Austroagrion watsoni	Eastern Billabongfly		<1	1976
Ischnura aurora	Aurora Bluetail		<1	1977
Xanthagrion erythroneurum	Red & Blue Damsel		2	1973
<b>Gomphidae</b>				
	<b>Dragon, Hunter and Vicetail Dragonflies</b>	<b>(2 out of 35 species in Australia)</b>		
Austrogomphus australis	Inland Hunter		7	1966
Austrogomphus guerini	Yellow-striped Hunter		2	1967
<b>Hemicorduliidae</b>				
	<b>Emerald and Swamp Emerald Dragonflies</b>	<b>(1 out of 11 species in Australia)</b>		
Hemicordulia tau	Tau Emerald		<1	1967
<b>Lestidae</b>				
	<b>Ringtail, Reedling and Dusky Spreadwing Damselflies</b>	<b>(3 out of 14 species in Australia)</b>		
Austrolestes analis	Slender Ringtail		1	1966
Austrolestes annulosus	Blue Ringtail		2	1966
Austrolestes cingulatus	Metallic Ringtail		<1	1966
<b>Libellulidae</b>				
	<b>Perchers, Archtails and other Dragonflies</b>	<b>(3 out of 52 species in Australia)</b>		
Diplacodes bipunctata	Wandering Percher		<1	1973
Diplacodes melanopsis	Black-faced Percher		2	1973
Orthetrum caledonicum	Blue Skimmer		<1	1957
<b>Philodinida</b>				
<b>Philodinidae</b>				
	<b>Rotifers with Paired Trochi</b>	<b>(2 out of 69 species in Australia)</b>		
Dissotrocha aculeata	Rotifer with Paired Trochi		33	
Rotaria rotatoria	Rotifer with Paired Trochi		12	



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Ploimida</b>			
<b>Asplanchnidae</b>			
<b>Sac-like Wheel Animals (4 out of 13 species in Australia)</b>			
Asplanchna brightwellii			6
Asplanchna girodi			14
Asplanchna priodonta			3
Asplanchna sieboldi			6
<b>Brachionidae</b>			
<b>Sac-like Wheel Animal (20 out of 62 species in Australia)</b>			
Anuraeopsis fissa			20
Anuraeopsis navicula			7
Brachionus angularis			7
Brachionus bennini			17
Brachionus bidentatus			10
Brachionus budapestinensis			12
Brachionus calyciflorus			5
Brachionus caudatus			20
Brachionus keikoa			8
Brachionus nilsoni			20
Brachionus plicatilis			6
Brachionus quadridentatus			4
Brachionus urceolaris			7
Keratella australis			3
Keratella cochlearis			6
Keratella procurva			6
Keratella quadrata			8
Keratella slacki			3
Keratella tropica			6
Notholca squamula			14
<b>Dicranophoridae</b>			
<b>Tong-grabbing Wheel Animals (2 out of 41 species in Australia)</b>			
Dicranophoroides caudatus			33
Dicranophorus grandis			100
<b>Euchlanidae</b>			
<b>Wheel Animals (1 out of 19 species in Australia)</b>			
Euchlanis dilatata			2
<b>Gastropodidae</b>			
<b>Shelled Wheel Animals (3 out of 8 species in Australia)</b>			
Ascomorpha ecaudis			12
Ascomorpha ovalis			10
Gastropus hyptopus			12



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Ituridae</b>	<b>Shelled Wheel Animals</b>		<b>(2 out of 4 species in Australia)</b>	
<i>Itura aurita</i>	Shelled Wheel Animal		14	
<i>Itura viridis</i>	Shelled Wheel Animal		100	
<b>Lecanidae</b>	<b>Shelled Wheel Animal</b>		<b>(8 out of 78 species in Australia)</b>	
<i>Lecane arcuata</i>	Shelled Wheel Animal		20	
<i>Lecane bulla</i>	Shelled Wheel Animal		5	
<i>Lecane closterocerca</i>	Shelled Wheel Animal		4	
<i>Lecane flexilis</i>	Shelled Wheel Animal		2	
<i>Lecane hamata</i>	Shelled Wheel Animal		2	
<i>Lecane hornemanni</i>	Hornemanns Shelled Wheel Animal		22	
<i>Lecane luna</i>	Shelled Wheel Animal		5	
<i>Lecane ruttneri</i>	Ruttners Shelled Wheel Animal		50	
<b>Lepadellidae</b>	<b>Wheel Animals</b>		<b>(5 out of 52 species in Australia)</b>	
<i>Colurella adriatica</i>	Adriatic Wheel Animal		11	
<i>Lepadella benjamini</i>	Benjamins Wheel Animal		50	
<i>Lepadella heterodactyla</i>	Wheel Animal		100	
<i>Lepadella heterostyla</i>	Wheel Animal		100	
<i>Lepadella rhomboides</i>	Rhomboid Wheel Animal		9	
<b>Mytilinidae</b>	<b>Wheel Animals</b>		<b>(3 out of 11 species in Australia)</b>	
<i>Lophocharis salpina</i>	Wheel Animal		7	
<i>Mytilina macracantha</i>	Wheel Animal		25	
<i>Mytilina ventralis</i>	Wheel Animal		11	
<b>Notommatidae</b>	<b>Pseudo-segmented Wheel Animals</b>		<b>(1 out of 93 species in Australia)</b>	
<i>Cephalodella gibba</i>	Pseudo-segmented Wheel Animal		3	
<b>Synchaetidae</b>	<b>Sac-, Bell- or Cone-shaped Wheel Animals</b>		<b>(6 out of 22 species in Australia)</b>	
<i>Polyarthra dolichoptera</i>	Rotifer		2	
<i>Polyarthra vulgaris</i>	Rotifer		4	
<i>Synchaeta longipes</i>	Sac-, Bell-, or Cone-shaped Wheel Animal		10	
<i>Synchaeta oblonga</i>	Sac-, Bell- or Cone-shaped Wheel Animal		6	
<i>Synchaeta pectinata</i>	Sac-, Bell- or Cone-shaped Wheel Animal		5	
<i>Synchaeta tavina</i>	Sac-, Bell- or Cone-shaped Wheel Animal		67	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Trichocercidae</b>	<b>Comma-like Wheel Animals</b>		<b>(6 out of 50 species in Australia)</b>	
Trichocerca agnatha	Jawless Comma-like Wheel Animal		100	
Trichocerca longiseta	Comma-like Wheel Animal		6	
Trichocerca porcellus	Comma-like Wheel Animal		5	
Trichocerca pusilla	Comma-like Wheel Animal		6	
Trichocerca rattus	Rat-like Comma-like Wheel Animal		6	
Trichocerca similis	Comma-like Wheel Animal		4	
<b>Trichotriidae</b>	<b>Wheel Animals</b>		<b>(1 out of 10 species in Australia)</b>	
Macrochaetus subquadratus	Wheel Animal		25	





	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Vascular flora</b>				
<b>Alismatales</b>				
<b>Alismataceae</b>				
	<b>Water Plantains</b>		<b>(2 out of 7 species in Australia)</b>	
<i>Alisma plantago-aquatica</i>	Water Plantain		2	2006
<i>Damasonium minus</i>			11	2002
<b>Araceae</b>				
	<b>Settlers Flax, Cunjevoi, Native Lilies</b>		<b>(6 out of 46 species in Australia)</b>	
<i>Landoltia punctata</i>			5	1998
<i>Lemna aequinoctialis</i>			5	1998
<i>Lemna disperma</i>			6	1999
<i>Lemna trisulca</i>			1	1994
<i>Wolffia angusta</i>			3	1987
<i>Wolffia australiana</i>			7	1999
<b>Hydrocharitaceae</b>				
	<b>Swamp Lily, Eel Weed, Frogbit and Water Thyme</b>		<b>(3 out of 23 species in Australia)</b>	
<i>Hydrilla verticillata</i>			<1	
<i>Ottelia ovalifolia</i>	Duck-lettuce		3	1997
<i>Vallisneria australis</i>			1	2001
<b>Juncaginaceae</b>				
	<b>Water Ribbons</b>		<b>(8 out of 25 species in Australia)</b>	
<i>Triglochin centrocarpa</i>			<1	1996
<i>Triglochin dubia</i>			2	1996
<i>Triglochin hexagona</i>	Six-point Arrow Grass		5	1982
<i>Triglochin multifructa</i>			8	1995
<i>Triglochin nana</i>			5	2003
<i>Triglochin procera</i>			3	1992
<i>Triglochin striata</i>	Three-ribbed Arrow Grass		2	2004
<i>Triglochin turrifera</i>			24	2003
<b>Potamogetonaceae</b>				
	<b>Sea Grasses and Horned Pondweeds, Pondweed</b>		<b>(7 out of 16 species in Australia)</b>	
<i>Lepilaena australis</i>			8	1997
<i>Lepilaena bilocularis</i>			14	1994
<i>Potamogeton crispus</i>	Curly-leaved Pondweed		4	2000
<i>Potamogeton ochreatus</i>			6	1999
<i>Potamogeton pectinatus</i>			4	1999
<i>Potamogeton tricarinatus</i>			5	2005
<i>Zannichellia palustris</i>			8	1999



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Ruppiaceae</b>			
<b>(4 out of 4 species in Australia)</b>			
Ruppia maritima		3	1987
Ruppia megacarpa		5	1994
Ruppia polycarpa		<1	1997
Ruppia tuberosa		1	1969



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Asparagales</b>				
<b>Asparagaceae</b>				
<b>(8 out of 177 species in Australia)</b>				
Arthropodium fimbriatum	Nodding Chocolate Lily		7	1986
Arthropodium milleflorum	Vanilla Lily		2	1997
Arthropodium minus	Small Vanilla Lily		7	2000
Arthropodium sp. albury	Vanilla Lily		5	1997
Arthropodium strictum	Chocolate Lily		10	2006
Laxmannia orientalis	Dwarf Paper-Lily		2	1981
Thysanotus baueri	Mallee Fringed Lily		1	1985
Thysanotus tuberosus	Common Fringed Lily		<1	
<b>Asphodelaceae</b>				
<b>Native Leek</b>				
<b>(2 out of 7 species in Australia)</b>				
Bulbine bulbosa	Bulbine Lily, Pike		9	2004
Bulbine semibarbata	Leek Lily		3	2003
<b>Hemerocallidaceae</b>				
<b>Native Lilies</b>				
<b>(10 out of 79 species in Australia)</b>				
Caesia calliantha	Blue Grass-Lily		3	2005
Caesia parviflora	Pale Grass-Lily		<1	1997
Dianella amoena	Matted Flax-lily	Endangered	6	2005
Dianella longifolia	Flax-lily		<1	2005
Dianella porracea	Flax-lily		6	1994
Dianella revoluta	Spreading Flax-lily		3	2006
Dianella tarda	Flax-lily		19	2005
Dianella tasmanica	Tasman Flax-lily		<1	2003
Stypandra glauca	Nodding Blue Lily		<1	2004
Tricoryne elatior	Native Lily		3	2006
<b>Hypoxidaceae</b>				
<b>Native Lilies</b>				
<b>(3 out of 15 species in Australia)</b>				
Hypoxis glabella	Tiny Stars		8	2004
Hypoxis hygrometrica	Golden Weathergrass		<1	
Hypoxis vaginata	Yellow Star		6	2004



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Orchidaceae</b>			
<b>Orchids</b>		<b>(152 out of 1248 species in Australia)</b>	
Acianthus exsertus		2	1995
Acianthus pusillus		<1	1997
Arachnorchis aff. tentaculata		<1	1995
Arachnorchis audasii	Endangered	80	2004
Arachnorchis cardiochila		1	1995
Arachnorchis clavigera		5	1997
Arachnorchis concolor	Vulnerable	22	2005
Arachnorchis cruciformis		100	2006
Arachnorchis dilatata		7	1997
Arachnorchis formosa	Vulnerable	8	1996
Arachnorchis fragrantissima		3	2005
Arachnorchis magnifica		20	
Arachnorchis parva		4	2004
Arachnorchis patersonii		6	1992
Arachnorchis phaeoclavia		6	2000
Arachnorchis reticulata		8	2003
Arachnorchis rosella	Endangered	25	
Arachnorchis tentaculata		5	2005
Arachnorchis toxochila		1	
Arachnorchis venusta		4	2005
Arachnorchis versicolor	Vulnerable	50	2004
Arachnorchis xanthochila	Endangered	12	2004
Bunochilus longifolius		4	2000
Bunochilus melagrammus		7	2005
Bunochilus smaragdinus		14	2004
Caladenia latifolia		<1	1981
Caladenia ornata	Vulnerable	5	1997
Caleana major		3	1997
Calochilus campestris		2	1997
Calochilus imberbis		7	1997
Calochilus paludosus		<1	2003
Calochilus robertsonii		9	2004
Chiloglottis reflexa		<1	
Chiloglottis trapeziformis		<1	1979
Corunastylis archeri		2	1993
Corunastylis ciliata		15	1999
Corunastylis despectans		11	2005
Corunastylis morrisii		3	1982
Corunastylis nigricans		1	1991
Corunastylis rufa		2	1993
Corunastylis sagittifera	Endangered	2	1993
Corysanthes diemenica		<1	1952
Corysanthes dilatata		1	1975
Corysanthes incurva		4	1997
Cryptostylis leptochila		<1	

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Cyanicula caerulea	Orchid		11	2004
Cyrtostylis reniformis	Common Gnat Orchid		4	2003
Diplodium alatum	Striped Greenhood		<1	
Diplodium decurvum	Summer Greenhood		<1	
Diplodium grandiflorum	Cobra Greenhood		<1	
Diplodium obtusum	Blunt-tongue Greenhood		<1	1985
Diplodium revolutum	Autumn Greenhood		<1	
Diplodium robustum	Sharp-leaf Greenhood		5	2004
Dipodium pardalinum	Spotted Hyacinth Orchid		6	2005
Dipodium punctatum	Blotched Hyacinth Orchid		1	1996
Dipodium roseum	Rosy Hyacinth Orchid		3	2005
Dipodium variegatum	Slender Hyacinth Orchid		<1	1992
Diuris aff. behrii			20	
Diuris behrii	Golden Cowslips		10	2004
Diuris chryseopsis	Common Golden Moths		6	2004
Diuris lanceolata	Snake Orchid, Large Golden Moths	Endangered	11	2000
Diuris maculata	Leopard Orchid, Spotted Doubletail		2	1981
Diuris orientis	Eastern Wallflower Diuris		<1	1982
Diuris palustris	Swamp Diuris		7	2004
Diuris pardina	Leopard Orchid, Spotted Doubletail		10	2004
Diuris platicchila			4	2004
Diuris punctata	Purple Donkey Orchid		3	1997
Diuris sulphurea	Tiger Orchid		3	2003
Eriochilus cucullatus	Parson's Bands		4	2003
Gastrodia procera	Tall Potato Orchid		2	1997
Gastrodia sesamoides	Cinnamon Bells, Common Potato Orchid		<1	1997
Glossodia major	Wax-lip Orchid		8	2006
Hymenochilus bicolor			3	2005
Hymenochilus cycnocephalus	Swan Greenhood		14	2003
Hymenochilus muticus	Midget Greenhood		2	1993
Jonesiopsis filamentosa			<1	
Leptoceras menziesii	Hare Orchid		2	1981
Linguella nana	Dwarf Greenhood		5	2006
Lyperanthus suaveolens	Brown Beaks		<1	1955
Microtidium atratum	Yellow Onion Orchid		<1	2003
Microtis arenaria			2	2003
Microtis nashii			5	1963
Microtis parviflora	Slender Onion Orchid		4	2000
Microtis rara	Scented Onion Orchid, Sweet Onion Orchi		1	1988
Microtis unifolia	Common Onion Orchid		6	2006
Nemacianthus caudatus	Dead Horse, Mayfly Orchid		1	1997
Oligochaetochilus aciculiformis			5	2000
Oligochaetochilus bisetus			4	1993
Oligochaetochilus boormanii			3	1995
Oligochaetochilus despectans		Endangered	36	2005
Oligochaetochilus maximus			36	2003
Oligochaetochilus pusillus	Ruddyhood		1	1989

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Oligochaetochilus setifer</i>		9	1993
<i>Orthoceras strictum</i>		1	1997
<i>Paracaleana minor</i>		2	1997
<i>Petalochilus carneus</i>		2	2006
<i>Petalochilus catenatus</i>		7	1991
<i>Petalochilus fuscatus</i>		6	2004
<i>Petalochilus mentiens</i>		2	2000
<i>Petalochilus pusillus</i>		8	2006
<i>Pheladenia deformis</i>		5	2004
<i>Plumatichilos plumosum</i>		2	2003
<i>Prasophyllum brevilabre</i>		1	1990
<i>Prasophyllum campestre</i>		2	1995
<i>Prasophyllum constrictum</i>		5	1990
<i>Prasophyllum fitzgeraldii</i>		1	1992
<i>Prasophyllum frenchii</i>	Endangered	5	1990
<i>Prasophyllum fuscum</i>	Vulnerable	5	1979
<i>Prasophyllum hygrophilum</i>		20	2003
<i>Prasophyllum lindleyanum</i>		10	2001
<i>Prasophyllum occidentale</i>		4	2006
<i>Prasophyllum odoratum</i>		2	2003
<i>Prasophyllum pallidum</i>	Vulnerable	2	1992
<i>Prasophyllum patens</i>		3	1981
<i>Prasophyllum pyriforme</i>		8	2004
<i>Prasophyllum rostratum</i>		2	1989
<i>Prasophyllum suaveolens</i>	Endangered	8	1999
<i>Prasophyllum validum</i>	Vulnerable	26	2001
<i>Pterostylis alpina</i>		<1	1997
<i>Pterostylis cucullata</i>	Vulnerable	1	1985
<i>Pterostylis curta</i>		3	2003
<i>Pterostylis falcata</i>		<1	
<i>Pterostylis nutans</i>		3	2003
<i>Pterostylis pedunculata</i>		<1	1997
<i>Simpliglottis chlorantha</i>		4	1996
<i>Simpliglottis gunnii</i>		2	2000
<i>Simpliglottis valida</i>		5	2000
<i>Speculantha atriola</i>	Endangered	3	1991
<i>Speculantha parviflora</i>		4	2003
<i>Spiranthes australis</i>		<1	1997
<i>Stegostyla cucullata</i>		21	2003
<i>Stegostyla gracilis</i>		8	2004
<i>Stegostyla iridescens</i>		9	1992
<i>Stegostyla praecox</i>		8	2000
<i>Taurantha concinna</i>		<1	1987
<i>Thelymitra antennifera</i>		5	2004
<i>Thelymitra arenaria</i>		4	1999
<i>Thelymitra aristata</i>		2	1997
<i>Thelymitra brevifolia</i>		<1	1979

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	<b>Common Name</b>	<b>EPBC Status</b>	<b>Proportion of sampled range in the region (%)</b>	<b>Most recent record</b>
<i>Thelymitra carnea</i>	Tiny Sun Orchid, Pink Sun Orchid		8	1999
<i>Thelymitra flexuosa</i>	Twisted Sun Orchid		<1	1997
<i>Thelymitra holmesii</i>	Holme's Sun Orchid		<1	1987
<i>Thelymitra ixioides</i>	Dotted Sun Orchid		8	2004
<i>Thelymitra juncifolia</i>	Large Spotted Sun Orchid		2	1993
<i>Thelymitra luteocilium</i>	Fringed Sun Orchid		3	2004
<i>Thelymitra media</i>	Tall Sun Orchid		<1	1982
<i>Thelymitra megalyptra</i>	Scented Sun Orchid		18	2004
<i>Thelymitra nuda</i>	Plain Sun Orchid, Scented Sun Orchid		3	2004
<i>Thelymitra pauciflora</i>	Slender Sun Orchid		5	2004
<i>Thelymitra peniculata</i>	Sun Orchid		3	1998
<i>Thelymitra rubra</i>	Pink Sun Orchid, Salmon Sun Orchid		7	2003
<i>Thynniorchis huntianus</i>			4	1997



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Asterales</b>			
<b>Asteraceae</b>			
<b>Daisies and Allies (192 out of 1019 species in Australia)</b>			
Actinobole uliginosum		3	2004
Allittia cardiocarpa		2	1998
Allittia uliginosa		1	1996
Angianthus brachypappus		<1	
Angianthus tomentosus		<1	2003
Argentipallium obtusifolium		<1	0002
Asteridea athrixioides		<1	
Bedfordia arborescens		<1	1996
Blennozona drummondii		<1	1996
Brachyscome aculeata		<1	1998
Brachyscome basaltica		9	1995
Brachyscome basaltica var. gracilis		13	2003
Brachyscome chrysoglossa		8	1999
Brachyscome ciliaris		1	1995
Brachyscome cuneifolia		3	
Brachyscome debilis		21	2003
Brachyscome decipiens		3	1997
Brachyscome dentata		4	1996
Brachyscome diversifolia		6	1997
Brachyscome goniocarpa		2	1985
Brachyscome gracilis		1	1960
Brachyscome leptocarpa		21	1996
Brachyscome lineariloba		3	2003
Brachyscome multifida		6	2003
Brachyscome parvula		6	1992
Brachyscome perpusilla		13	2004
Brachyscome readeri		13	1988
Brachyscome scapigera		<1	1981
Calocephalus citreus		18	2005
Calocephalus lacteus		5	2004
Calocephalus sonderi		21	2003
Calotis anthemoides		16	1999
Calotis cuneifolia		<1	1996
Calotis erinacea		<1	1995
Calotis hispidula		1	2000
Calotis scabiosifolia		11	2004
Calotis scapigera		13	2005
Cassinia aculeata		2	2005
Cassinia arcuata		15	2006
Cassinia complanata		<1	1998
Cassinia diminuta		68	2004
Cassinia longifolia		<1	1998
Cassinia ozothamnoides		40	2006

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.





	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Cassinia uncata</i>	Cassinia		<1	1990
<i>Celmisia asteliifolia</i>	Silver Daisy		<1	
<i>Celmisia costiniana</i>	Native Daisy		4	1970
<i>Centipeda crateriformis</i>	Native Daisy		1	2000
<i>Centipeda cunninghamii</i>	Native Daisy		11	2006
<i>Centipeda elatinoides</i>	Native Daisy		2	2002
<i>Centipeda minima</i>	Native Daisy		<1	1991
<i>Centipeda thespidioides</i>	Native Daisy		<1	2005
<i>Chamaemelum nobile</i>	Native Daisy		21	2001
<i>Chrysocephalum apiculatum</i>	Native Daisy		3	2005
<i>Chrysocephalum baxteri</i>	Native Daisy		<1	1997
<i>Chrysocephalum semipapposum</i>	Native Daisy		7	2006
<i>Chrysocephalum</i> sp. 1	Native Daisy		15	1992
<i>Chrysocephalum</i> sp. 2	Native Daisy		23	2004
<i>Chthonocephalus pseudevax</i>	Woolly Groundheads		<1	1985
<i>Cotula australis</i>	Common Brass-buttons		8	2001
<i>Craspedia glauca</i>	Native Daisy		<1	1991
<i>Craspedia globosa</i>	Native Daisy		12	1989
<i>Craspedia paludicola</i>	Native Daisy		12	2003
<i>Craspedia variabilis</i>	Native Daisy		6	2006
<i>Cymbonotus lawsonianus</i>	Austral Bears-ears		<1	1981
<i>Cymbonotus preissianus</i>	Bears-ears		7	2004
<i>Eclipta platyglossa</i>	Native Daisy		9	2002
<i>Eriochlamys</i> sp. 1	Woolly Mantle		75	2003
<i>Euchiton involucratus</i>	Native Daisy		4	2001
<i>Euchiton sphaericus</i>	Native Daisy		3	2006
<i>Gnaphalium indutum</i>	Native Daisy		15	2004
<i>Gnaphalium policaulon</i>	Native Daisy		2	1986
<i>Helichrysum leucopsideum</i>	Native Daisy		<1	1995
<i>Helichrysum rutidolepis</i>	Native Daisy		2	1998
<i>Helichrysum scorpioides</i>	Native Daisy		2	2001
<i>Hyalosperma demissum</i>	Everlasting		8	2004
<i>Hyalosperma glutinosum</i>	Everlasting		3	1999
<i>Hyalosperma praecox</i>	Everlasting		42	1998
<i>Hyalosperma semisterile</i>	Everlasting		4	2003
<i>Isoetopsis graminifolia</i>	Grass-cushions		5	2004
<i>Ixodia achillaeoides</i>	Hills Daisy		<1	
<i>Lagenophora gracilis</i>	Native Daisy		<1	
<i>Lagenophora huegelii</i>	Native Daisy		9	2006
<i>Lagenophora stipitata</i>	Native Daisy		1	2001
<i>Leiocarpa leptolepis</i>	Hill Daisy		<1	1999
<i>Leiocarpa panaetioides</i>	Hill Daisy		13	2006
<i>Leiocarpa websteri</i>	Hill Daisy		3	1997
<i>Leptinella filicula</i>	Native Daisy		<1	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Leptorhynchos elongatus	Native Daisy		6	1999
Leptorhynchos orientalis	Native Daisy		32	2004
Leptorhynchos squamatus	Native Daisy		9	2006
Leptorhynchos tenuifolius	Native Daisy		20	2006
Leptorhynchos tetrachaetus	Native Daisy		17	2004
Leptorhynchos waitzia	Native Daisy		11	2003
Leucochrysum albicans	Everlasting		3	2004
Leucochrysum molle	Everlasting		2	2005
Microseris lanceolata	Native Daisy		<1	1989
Microseris sp. 1	Native Daisy		6	1997
Microseris sp. 3	Native Daisy		22	2006
Millotia muelleri	Native Daisy		11	2003
Millotia myosotidifolia	Native Daisy		3	1993
Millotia perpusilla	Native Daisy		9	2004
Millotia tenuifolia	Native Daisy		7	2006
Minuria cunninghamii	Native Daisy		<1	1997
Minuria integerrima	Native Daisy		3	2006
Minuria leptophylla	Native Daisy		4	2004
Myriocephalus rhizocephalus	Native Daisy		16	2004
Myriocephalus stuartii	Native Daisy		<1	1986
Olearia argophylla	Musk Daisy Bush		<1	2003
Olearia decurrens	Daisy Bush		2	2004
Olearia erubescens	Daisy Bush		1	1997
Olearia floribunda	Daisy Bush		3	1993
Olearia glandulosa	Daisy Bush		2	1997
Olearia lirata	Snowy Daisy Bush		<1	1994
Olearia magniflora	Large-flowered Daisy Bush		<1	
Olearia microphylla	Small-leaved Daisy Bush		<1	1963
Olearia muelleri	Muellers Daisy Bush		<1	
Olearia myrsinoides	Daisy Bush		2	2002
Olearia pannosa	Daisy Bush		2	2000
Olearia passerinoides	Daisy Bush		<1	1995
Olearia pimeleoides	Daisy Bush		2	2003
Olearia ramulosa	Daisy Bush		1	1993
Olearia teretifolia	Daisy Bush		25	2000
Ozothamnus ferrugineus	Everlasting		<1	2005
Ozothamnus obcordatus	Everlasting		20	2006
Ozothamnus retusus	Everlasting		7	2004
Ozothamnus rosmarinifolius	Rosemary-leaved Everlasting		2	
Podolepis canescens	Native Daisy		<1	1993
Podolepis jaceoides	Native Daisy		9	2004
Podolepis sp. 1	Native Daisy		36	2006
Podotheca angustifolia	Native Daisy		<1	1987
Pogonolepis muelleriana	Native Daisy		8	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Pseudognaphalium luteoalbum	Native Daisy		3	2006
Pycnosorus chrysanthes	Native Daisy		12	2006
Pycnosorus globosus	Native Daisy		10	2002
Pycnosorus pleiocephalus	Native Daisy		<1	
Quinetia urvillei	Native Daisy		<1	1989
Rhodanthe anthemoides	Paper-daisy		3	1997
Rhodanthe corymbiflora	Paper-daisy		13	2006
Rhodanthe floribunda	Paper-daisy		<1	1998
Rhodanthe laevis	Paper-daisy		6	2004
Rhodanthe polygalifolia	Paper-daisy		<1	
Rhodanthe pygmaea	Paper-daisy		6	2003
Rutidosia leptorrhynchoides	Native Daisy	Endangered	3	
Rutidosia multiflora	Native Daisy		11	2003
Senecio bathurstianus	Senecio		1	2003
Senecio behrianus	Senecio	Endangered	36	2004
Senecio biserratus	Senecio		<1	1997
Senecio campylocarpus	Senecio		18	1982
Senecio cunninghamii	Senecio		6	2003
Senecio dolichocephalus	Senecio		2	1985
Senecio glomeratus	Senecio		4	2006
Senecio glossanthus	Senecio		<1	2003
Senecio hispidulus	Senecio		<1	1979
Senecio lanibracteus	Senecio		<1	
Senecio linearifolius	Senecio		<1	2003
Senecio macrocarpus	Large-fruit Groundsel	Vulnerable	2	1998
Senecio minimus	Senecio		2	2002
Senecio murrayanus	Senecio		3	
Senecio odoratus	Senecio		1	1993
Senecio phelleus	Senecio		9	2005
Senecio picridioides	Senecio		1	1993
Senecio pinnatifolius	Senecio		<1	1997
Senecio platylepis	Senecio		3	
Senecio prenanthoides	Senecio		2	1993
Senecio productus	Senecio		20	1985
Senecio pterophorus	Senecio		<1	1986
Senecio quadridentatus	Senecio		5	2006
Senecio runcinifolius	Senecio		12	2002
Senecio spanomerus	Senecio		1	1997
Senecio vagus	Senecio		<1	
Senecio vulgaris	Senecio		3	1998
Sigesbeckia australiensis	Native Daisy		<1	1984
Sigesbeckia orientalis	Native Daisy		<1	1987
Solenogyne dominii	Native Daisy		9	2006
Solenogyne gunnii	Native Daisy		3	2003
Sonchus hydrophilus	Native Sowthistle		1	1979
Sphaeromorphaea australis	Native Daisy		2	1997
Stuartina muelleri	Native Daisy		14	2004

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Tragopogon porrifolius</i>	Introduced Goats-beard		6	2003
<i>Triptilodiscus pygmaeus</i>	Native Daisy		10	2004
<i>Vellereophyton dealbatum</i>	Native Daisy		3	2006
<i>Vittadinia cervicularis</i>	Native Daisy		4	2003
<i>Vittadinia condyloides</i>	Native Daisy		11	2003
<i>Vittadinia cuneata</i>	Native Daisy		6	2005
<i>Vittadinia dissecta</i>	Native Daisy		<1	2001
<i>Vittadinia gracilis</i>	Native Daisy		9	2006
<i>Vittadinia megacephala</i>	Native Daisy		<1	1971
<i>Vittadinia muelleri</i>	Native Daisy		<1	1999
<i>Vittadinia pterochaeta</i>	Native Daisy		5	1999
<i>Waitzia acuminata</i>	Native Daisy		<1	
<i>Xerochrysum bracteatum</i>	Native Daisy		1	2004
<i>Xerochrysum viscosum</i>	Native Daisy		17	2006
<b>Menyanthaceae</b>		<b>Marshwort</b>	<b>(3 out of 29 species in Australia)</b>	
<i>Nymphoides crenata</i>	Wavy Marshwort		1	1987
<i>Nymphoides spinulosperma</i>	Marbled Marshwort		43	1996
<i>Villarsia reniformis</i>	Running Marshflower		1	1998
<b>Stylidiaceae</b>		<b>Triggerplants and Allies</b>	<b>(8 out of 293 species in Australia)</b>	
<i>Levenhookia dubia</i>	Hairy Stylewort		15	2004
<i>Levenhookia sonderi</i>	Slender Stylewort		9	1993
<i>Stylidium armeria</i>			1	2006
<i>Stylidium calcaratum</i>	Book Triggerplant		3	1997
<i>Stylidium despectum</i>	Dwarf Triggerplant		7	2003
<i>Stylidium ecorne</i>	Foot Triggerplant		8	1993
<i>Stylidium graminifolium</i>	Grass Trigger-plant		<1	1997
<i>Stylidium inundatum</i>	Hundreds and Thousands		10	2004
<b>Canellales</b>		<b>Pepper Trees</b>	<b>(1 out of 11 species in Australia)</b>	
<b>Winteraceae</b>				
<i>Tasmania lanceolata</i>	Mountain Pepper		<1	1985



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Caryophyllales</b>				
<b>Aizoaceae</b>				
	<b>Pigfaces</b>	<b>(4 out of 44 species in Australia)</b>		
Carpobrotus modestus	Inland Pigface		4	2006
Disphyma crassifolium	Round-leaved Pigface		<1	2003
Tetragonia eremaea	Desert Spinach		<1	1998
Zaleya galericulata	Hogweed		<1	2000
<b>Amaranthaceae</b>				
	<b>Pigweed</b>	<b>(9 out of 157 species in Australia)</b>		
Alternanthera 1 (plains)	Postion Uncertain		14	2005
Alternanthera denticulata	Lesser Joyweed		6	2006
Alternanthera nodiflora	Common Joyweed		<1	1995
Amaranthus macrocarpus	Dwarf Amaranth		5	1998
Ptilotus erubescens	Pussy Tails		21	2008
Ptilotus exaltatus	Tall Mulla Mulla		4	2005
Ptilotus macrocephalus	Featherheads		6	2006
Ptilotus seminudus	Ptilotus		<1	1995
Ptilotus spathulatus	Pussy Tails		6	2004
<b>Caryophyllaceae</b>				
	<b>Pin Cushion, Wort</b>	<b>(11 out of 42 species in Australia)</b>		
Gypsophila tubulosa	Chalkwort		2	1997
Scleranthus biflorus	Two flowered Knawel		<1	1991
Scleranthus brockiei	Brock knawel		2	2000
Scleranthus fasciculatus	Kanwel		<1	1964
Spergularia sp. 1	Spurrey		2	1996
Spergularia sp. 3	Spurrey		11	2004
Stellaria angustifolia	Starwort		8	2004
Stellaria caespitosa	Starwort		3	1997
Stellaria filiformis	Thread Starwort		2	2002
Stellaria multiflora	Rayless Starwort		3	1993
Stellaria pungens	Prickly Starwort		3	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Chenopodiaceae</b>	<b>Saltbushes and Allies</b>		<b>(67 out of 291 species in Australia)</b>	
<i>Atriplex australasica</i>	Native Orache		7	1996
<i>Atriplex eardleyae</i>	Eardley's Saltbush		4	2003
<i>Atriplex holocarpa</i>	Pop Saltbush		<1	
<i>Atriplex leptocarpa</i>	Slender-fruit Saltbush		11	2005
<i>Atriplex lindleyi</i>	Eastern Flat-top Saltbush		2	2003
<i>Atriplex nummularia</i>	Old Man Saltbush		1	2003
<i>Atriplex pseudocampanulata</i>	Saltbush		5	2005
<i>Atriplex pumilio</i>	Mat Saltbush		1	2001
<i>Atriplex semibaccata</i>	Berry Saltbush		11	2006
<i>Atriplex stipitata</i>	Mallee Saltbush		<1	1986
<i>Atriplex suberecta</i>	Lagoon Saltbush		9	2003
<i>Atriplex turbinata</i>	Saltbush		2	2005
<i>Atriplex vesicaria</i>	Bladder Saltbush		<1	2003
<i>Chenopodium curvispicatum</i>	Cottony Saltbush		1	2002
<i>Chenopodium desertorum</i>	Frosted Goosefoot		5	2005
<i>Chenopodium glaucum</i>	Glaucous Goosefoot		4	1997
<i>Chenopodium nitrariaceum</i>	Nitre Goosefoot		6	2003
<i>Dysphania cristata</i>	Crested Goosefoot		<1	
<i>Dysphania glomulifera</i>	Pigweed		3	2002
<i>Dysphania pumilio</i>	Clammy Goosefoot		7	2006
<i>Einadia hastata</i>	Saloop		5	2006
<i>Einadia nutans</i>	Climbing Saltbush		4	2006
<i>Einadia trigonos</i>	Fishweed		<1	1992
<i>Enchylaena tomentosa</i>	Saltbush		2	2005
<i>Eriochiton sclerolaenoides</i>	Woolly Bindii		<1	2003
<i>Halosarcia pruinosa</i>	Bluish Glasswort		1	1995
<i>Maireana aphylla</i>	Cotton Bush		2	2005
<i>Maireana appressa</i>	Appressed Bluebush		<1	2003
<i>Maireana brevifolia</i>	Small-leaf Bluebush		4	2005
<i>Maireana cheelii</i>	Chariot Wheels	Vulnerable	30	2005
<i>Maireana ciliata</i>	Fissure Weed		<1	
<i>Maireana decalvans</i>	Common Bluebush		21	2008
<i>Maireana enchylaenoides</i>	Wingless Fissure Weed		12	2006
<i>Maireana excavata</i>	Bottle Bluebush		27	2006
<i>Maireana humillima</i>	Dwarf Bluebush		31	2006
<i>Maireana microphylla</i>	Eastern Cottonbush		<1	2005
<i>Maireana pentagona</i>	Hairy Bluebush		25	2006
<i>Maireana pentatropis</i>	Erect Mallee Bluebush		<1	2003
<i>Maireana pyramidata</i>	Shrubby Bluebush		<1	2003
<i>Maireana rohrlachii</i>	Rohrlach's Bluebush		18	2003
<i>Maireana sedifolia</i>	Pearl Bluebush		<1	2003
<i>Maireana trichoptera</i>	Hairy-fruit bluebush		<1	
<i>Maireana triptera</i>	Three-wing Bluebush		<1	1997
<i>Maireana turbinata</i>	Satiny Bluebush		<1	1989
<i>Malacocera tricornis</i>	Soft Horns		<1	2001

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Osteocarpum acropterum</i>	Babbagia		1	2003
<i>Osteocarpum salsuginosum</i>	Bonefruit		5	2003
<i>Rhagodia spinescens</i>	Hedge Saltbush		2	2003
<i>Rhagodia ulicina</i>	Spiny goosefoot		<1	2003
<i>Sarcocornia quinqueflora</i>	Beaded Glasswort		1	1996
<i>Scleroblitum atriplicinum</i>	Purple Goosefoot		6	2000
<i>Sclerochlamys brachyptera</i>	Hairy Bassia		5	2003
<i>Sclerolaena birchii</i>	Galvanised Burr		<1	1994
<i>Sclerolaena diacantha</i>	Grey Copper-burr		3	2006
<i>Sclerolaena muricata</i>	Black Roly-poly		8	2005
<i>Sclerolaena napiformis</i>	Turnip Copperburr	Endangered	44	2005
<i>Sclerolaena obliquicuspis</i>	Limestone Bindii		<1	
<i>Sclerolaena patenticuspis</i>	Spear-fruit Saltbush		<1	1995
<i>Sclerolaena stelligera</i>	Star Copperburr		6	2003
<i>Sclerolaena tricuspis</i>	Giant Redburr		<1	2002
<i>Sclerolaena uniflora</i>	Grey bindyi		<1	1986
<i>Sclerostegia tenuis</i>	Slender glasswort		<1	1995
<i>Suaeda australis</i>	Austral Seablite		<1	1971
<i>Tecticornia halocnemoides</i>	Samphire		<1	2003
<i>Tecticornia indica</i>	Brownhead Glasswort		<1	2003
<i>Tecticornia nitida</i>	Shining Glasswort		5	1998
<i>Tecticornia pergranulata</i>	Blackseed Glasswort		4	2003
<b>Droseraceae</b>		<b>Sundews</b>	<b>(6 out of 117 species in Australia)</b>	
<i>Drosera auriculata</i>	Sundew		6	2004
<i>Drosera glanduligera</i>	Pimpernel Sundew		7	2003
<i>Drosera macrantha</i>	Bridal Rainbow, Climbing Sundew		6	2003
<i>Drosera peltata</i>	Pale Sundew		6	2005
<i>Drosera pygmaea</i>	Tiny Sundew		<1	1991
<i>Drosera whittakeri</i>	Sundew		2	2002
<b>Molluginaceae</b>		<b>Carpet Weed, Herb</b>	<b>(2 out of 6 species in Australia)</b>	
<i>Glinus lotoides</i>	Carpet Weed		<1	1981
<i>Glinus oppositifolius</i>	Slender Carpet-weed		<1	
<b>Nyctaginaceae</b>		<b>Tarvine, Pisonia and Birdlime Trees</b>	<b>(1 out of 22 species in Australia)</b>	
<i>Boerhavia dominii</i>	Tarvine		1	2005



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Portulacaceae</b>				
<b>Purslane</b> (6 out of 73 species in Australia)				
Calandrinia eremaea	Twining Purslane		<1	2003
Calandrinia granulifera	Pygmy Purslane		1	2003
Calandrinia sp. ml06	Purslane		1	
Montia fontana	Water blinks		9	2003
Montia perfoliata	Miner's lettuce		50	1983
Neopaxia australasica	White Purslane		4	2004
<b>Dilleniales</b>				
<b>Dilleniaceae</b>				
<b>Guinea Flowers</b> (11 out of 253 species in Australia)				
Hibbertia acicularis			<1	1966
Hibbertia australis			1	1992
Hibbertia crinita			9	2006
Hibbertia empetrifolia			<1	1961
Hibbertia exutiacies	Spiky Guinea-flower		35	2006
Hibbertia fasciculata			<1	1997
Hibbertia humifusa			4	1995
Hibbertia linearis			<1	2003
Hibbertia riparia	Erect Guinea-flower		2	2006
Hibbertia sericea			3	2001
Hibbertia stricta			4	1993





	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Ericales</b>				
<b>Epacridaceae</b>				
<b>Southern Heaths</b>		<b>(20 out of 458 species in Australia)</b>		
Acrotriche prostrata	Trailing Ground-berry		3	2006
Acrotriche serrulata	Honeypots		6	2006
Astroloma conostephioides	Flame Heath		5	2006
Astroloma humifusum	Cranberry Heath		5	2006
Astroloma pinifolium	Pine Heath		3	2000
Astrotricha asperifolia	Heath		6	1997
Astrotricha linearis	Heath		16	2005
Brachyloma ciliatum	Heath		<1	1982
Brachyloma daphnoides	Daphne Heath		6	2006
Epacris impressa	Common Heath		1	2006
Leucopogon cordifolius	Beard-heath		<1	
Leucopogon ericoides	Pink Beard-heath		<1	2000
Leucopogon fletcheri	Fletchers Beard-heath		4	2006
Leucopogon glacialis	Twisted Beard-heath		<1	1970
Leucopogon pilibundus	Beard-heath		2	1984
Leucopogon rufus	Beard-heath		10	2005
Leucopogon virgatus	Beard-heath		5	2006
Lissanthe strigosa	Beard-heath		4	2005
Melichrus urceolatus	Heath		3	2003
Monotoca scoparia	Prickly Broom-heath		<1	2006
<b>Ericaceae</b>				
<b>Heathers and Rhododendrons</b>		<b>(1 out of 17 species in Australia)</b>		
Acrothamnus hookeri	Mountain Beard-Heath		<1	1982



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Fabales</b>			
<b>Fabaceae</b>			
<b>Peas (153 out of 2583 species in Australia)</b>			
Acacia acinacea		22	2006
Acacia aculeatissima		12	2006
Acacia ancistrophylla		1	1995
Acacia aspera		26	2006
Acacia ausfeldii		43	2006
Acacia baileyana		10	2006
Acacia brachybotrya		7	2002
Acacia calamifolia		2	1998
Acacia dealbata		3	2006
Acacia deanei		2	2002
Acacia decurrens		3	2006
Acacia difformis		21	1997
Acacia dodonaeifolia		1	1990
Acacia euthycarpa		6	2004
Acacia fimbriata		<1	1999
Acacia flexifolia		7	2004
Acacia floribunda		<1	2006
Acacia genistifolia		14	2006
Acacia glandulicarpa	Vulnerable	2	
Acacia gunnii		8	2006
Acacia hakeoides		3	2006
Acacia halliana		3	1997
Acacia howittii		7	2004
Acacia implexa		4	2007
Acacia iteaphylla		1	1998
Acacia lanigera		7	2006
Acacia leprosa		1	1980
Acacia leucolobia		1	1985
Acacia ligulata		<1	1996
Acacia lineata		2	2003
Acacia loderi		<1	1996
Acacia longifolia		<1	2006
Acacia mearnsii		3	2006
Acacia melanoxylon		2	2006
Acacia melvillei		5	2003
Acacia microcarpa		4	2001
Acacia mitchellii		7	2006
Acacia mollifolia		3	2002
Acacia montana		16	2002
Acacia mucronata		1	2006
Acacia nanodealbata		8	1996
Acacia obliquinervia		<1	2001
Acacia omalophylla		1	1994
Acacia oswaldii		2	2005

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Acacia oxycedrus	Spike Wattle		2	2006
Acacia paradoxa	Kangaroo Thorn		9	2006
Acacia parvipinnula	Silver-stemmed Wattle		<1	1995
Acacia pendula	Weeping Myall		2	2002
Acacia podalyriifolia	Queensland Silver Wattle		<1	2002
Acacia pravissima	Ovens Wattle		4	2004
Acacia prominens	Gosford Wattle		1	2004
Acacia pycnantha	Golden Wattle		12	2006
Acacia retinodes	Wirilda		13	2006
Acacia rigens	Needle Wattle		2	1997
Acacia rubida	Red-leaf Wattle		<1	1952
Acacia salicina	Cooba		2	2003
Acacia sclerophylla	Hard-leaf Wattle		<1	2003
Acacia sophorae	Coast Wattle		<1	1998
Acacia spinescens	Spiny Wattle		<1	1965
Acacia sporadica	Wattle		14	2002
Acacia stenophylla	River Cooba		1	2003
Acacia stricta	Hop Wattle		<1	1998
Acacia trineura	Three-nerved Wattle		1	1996
Acacia verniciflua	Varnish Wattle		3	2005
Acacia verticillata	Prickly Moses		<1	1998
Acacia victoriae	Prickly Wattle		<1	2000
Acacia wilhelmiana	Wilhelmi's Wattle		<1	
Acacia williamsonii	Whirrakee Wattle		69	2007
Bossiaea buxifolia	Box-leaved Bitter-pea		3	2006
Bossiaea cinerea	Bitter-pea		<1	
Bossiaea cordigera	Bitter-pea		3	1997
Bossiaea obcordata	Bitter-pea		<1	1959
Bossiaea prostrata	Prostrate Bitter-pea		2	2006
Bossiaea riparia	Bitter-pea		2	2001
Cullen cinereum	Scurf-pea		<1	2000
Cullen microcephalum	Scurf-pea		1	1956
Cullen parvum	Small Scurf-pea	Endangered	14	2005
Cullen tenax	Scurf-pea		3	2002
Daviesia arenaria	Bitter-pea		<1	1964
Daviesia benthamii	Bitter-pea		4	2004
Daviesia brevifolia	Bitter-pea		<1	1992
Daviesia genistifolia	Bitter-pea		2	2003
Daviesia latifolia	Bitter-pea		<1	2002
Daviesia leptophylla	Bitter-pea		11	2006
Daviesia mimosoides	Bitter-pea		9	1982
Daviesia ulicifolia	Bitter-pea		4	2006
Desmodium gunnii	Gunns Tick-trefoil		<1	1992
Desmodium varians	Tick-trefoil		<1	1997
Dillwynia cinerascens	Parrot-pea		10	1998
Dillwynia floribunda	Parrot-pea		1	
Dillwynia glaberrima	Parrot-pea		2	2006

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Dillwynia hispida	Parrot-pea		5	2006
Dillwynia ramosissima	Parrot-pea		18	2002
Dillwynia retorta	Parrot-pea		<1	1997
Eutaxia microphylla	Small-leaved Bacon and Eggs		7	2004
Glycine canescens	Common Glycine		<1	1985
Glycine clandestina	Widespread Glycine		<1	2005
Glycine latrobeana	Clover Glycine	Vulnerable	4	2005
Glycine microphylla	Small-leaved Glycine		<1	
Glycine tabacina	Glycine		<1	1999
Glycyrrhiza acanthocarpa	Native Licorice		9	2002
Gompholobium huegelii	Pale Wedge-pea		4	2006
Goodia lotifolia	Native Clover		<1	1997
Goodia medicaginea	Native Clover		1	1981
Hardenbergia violacea	Happy Wanderer		2	2006
Hovea asperifolia	Hovea		3	2006
Hovea heterophylla	Hovea		6	2006
Indigofera australis	Native Indigo		2	2006
Kennedia prostrata	Running Postman		3	2006
Lotus australis	Australian Trefoil		<1	
Lotus cruentus	Red-flowered Lotus		<1	1986
Mirbelia oxylobioides	Mirbelia		1	1982
Platylobium formosum	Native Pea		1	2006
Platylobium obtusangulum	Native Pea		2	1997
Podolobium procumbens	Shaggy-pea		15	2001
Pultenaea acerosa	Bacon and Eggs		<1	1966
Pultenaea daphnoides	Bacon and Eggs		1	2002
Pultenaea dentata	Bacon and Eggs		<1	1989
Pultenaea glabra	Smooth Bacon and Eggs	Vulnerable	4	1976
Pultenaea graveolens	Bacon and Eggs		18	2004
Pultenaea gunnii	Bacon and Eggs		2	2000
Pultenaea hispidula	Bacon and Eggs		<1	1989
Pultenaea humilis	Bacon and Eggs		9	2006
Pultenaea juniperina	Juniper-leaved Bacon and Eggs		<1	2001
Pultenaea largiflorens	Large Flowered Bacon and Eggs		31	2006
Pultenaea laxiflora	Bacon and Eggs		11	2004
Pultenaea mollis	Bacon and Eggs		2	2000
Pultenaea muelleri	Muellers Bacon and Eggs		4	
Pultenaea pedunculata	Matted Bush Pea		15	2004
Pultenaea platyphylla	Flat Leaf Bush Pea		5	2003
Pultenaea prostrata	Prostrate Bacon and Eggs		11	2004
Pultenaea reflexifolia	Bacon and Eggs		29	1999
Pultenaea scabra	Rough Bacon and Eggs		1	1994
Pultenaea stricta	Bacon and Eggs		<1	
Pultenaea tenuifolia	Bacon and Eggs		<1	1998
Pultenaea weindorferi	Bacon and Eggs		12	2001
Senna artemisioides	Senna		<1	2004
Senna coriacea	Senna		3	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Swainsona behriana</i>	Darling Pea		22	1999
<i>Swainsona microphylla</i>	Darling Pea		<1	
<i>Swainsona murrayana</i>	Slender Darling Pea	Vulnerable	14	2004
<i>Swainsona oroboides</i>	Darling Pea		5	1998
<i>Swainsona phacoides</i>	Darling Pea		<1	
<i>Swainsona plagiotropis</i>	Red Darling Pea	Vulnerable	55	2004
<i>Swainsona procumbens</i>	Darling Pea		17	2005
<i>Swainsona sericea</i>	Darling Pea		17	2001
<i>Swainsona swainsonioides</i>	Darling Pea		12	1999
<i>Templetonia egena</i>	Mallee-pea		<1	
<i>Templetonia stenophylla</i>	Leafy Mallee-pea		14	2004
<i>Templetonia sulcata</i>	Flat Mallee-pea		1	2003
<i>Trifolium glomeratum</i>	Introduced Clover		12	2006
<i>Trigonella suavissima</i>	Coopers Clover		1	1993
<i>Viminaria juncea</i>	Golden Spray		2	1998

## Fagales

### Casuarinaceae

### She-oaks

(7 out of 69 species in Australia)

<i>Allocasuarina littoralis</i>	Black Sheoak		<1	1998
<i>Allocasuarina luehmannii</i>	Buloke		11	2006
<i>Allocasuarina muelleriana</i>	Muellers She-oak		4	2004
<i>Allocasuarina verticillata</i>	Drooping Sheoak		4	2004
<i>Casuarina cristata</i>	Belah		<1	
<i>Casuarina obesa</i>	Grey Bull-oak		<1	1993
<i>Casuarina pauper</i>	Black Oak		<1	2002



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Lamiales</b>			
<b>Lentibulariaceae</b>			
<b>Bladderworts</b> (4 out of 58 species in Australia)			
Utricularia australis		1	1969
Utricularia beaugleholei		5	1988
Utricularia dichotoma		<1	1997
Utricularia uniflora		2	1981
<b>Orobanchaceae</b>			
<b>Broomrape</b> (1 out of 1 species in Australia)			
Orobanche cernua		2	1993
<b>Phrymaceae</b>			
<b>Mudmat</b> (7 out of 21 species in Australia)			
Glossostigma cleistanthum		20	2003
Glossostigma diandrum	Spoon-leaf Mud-mat	2	2003
Glossostigma drummondii	Mudmat	2	2003
Glossostigma elatinoides	Small Mud-mat	15	2003
Mimulus gracilis		4	2008
Mimulus prostratus		8	1997
Mimulus repens	Creeping Monkey Flower	3	1997
<b>Scrophulariaceae</b>			
<b>Figworts</b> (17 out of 99 species in Australia)			
Euphrasia collina		2	1997
Euphrasia scabra		3	
Gratiola pedunculata	Stalked Brooklime	<1	
Gratiola peruviana		1	2003
Gratiola pubescens	Austral Brooklime	2	2006
Gratiola pumilo		3	1985
Limosella australis		8	2000
Limosella curdieana	Large Mudwort	13	2003
Stemodia florulenta		2	2008
Stemodia glabella		<1	1985
Veronica calycina	Hairy Speedwell	2	2003
Veronica gracilis		4	2004
Veronica notabilis		1	1997
Veronica perfoliata		7	2001
Veronica plebeia		7	2006
Veronica serpyllifolia		2	2001
Veronica subtilis		2	1996



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Laurales</b>				
<b>Lauraceae</b>				
	<b>Laurels, Camphorwood and Australian Walnuts</b>	<b>(3 out of 140 species in Australia)</b>		
Cassytha glabella	Tangled Dodder Laurel		3	2006
Cassytha melantha	Dodder Laurel		3	2006
Cassytha pubescens	Dodder Laurel		<1	1997
<b>Monimiaceae</b>				
	<b>Sassafras, Beech</b>	<b>(1 out of 27 species in Australia)</b>		
Hedycarya angustifolia	Australian Mulberry		<1	1985
<b>Liliales</b>				
<b>Colchicaceae</b>				
	<b>Nancies and Allies</b>	<b>(3 out of 48 species in Australia)</b>		
Burchardia umbellata	Milk-maids		6	2006
Wurmbea dioica	Early Nancy		6	2004
Wurmbea latifolia	Nancy		14	2004
<b>Luzuriagaceae</b>				
	<b>Orange and Turquoise Berries</b>	<b>(1 out of 2 species in Australia)</b>		
Drymophila cyanocarpa	Turquoise Berry		<1	1997
<b>Malpighiales</b>				
<b>Euphorbiaceae</b>				
	<b>Spurges</b>	<b>(8 out of 315 species in Australia)</b>		
Beyeria lechenaultii	Pale turpentine bush		<1	1995
Beyeria opaca			<1	
Euphorbia drummondii			4	2006
Euphorbia maculata			1	1998
Euphorbia planiticola			4	2004
Euphorbia sp			3	
Euphorbia tannensis			<1	
Euphorbia terracina			<1	1986
<b>Phyllanthaceae</b>				
		<b>(1 out of 113 species in Australia)</b>		
Poranthera microphylla			<1	1979
<b>Picrodendraceae</b>				
		<b>(2 out of 29 species in Australia)</b>		
Pseudanthus orbicularis			6	
Pseudanthus ovalifolius			7	2000



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Malvales</b>				
<b>Sterculiaceae</b>				
	<b>Kurrajongs and Bottletrees</b>	<b>(2 out of 273 species in Australia)</b>		
Brachychiton populneus	Kurrajong		<1	2001
Lasiopetalum baueri	Slender Velvet-Bush		2	1993
<b>Thymelaeaceae</b>				
	<b>Pimeleas</b>	<b>(12 out of 110 species in Australia)</b>		
Pimelea axiflora	Rice Flower		<1	2003
Pimelea curviflora	Rice Flower		7	2003
Pimelea flava	Rice Flower		2	1993
Pimelea glauca	Rice Flower		7	2006
Pimelea ligustrina	Rice Flower		<1	1985
Pimelea linifolia	Rice Flower		3	2006
Pimelea micrantha	Rice Flower		9	2005
Pimelea microcephala	Rice Flower		<1	2003
Pimelea octophylla	Rice Flower		<1	1992
Pimelea phyllicoides	Rice Flower		1	1966
Pimelea spinescens	Rice Flower		25	2005
Pimelea stricta	Rice Flower		<1	





	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Myrtales</b>				
<b>Lythraceae</b>				
	<b>Loosestrifes</b>	<b>(4 out of 27 species in Australia)</b>		
Ammannia multiflora	Loosestrife		<1	1993
Lythrum hyssopifolia	Loosestrife		11	2006
Lythrum junceum	Loosestrife		2	1993
Lythrum salicaria	Loosestrife		1	2000



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Myrtaceae</b>	<b>Native Myrtles</b>	<b>(80 out of 2211 species in Australia)</b>		
<i>Angophora costata</i>	Smooth-barked Apple		<1	2002
<i>Angophora floribunda</i>	Rough-barked Apple		<1	1974
<i>Babingtonia behrii</i>	Baeckea		2	1996
<i>Baeckea crassifolia</i>	Baeckea		<1	2004
<i>Callistemon rugulosus</i>	Scarlet Bottlebrush		<1	1971
<i>Calytrix tetragona</i>	Star flower		3	2006
<i>Corymbia citriodora</i>	Lemon-scented gum		<1	1998
<i>Eucalyptus aggregata</i>	Black Gum		5	2001
<i>Eucalyptus albens</i>	White Box		2	2005
<i>Eucalyptus aromaphloia</i>	Apple Box		11	2002
<i>Eucalyptus baueriana</i>	Round leaved Box		<1	1997
<i>Eucalyptus baxteri</i>	Brown Stringybark		3	2001
<i>Eucalyptus behriana</i>	Broad leaved Mallee Box		23	2004
<i>Eucalyptus bicostata</i>	Southern Blue Gum		2	2006
<i>Eucalyptus blakelyi</i>	Blakelys Red Gum		<1	2003
<i>Eucalyptus blaxlandii</i>	Blaxlands Stringybark		1	1974
<i>Eucalyptus botryoides</i>	Bangalay		<1	1998
<i>Eucalyptus bridgesiana</i>	Apple Gum		<1	
<i>Eucalyptus brookeriana</i>	Brookers Gum		4	1998
<i>Eucalyptus calycogona</i>	Square-fruited mallee		3	2003
<i>Eucalyptus camaldulensis</i>	River Red Gum		5	2008
<i>Eucalyptus camphora</i>	Broad leaved Sally		<1	1981
<i>Eucalyptus cephalocarpa</i>	Mealy stringybark		2	1997
<i>Eucalyptus cladocalyx</i>	Sugar Gum		6	2005
<i>Eucalyptus costata</i>	Ridge-fruited Mallee		2	1995
<i>Eucalyptus cypellocarpa</i>	Monkey gum		1	2005
<i>Eucalyptus dalrympleana</i>	Mountain Gum		<1	2006
<i>Eucalyptus delegatensis</i>	Alpine Ash		<1	1981
<i>Eucalyptus dives</i>	Broad-leaved Peppermint		3	2006
<i>Eucalyptus dumosa</i>	White mallee		3	2003
<i>Eucalyptus froggattii</i>	Kamarooka mallee		43	2005
<i>Eucalyptus globulus</i>	Southern Blue Gum		2	1999
<i>Eucalyptus goniocalyx</i>	Olive-barked box		10	2006
<i>Eucalyptus gracilis</i>	Yorrell		<1	2003
<i>Eucalyptus incrassata</i>	Ridge-fruited mallee		<1	
<i>Eucalyptus largiflorens</i>	Black box		11	2008
<i>Eucalyptus leptophylla</i>	Narrow-leaved Red Mallee		1	1995
<i>Eucalyptus leucoxydon</i>	Yellow gum		15	2006
<i>Eucalyptus macrorhyncha</i>	Red Stringybark		7	2006
<i>Eucalyptus melliodora</i>	Yellow Box		7	2008
<i>Eucalyptus microcarpa</i>	Inland Grey Box		15	2006
<i>Eucalyptus nortonii</i>	Long-leaved Box		13	2004
<i>Eucalyptus obliqua</i>	Messmate		2	2003
<i>Eucalyptus odorata</i>	Peppermint box		2	1995
<i>Eucalyptus oleosa</i>	Red Mallee		1	2003

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Eucalyptus ovata</i>	Swamp Gum		2	2006
<i>Eucalyptus pauciflora</i>	Snow Gum		1	2003
<i>Eucalyptus piperita</i>	Sydney Peppermint		<1	
<i>Eucalyptus polyanthemos</i>	Red Box		13	2006
<i>Eucalyptus polybractea</i>	Blue-Leaved Mallee		49	2005
<i>Eucalyptus porosa</i>	South Australian Mallee Box		2	2001
<i>Eucalyptus radiata</i>	Narrow-leaved Peppermint		2	2006
<i>Eucalyptus rubida</i>	Candlebark		5	2004
<i>Eucalyptus sideroxylon</i>	Red Ironbark		<1	0002
<i>Eucalyptus socialis</i>	Red Mallee		<1	2003
<i>Eucalyptus tricarpa</i>	Eucalypt		23	2006
<i>Eucalyptus viminalis</i>	Rough Barked Manna Gum		1	2006
<i>Eucalyptus viridis</i>	Green Mallee		10	2005
<i>Eucalyptus wimmerensis</i>			2	1986
<i>Eucalyptus yarraensis</i>	Yarra Gum		5	2006
<i>Euryomyrtus ramosissima</i>	Euryomyrtus		5	2003
<i>Kunzea ericoides</i>	Kanuka		<1	
<i>Leptospermum continentale</i>	Tea tree		1	2006
<i>Leptospermum coriaceum</i>	Green Tea Tree		<1	
<i>Leptospermum lanigerum</i>	Silky Tea Tree		1	2000
<i>Leptospermum myrsinoides</i>	Silky Tea Tree		5	2005
<i>Leptospermum obovatum</i>	River Tea Tree		3	1999
<i>Melaleuca acuminata</i>	Mallee Honey-myrtle		<1	1971
<i>Melaleuca armillaris</i>	Bracelet Honey-myrtle		1	2002
<i>Melaleuca brevifolia</i>	Mallee Honey-myrtle		<1	1991
<i>Melaleuca decussata</i>	Cross-leaved Honey-myrtle		14	2006
<i>Melaleuca halmaturorum</i>	Salt Paperbark		1	1991
<i>Melaleuca lanceolata</i>	Western Black Tea tree		1	1992
<i>Melaleuca paludicola</i>	River Bottlebrush		6	2002
<i>Melaleuca parvistaminea</i>	Honey-myrtle		1	1975
<i>Melaleuca squarrosa</i>	Scented Paperbark		<1	
<i>Melaleuca uncinata</i>	Broombush		2	2004
<i>Melaleuca wilsonii</i>	Violet Myrtle		16	2006
<i>Micromyrtus ciliata</i>	Myrtle		7	2003
<i>Thryptomene calycina</i>	Myrtle		3	1963
<b>Onagraceae</b>				
<b>Water Primrose and Willowherbs (5 out of 19 species in Australia)</b>				
<i>Epilobium billardierianum</i>	Willowherb		5	2006
<i>Epilobium gunnianum</i>	Willowherb		<1	1994
<i>Epilobium hirtigerum</i>	Hairy Willowherb		8	2006
<i>Epilobium pallidiflorum</i>	Willowherb		1	1997
<i>Ludwigia peploides</i>	Water Primrose		4	2004



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Nymphaeales</b>				
<b>Hydatellaceae</b>				
	<b>Hydatellid Herbs</b>	<b>(1 out of 9 species in Australia)</b>		
Trithuria submersa	Trithuria		<1	1981
<b>Oxalidales</b>				
<b>Cunoniaceae</b>				
	<b>Christmas Bushes and Mararas</b>	<b>(2 out of 37 species in Australia)</b>		
Bauera rubioides	Dog Rose		<1	1996
Bauera sessiliflora	Grampians Dog Rose		4	1989
<b>Pinales</b>				
<b>Cupressaceae</b>				
	<b>Native Cypress</b>	<b>(5 out of 23 species in Australia)</b>		
Callitris columellaris	Coastal Cypress		1	1986
Callitris endlicheri	Black Cypress		<1	1997
Callitris glaucophylla	White Cypress		1	2004
Callitris gracilis	Slender Cypress-pine		5	2003
Callitris verrucosa	Mallee Pine		<1	1977



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Poales</b>			
<b>Centrolepidaceae</b>			
<b>Centrolepid Sedges (8 out of 30 species in Australia)</b>			
Aphelia gracilis		9	2003
Aphelia pumilio		11	2003
Centrolepis aristata		6	2003
Centrolepis cephaliformis		6	1996
Centrolepis fascicularis		<1	1997
Centrolepis glabra		2	2003
Centrolepis polygyna		3	1997
Centrolepis strigosa		7	2004



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Cyperaceae</b>			
<b>Sedges</b>		<b>(67 out of 731 species in Australia)</b>	
Baumea acuta		<1	1998
Baumea arthrophylla		<1	1961
Baumea rubiginosa		<1	1998
Bolboschoenus caldwellii		<1	1999
Bolboschoenus fluviatilis		1	1997
Bolboschoenus medianus		8	2003
Carex appressa		3	2006
Carex bichenoviana		13	2003
Carex breviculmis		1	2004
Carex chlorantha		1	1978
Carex fascicularis		2	1998
Carex gaudichaudiana		3	2002
Carex incomitata		2	1997
Carex inversa	Knob Sedge	6	2006
Carex iynx		<1	1998
Carex tereticaulis		18	2004
Cyperus bifax		1	1996
Cyperus concinnus		2	1996
Cyperus difformis		1	2000
Cyperus exaltatus		5	2004
Cyperus gunnii		6	1998
Cyperus gymnocaulos		7	2003
Cyperus lhotskyanus		4	1997
Cyperus lucidus		1	2002
Cyperus sanguinolentus		<1	1997
Cyperus sphaeroideus		1	1997
Cyperus victoriensis		<1	1994
Eleocharis acuta	Sharp Spike Sedge	10	2006
Eleocharis atricha		6	1997
Eleocharis gracilis		<1	1997
Eleocharis obicis	Vulnerable	11	2004
Eleocharis pallens		6	2004
Eleocharis plana		2	2003
Eleocharis pusilla		14	2003
Eleocharis sphacelata		2	1998
Fimbristylis aestivalis		<1	1984
Fimbristylis dichotoma		<1	1981
Gahnia microstachya		<1	1994
Gahnia radula		3	2006
Gahnia sieberiana		<1	2001
Isolepis australiensis		2	1995
Isolepis cernua		2	2004
Isolepis congrua		1	1981
Isolepis fluitans		2	2004
Isolepis hookeriana		8	1999

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<i>Isolepis inundata</i>		2	2003
<i>Isolepis platycarpa</i>		<1	1981
<i>Isolepis subtilissima</i>		<1	1986
<i>Isolepis victoriensis</i>		13	1993
<i>Lepidosperma congestum</i>		<1	2003
<i>Lepidosperma curtisiae</i>		8	2002
<i>Lepidosperma elatius</i>		<1	1997
<i>Lepidosperma filiforme</i>		<1	1997
<i>Lepidosperma gunnii</i>		<1	2003
<i>Lepidosperma laterale</i>		2	2005
<i>Lepidosperma longitudinale</i>		<1	1998
<i>Lepidosperma semiteres</i>		6	2003
<i>Lepidosperma tortuosum</i>		<1	1994
<i>Lepidosperma viscidum</i>		3	2006
<i>Schoenoplectus dissachanthus</i>		<1	1974
<i>Schoenoplectus pungens</i>		<1	1997
<i>Schoenoplectus tabernaemontani</i>		3	1999
<i>Schoenus apogon</i>		5	2006
<i>Schoenus breviculmis</i>		<1	1981
<i>Schoenus latelaminatus</i>	Medusa Bog Sedge	9	2003
<i>Schoenus nanus</i>		3	1985
<i>Schoenus tesquorum</i>		<1	1990
<b>Eriocaulaceae</b>	<b>Pipeworts</b>	<b>(1 out of 39 species in Australia)</b>	
<i>Eriocaulon scariosum</i>		1	1997



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Juncaceae</b>	<b>Rushes</b>		<b>(26 out of 70 species in Australia)</b>	
Juncus amabilis			19	2006
Juncus aridicola			8	2004
Juncus articulatus	Jointed Rush		5	2006
Juncus australis			2	2003
Juncus bufonius			7	2006
Juncus filicaulis			3	2000
Juncus flavidus			16	2006
Juncus fockei			<1	2005
Juncus gregiflorus			4	2002
Juncus holoschoenus	Jointleaf Rush		9	2006
Juncus homalocaulis			6	1998
Juncus ingens			14	2003
Juncus pallidus			3	2006
Juncus pauciflorus			2	2006
Juncus planifolius			3	1998
Juncus procerus			3	2006
Juncus radula			17	2004
Juncus remotiflorus			24	2006
Juncus sarophorus			4	2006
Juncus semisolidus			25	2006
Juncus subsecundus			9	2006
Juncus usitatus			2	2004
Juncus vaginatus			3	1997
Luzula densiflora	Dense Wood-rush		7	2004
Luzula flaccida			2	2000
Luzula meridionalis			4	2003





Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Poaceae</b>			
<b>Grasses (144 out of 1057 species in Australia)</b>			
Agrostis bettyae		<1	
Amphibromus archeri		2	1989
Amphibromus fluitans	Vulnerable	8	1997
Amphibromus macrorhinus		4	2004
Amphibromus neesii		12	1997
Amphibromus nervosus		12	2006
Amphibromus pithogastrus		4	1991
Amphibromus recurvatus		<1	1983
Amphipogon caricinus		<1	1995
Amphipogon strictus		<1	2000
Anthoxanthum odoratum		3	2006
Aristida behriana		16	2006
Aristida contorta		<1	1955
Aristida jerichoensis		<1	2006
Aristida obscura		3	2005
Aristida ramosa		<1	1999
Austrodanthonia auriculata		12	2004
Austrodanthonia bipartita		10	2004
Austrodanthonia caespitosa		5	2006
Austrodanthonia carphoides		12	2006
Austrodanthonia duttoniana		17	2006
Austrodanthonia eriantha		13	2006
Austrodanthonia fulva		9	2006
Austrodanthonia geniculata		6	2006
Austrodanthonia induta		3	1993
Austrodanthonia laevis		2	2004
Austrodanthonia monticola		1	2003
Austrodanthonia penicillata		1	1997
Austrodanthonia pilosa		4	2006
Austrodanthonia racemosa		3	2006
Austrodanthonia setacea		8	2006
Austrodanthonia tenuior		7	2006
Austrostipa acrocliata		4	2003
Austrostipa aristiglumis		15	2006
Austrostipa bigeniculata		11	2003
Austrostipa blackii		13	2002
Austrostipa breviglumis		30	2002
Austrostipa curticoma		6	1993
Austrostipa densiflora		6	2006
Austrostipa drummondii		2	1996
Austrostipa elegantissima		5	2004
Austrostipa eremophila		4	2003
Austrostipa exilis		<1	1981
Austrostipa gibbosa		30	2003
Austrostipa hemipogon		<1	1990

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Austrostipa mollis		7	2006
Austrostipa nitida		1	2003
Austrostipa nodosa		7	2006
Austrostipa oligostachya		8	2006
Austrostipa platychaeta		3	2003
Austrostipa puberula		3	2003
Austrostipa pubinodis		<1	1994
Austrostipa rudis		3	2006
Austrostipa scabra		6	2006
Austrostipa semibarbata		3	2003
Austrostipa setacea		2	2006
Austrostipa stuposa		5	1998
Austrostipa tenuifolia		4	1998
Austrostipa trichophylla		<1	2003
Austrostipa wakoolica	Endangered	2	1981
Avena sterilis		20	2004
Bothriochloa macra		2	2006
Bromus arenarius		1	1981
Chloris truncata		8	2006
Cynodon dactylon		4	2006
Dactyloctenium radulans		<1	1971
Deschampsia cespitosa		1	1997
Deyeuxia densa		<1	1974
Deyeuxia monticola		<1	1997
Deyeuxia quadriseta		2	2004
Deyeuxia rodwayi		2	1997
Deyeuxia scaberula		<1	1996
Dichanthium sericeum	Silky Bluestem	<1	1999
Dichelachne crinita		3	2002
Dichelachne hirtella		18	2004
Dichelachne micrantha		<1	1996
Dichelachne rara		4	2003
Dichelachne sieberiana		4	2002
Digitaria ammophila		<1	2006
Digitaria brownii		<1	1996
Digitaria divaricatissima		<1	2001
Distichlis distichophylla		3	1997
Echinopogon ovatus		<1	1997
Ehrharta erecta		2	2006
Elymus multiflorus		3	1964
Elymus rectisetus		5	1964
Elymus scaber		9	2006
Elytrophorus spicatus		<1	1980
Enneapogon avenaceus		<1	2003
Enneapogon nigricans		4	2002
Enteropogon acicularis		7	2005
Eragrostis australasica	Canegrass	4	2008

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Eragrostis brownii	Brown's Lovegrass		1	2006
Eragrostis dielsii			1	1997
Eragrostis elongata			2	2006
Eragrostis falcata			<1	1986
Eragrostis infecunda			23	2004
Eragrostis lacunaria			<1	1991
Eragrostis parviflora			1	2002
Eragrostis setifolia			<1	1995
Eriochloa pseudoacrotricha			1	1998
Eulalia aurea			<1	1995
Glyceria australis	Manna Grass		3	1998
Hemarthria uncinata			2	1999
Joycea pallida			8	2006
Lachnagrostis aemula	Tumbling Blowgrass		<1	1981
Lachnagrostis filiformis			7	2006
Lachnagrostis punicea			1	1997
Leptochloa digitata			<1	2008
Leptochloa fusca			<1	2000
Microlaena stipoides			2	2006
Nassella leucotricha			6	1998
Neurachne alopecuroides	Foxtail Mulga Grass		<1	2003
Notodanthonia semiannularis			2	1997
Panicum decompositum			1	2004
Panicum laevinode			<1	2005
Paspalidium constrictum			3	2005
Paspalidium jubiflorum			6	2003
Paspalum distichum			7	2006
Pentapogon quadrifidus			5	2004
Phragmites australis			5	2004
Poa clelandii			<1	1996
Poa drummondiana			1	
Poa ensiformis			<1	1997
Poa fax			2	1981
Poa fordeana			17	2001
Poa labillardierei			3	2006
Poa morrisii			11	2006
Poa rodwayi			3	2004
Poa sieberiana			5	2006
Poa tenera			<1	1999
Pseudoraphis spinescens			1	2003
Puccinellia stricta			3	1996
Sporobolus caroli			2	2005
Sporobolus creber			<1	1998
Sporobolus mitchellii			5	2003
Sporobolus virginicus	Sand Couch		<1	1997
Tetrarrhena distichophylla			<1	1982
Tetrarrhena juncea			1	2001

Species are shown only if they belong to the families covered in ANHAT as shown in Appendix 1 and ANHAT holds records of the species from this region.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Themeda avenacea			1	2004
Themeda triandra			2	2006
Triodia scariosa	Porcupine Grass		<1	1995
Tripogon loliiformis			<1	1999
Walwhalleya proluta			20	2006
<b>Restionaceae</b>		<b>Restiona Sedges</b>	<b>(2 out of 146 species in Australia)</b>	
Empodisma minus			<1	1999
Lepyrodia muelleri			<1	1987
<b>Typhaceae</b>		<b>Cumbungi and Allies</b>	<b>(2 out of 2 species in Australia)</b>	
Typha domingensis	Bulrush, Cumbungi		7	2006
Typha orientalis			6	2005



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Proteales</b>				
<b>Proteaceae</b>				
	<b>Banksias, Grevilleas and Allies</b>		<b>(33 out of 1147 species in Australia)</b>	
Banksia marginata	Silver Banksia		<1	2001
Banksia ornata	Banksia		<1	1969
Banksia saxicola	Banksia		5	1986
Grevillea alpina	Grevillea		29	2006
Grevillea angustiloba	Grevillea		3	2000
Grevillea aquifolium	Grevillea		1	1975
Grevillea dryophylla	Grevillea		92	2006
Grevillea floripendula	Ben Major Grevillea	Vulnerable	14	1978
Grevillea huegelii	Grevillea		<1	2003
Grevillea ilicifolia	Holly Grevillea		<1	2000
Grevillea juniperina	Grevillea		1	1999
Grevillea lanigera	Grevillea		<1	1990
Grevillea lavandulacea	Grevillea		<1	1963
Grevillea linearifolia	Linear-leaf Grevillea		4	1997
Grevillea micrantha	Grevillea		57	1992
Grevillea obtecta	Fryerstown Grevillea		90	2007
Grevillea oxyantha	Grevillea		3	2002
Grevillea patulifolia	Grevillea		3	1975
Grevillea pterosperma	Desert Grevillea		<1	
Grevillea repens	Creeping Grevillea		33	2000
Grevillea rosmarinifolia	Grevillea		13	2006
Grevillea steiglitziana	Brisbane Ranges Grevillea		11	1970
Hakea decurrens	Hakea		11	2006
Hakea leucoptera	Needlewood		1	1998
Hakea microcarpa	Small Fruit Hakea		<1	
Hakea nodosa	Yellow Hakea		<1	
Hakea salicifolia	Hakea		<1	
Hakea sericea	Hakea		8	2004
Hakea tephrosperma	Hakea		11	2005
Persoonia chamaepeuce	Persoonia		2	1999
Persoonia juniperina	Prickly Geebung		<1	
Persoonia pinifolia	Persoonia		2	
Persoonia rigida	Personnia		11	2006



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Sapindales</b>				
<b>Nitrariaceae (1 out of 1 species in Australia)</b>				
Nitraria billardierei	Nitraria		3	2005
<b>Rutaceae Boronia, Correa, Citrus, (15 out of 496 species in Australia) Phebalium, Philotheca, Zieria and Allies</b>				
Acronychia oblongifolia	Common Acronychia		<1	1962
Boronia anemonifolia	Boronia		6	2000
Boronia coerulescens	Boronia		<1	1979
Boronia nana	Small Boronia		2	1997
Correa alba	White Correa		<1	
Correa glabra	Rock Correa		8	2006
Correa reflexa	Common Correa		3	2006
Crocea exalata	Crocea		7	2004
Nematolepis squamea	Nematolepis		<1	1964
Phebalium festivum	Phebalium		80	2001
Phebalium obcordatum	Club Leaved Phebalium		14	1992
Philotheca angustifolia	Philotheca		10	1995
Philotheca pungens	Philotheca		<1	1981
Philotheca verrucosa	Philotheca		38	2006
Zieria aspalathoides	Heath Zieria		2	2002
<b>Sapindaceae Tamarind, Whitewood, (5 out of 222 species in Australia) Tuckeroo, Hop Bushes</b>				
Alectryon oleifolius	Alectryon		1	2003
Dodonaea boroniifolia	Hop Bush		1	1981
Dodonaea bursariifolia	Small Hop Bush		<1	
Dodonaea procumbens	Trailing Hop Bush	Vulnerable	7	2003
Dodonaea viscosa	Sticky Hop Bush		1	2004
<b>Saxifragales</b>				
<b>Haloragaceae Raspworts and Milfoils (2 out of 112 species in Australia)</b>				
Myriophyllum papillosum			5	1970
Myriophyllum verrucosum			<1	2001



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
<b>Solanales</b>				
<b>Convolvulaceae</b>				
	<b>Bindweed, Morning Glory</b>		<b>(8 out of 132 species in Australia)</b>	
<i>Convolvulus angustissimus</i>	Bindweed		6	2005
<i>Convolvulus remotus</i>	Bindweed		5	2004
<i>Convolvulus wimmerensis</i>	Bindweed		41	2005
<i>Cressa australis</i>	Bindweed		10	2004
<i>Cuscuta tasmanica</i>	Tasmanian Dodder		2	1986
<i>Dichondra repens</i>	Kidney Weed		2	2003
<i>Wilsonia humilis</i>	Silky Wilsonia		1	1999
<i>Wilsonia rotundifolia</i>	Round-leaf Wilsonia		5	2003
<b>Solanaceae</b>				
	<b>Native Gooseberries, Wild Tomatos and Boxthorns</b>		<b>(10 out of 210 species in Australia)</b>	
<i>Lycium australe</i>	Australian Boxthorn		<1	1996
<i>Nicotiana goodspeedii</i>	Tobacco		<1	1974
<i>Nicotiana velutina</i>	Tobacco		<1	1986
<i>Solanum americanum</i>	Glossy Nightshade		<1	2005
<i>Solanum cinereum</i>	Narrawa Burr		<1	1991
<i>Solanum eremophilum</i>	Nightshade		8	1959
<i>Solanum esuriale</i>	Quena		6	2004
<i>Solanum laciniatum</i>	Kangaroo Apple		5	2001
<i>Solanum opacum</i>	Green-berry Nightshade		<1	1991
<i>Solanum simile</i>	Oondoroo		5	1998
<b>Unplaced dicots</b>				
<b>Boraginaceae</b>				
	<b>Forget-me-not</b>		<b>(1 out of 127 species in Australia)</b>	
<i>Heliotropium europaeum</i>			<1	2001
<b>Zygophyllales</b>				
<b>Zygophyllaceae</b>				
	<b>Zygophyllaceae</b>		<b>(8 out of 57 species in Australia)</b>	
<i>Tribulus terrestris</i>	Tribulus		5	2003
<i>Zygophyllum ammophilum</i>	Zygophyllum		<1	2003
<i>Zygophyllum apiculatum</i>	Zygophyllum		1	2003
<i>Zygophyllum aurantiacum</i>	Zygophyllum		<1	2003
<i>Zygophyllum crenatum</i>	Zygophyllum		1	1995
<i>Zygophyllum glaucum</i>	Zygophyllum		4	2003
<i>Zygophyllum ovatum</i>	Zygophyllum		<1	1986
<i>Zygophyllum simile</i>	Zygophyllum		<1	1996



## Appendix 1

### List of all families covered by the Australian Natural Heritage Assessment Tool

These families of plants and animals are included in NRM region summaries where they occur in the region.

The groups covered across Australia include:

- all vertebrates
  - i.e. mammals, birds, reptiles, frogs and fish (4,200 species)
- 137 families of vascular plants (> 15,000 species) comprising the majority of Australia's named plant species
- A range of invertebrate groups including:
  - numerous insect families (> 16,600 species)
  - all land snails (> 2,300 species)
  - selected spider families (> 1,100 species)
  - rotifers – aquatic wheel animals (> 700 species)

### Vertebrate fauna

#### Actinopterygii

Ambassidae  
 Apogonidae  
 Ariidae  
 Atherinidae  
 Batrachoididae  
 Belontiidae  
 Blenniidae  
 Brachionichthyidae  
 Carangidae  
 Cepolidae  
 Chanidae  
 Clinidae  
 Clupeidae  
 Cynoglossidae  
 Diodontidae  
 Eleotridae  
 Elopidae  
 Engraulidae  
 Enoplosidae  
 Ephippidae  
 Galaxiidae  
 Gerreidae  
 Gobiidae  
 Gonorynchidae  
 Hemiramphidae

#### Ray-finned fish

Chanda Perches, Glassfishes, Perchlets  
 Big Eyes, Cardinal Fishes, Cardinalfishes, Gobbleguts, Soldier  
 Fork-tailed Catfishes  
 Hardyheads, Silversides, Whitebait  
 Bastard Stonefish, Frogfishes, Toadfishes  
 Long Toms, Longtoms, Needle Fishes, Needlefishes  
 Blennies, Fangblennies, Rockshippers  
 Handfishes  
 Amberjacks, Jacks, Pilotfishes, Pompanos, Queenfishes, Run  
 Bandfishes  
 Milkfish  
 Snake Blennies, Weedfishes  
 Herrings, Menhadens, Pilchards, Sardines, Shads, Sprats  
 Tongue Soles  
 Burrfishes, Porcupinefishes  
 Gudgeons, Sleepers  
 Ladyfish  
 Anchovies  
 Oldwife  
 Batfishes, Spadefishes  
 Galaxias, Salamanderfish  
 Mojarras, Silver Biddies, Silver-bellies, Silverbellies, Silverbiddi  
 Gobies  
 Beaked Salmon, Beaked Sandfish, Ratfish  
 Garfishes, Halfbeaks





## Vertebrate fauna

Kuhliidae	Flagtails
Kurtidae	Nurseryfishes
Kyphosidae	Drummers, Halfmoons, Knifefishes, Microcanthids, Nibblers, S
Labridae	Wrasses, Parrotfishes, Rockwhittings
Leiognathidae	Pony Fishes, Ponyfishes, Slipmouths
Lutjanidae	Fusilers, Hussars, Snappers, Tropical Snappers
Megalopidae	Tarpons
Melanotaeniidae	Rainbowfishes
Microdesmidae	Dartfishes, Wormfishes
Monacanthidae	Leatherjackets
Mugilidae	Mulletts
Muraenidae	Moray Eels
Ophichthidae	Snake Eels, Worm Eels
Osteoglossidae	Saratoga
Ostraciidae	Boxfishes, Coffe Fishes, Cowfishes, Trunkfishes, Turretfishes
Paralichthyidae	Sand Flounders
Percichthyidae	Australian Freshwater Basses, Australian Freshwater Blackfish
Platycephalidae	Flatheads
Pleuronectidae	Right Handed Flatfishes, Righteye Flounders
Plotosidae	Eel-Tailed Catfishes
Polynemidae	Tassel-fishes, Threadfin Salmons, Threadfins
Pomacentridae	Damsel-fishes
Pomatomidae	Bluefish, Tailor
Pristigasteridae	Ilishas, Pellonas, Pristigasterids
Pseudomugilidae	Blue Eyes, Blue-eyes
Retropinnidae	Southern Graylings, Southern Smelts
Scatophagidae	Butterfishes, Scats
Sciaenidae	Croakers, Drums, Jewfishes
Serranidae	Basslets, Perchlets, Rockcods, Wirrahs
Siganidae	Mi Mi, Rabbit Fish, Rabbitfishes, Spinefoot
Sillaginidae	Sillagos, Whittings
Soleidae	Soles
Sparidae	Breams, Porgies, Seabreams
Synbranchidae	One-gilled Eel, Swamp Eels
Syngnathidae	Pipefishes, Seahorses
Synodontidae	Lizardfishes
Terapontidae	Grunters
Tetraodontidae	Blowfishes, Pufferfishes, Puffers, Toadfishes, Tobys
Tetrarogidae	Fortesques, Sailback Scorpionfishes, Waspfish
Toxotidae	Archerfishes, Rifle Fish
Zanclidae	Moorish Idol

### Amphibia

Hylidae	Tree-Frogs
Microhylidae	Micro Tree-Frogs
Myobatrachidae	Myobatrachid or Southern Frogs
Ranidae	True Frogs

### Aves

Acanthizidae	Scrubwrens, Thornbills and Allies
Accipitridae	Eagles, Hawks and Kites

### Amphibians

Tree-Frogs
Micro Tree-Frogs
Myobatrachid or Southern Frogs
True Frogs

### Birds

Scrubwrens, Thornbills and Allies
Eagles, Hawks and Kites



## Vertebrate fauna

Aegothelidae	Owlet Nightjars
Alaudidae	Larks
Alcedinidae	Kingfishers and Kookaburras
Anatidae	Swans, Ducks and Geese
Anhingidae	Darter
Anseranatidae	Magpie Goose
Apodidae	Swifts and Swiftlets
Ardeidae	Herons, Egrets and Bitterns
Artamidae	Butcherbirds, Currawongs and Woodswallows
Atrichornithidae	Scrub-birds
Burhinidae	Thicknees (Stone-Curlews)
Cacatuidae	Cockatoos
Campephagidae	Cuckoo-shrikes, Trillers and Minivets
Caprimulgidae	Nightjars
Casuariidae	Cassowary and Emus
Centropodidae	Pheasant Coucal
Charadriidae	Plovers, Dotterels and Lapwings
Ciconiidae	Black-necked Stork
Climacteridae	Treecreepers
Columbidae	Pigeons and Doves
Coraciidae	Dollarbird
Corcoracidae	Australasian Mud-nesters
Corvidae	Crows and Jays
Cuculidae	Cuckoos
Dicaeidae	Flower-peckers
Dicruridae	Fan-tails, Drongos and Monarchs
Diomedidae	Albatrosses
Estrildidae	Grass Finches
Eupetidae	Whipbirds, Quail-thrushes and Jewel-babblers
Falconidae	Falcons and Kestrels
Fregatidae	Frigatebirds
Glareolidae	Pratincoles
Gruidae	Cranes
Haematopodidae	Oystercatchers
Hirundinidae	Swallows and Martins
Hydrobatidae	Storm-petrels
Jacaniidae	Jacanas
Laridae	Gulls, Terns, Skuas and Jaegers
Maluridae	Fairy-wrens and Grasswrens
Megapodiidae	Mound-builders
Meliphagidae	Honeyeaters and Australian Chats
Menuridae	Lyrebirds
Meropidae	Rainbow Bee-eater
Motacillidae	Pipits and Wagtails
Muscicapidae	Old World Flycatchers and Thrushes
Nectariniidae	Sunbirds and Spiderhunters
Neosittidae	Australian Sitella
Oriolidae	Old World Orioles and Figbirds
Orthonychidae	Logrunners
Otididae	Australian Bustard
Pachycephalidae	Whistlers, Shrike-thrushes and Allies



## Vertebrate fauna

Paradisaeidae	Birds-of-Paradise
Pardalotidae	Pardalotes
Pedionomidae	Plains-wanderer
Pelecanidae	Pelicans
Petroicidae	Australasian Robins
Phaethonitidae	Tropicbirds
Phalacrocoracidae	Cormorants and Shags
Phasianidae	Quail, Fowl and Allies
Pittidae	Pittas
Podargidae	Frogmouths
Podicipedidae	Grebes
Pomatostomidae	Australasian Babblers
Procellariidae	Fulmars, Petrels, Prions and Shearwaters
Psittacidae	Parrots
Ptilonorhynchidae	Bowerbirds
Rallidae	Crakes, Moorhens, Rails and Allies
Recurvirostridae	Stilts and Avocet
Rostratulidae	Painted Snipe
Scolopacidae	Waders (Snipe, Godwits, Curlew, Sandpipers and Allies)
Spheniscidae	Penguins
Strigidae	Hawk-type Owls
Sturnidae	Starlings and Mynas
Sulidae	Boobies and Gannets
Sylviidae	Old World Warblers
Threskiornithidae	Ibis and Spoonbills
Turcidae	Button-quail
Tytonidae	Barn-type Owls
Zosteropidae	White-eyes (Silvereyes)

## Chondrichthyes

Alopiidae	Thresher Sharks
Dasyatidae	Stingrays
Lamnidae	Mackerel, White Pointer, Mako and Porbeagle Sharks
Pristidae	Sawfishes

## Mammalia

Acrobatidae	Feathertailed Gliders
Burramyidae	Pygmy-possums
Dasyuridae	Dasyurids (Quolls, Antechinus, Dunnarts and Allies)
Delphinidae	Dolphins, Orcas, Pilot Whales and Melon-headed Whales
Emballonuridae	Sheath-tailed Bats
Hipposideridae	Leaf-nosed Bats
Kogiidae	Dwarf and Pygmy Sperm Whales
Macropodidae	Wallabies, Kangaroos and Tree-kangaroos
Megadermatidae	False Vampire (Ghost) Bats
Molossidae	Free-tailed Bats
Muridae	Rats and Mice
Myrmecobiidae	Numbat
Notoryctidae	Marsupial Mole
Ornithorhynchidae	Platypus
Otariidae	Eared Seals



## Vertebrate fauna

Peramelidae	Bandicoots and Spiny Bandicoot
Petauridae	Wrist-winged Gliders, Striped Possum and Leadbeaters Possum
Phalangeridae	Brush-tail Possums, Cuscuses and Scaly-tailed Possum
Phascolarctidae	
Phocidae	True Seals
Phocoenidae	Porpoises
Physeteridae	Sperm Whales
Potoroidae	Potoroos, Bettongs and the Musky Rat Kangaroo
Pseudocheiridae	Ring-tailed Possums and Greater Glider
Pteropodidae	Fruit-bats and Allies
Rhinolophidae	Horseshoe Bats
Tachyglossidae	Echidna
Tarsipedidae	Honey Possum
Thylacinidae	Thylacine
Thylacomyidae	Bilbies
Vespertilionidae	Vespertilionid Bats
Vombatidae	
Ziphiidae	Beaked Whales

## Petromyzontida

Petromyzontidae	Lampreys
-----------------	----------

## Reptilia

Acrochordidae	File snakes
Agamidae	Dragon lizards
Boidae	Pythons
Carettochelydidae	Pitted-shelled turtle
Chelidae	Side-necked Tortoises
Colubridae	Rear fang snakes
Crocodylidae	Crocodyles
Elapidae	Front fang snakes
Gekkonidae	Geckos
Pygopodidae	Legless lizards
Scincidae	Skinks
Typhlopidae	Worm-snakes and Blind-Snakes
Varanidae	Monitors

## Reptiles

## Sarcopterygii

Ceratodontidae	Lobe-finned fish
----------------	------------------

Lungfishes



## Invertebrate fauna

### Arachnida

Actinopodidae	Two-doored Trapdoor Spiders
Araneidae	Orb-weaving Spiders
Barychelidae	Brush-footed Trapdoor Spiders
Chthoniidae	
Ctenizidae	Trapdoor Spiders
Cyrtachenidiidae	Trapdoor Spiders
Dipluridae	Funnel-web-like Spiders
Garypidae	
Hexathelidae	Funnel-web Spiders
Idiopidae	Trapdoor Spiders
Lycosidae	Wolf Spiders
Migidae	Brushless-legged Trapdoor Spiders
Nemesiidae	Funnel-web Spiders
Sparassidae	Huntsmen Spiders (formerly Heteropodidae)
Theraphosidae	Bird-eating Trapdoor Spiders

### Bivalvia

Hyriidae	Freshwater Mussels
Sphaeriidae	Pea-shells

### Chilopoda

Scolopendridae

### Spiders, mites and ticks

### Bivalves

### Centipedes

### Diplopoda

Dalodesmidae  
Metopidiotrichidae  
Pachybolidae  
Paradoxosomatidae

### Millipedes

### Eurotatoria

Adinetidae  
Asplanchnidae  
Atrochidae  
Brachionidae  
Collothecidae  
Conochilidae  
Dicranophoridae  
Epiphanidae  
Euchlanidae  
Flosculariidae  
Gastropodidae  
Habrotrichidae  
Hexarthridae  
Ituridae  
Lecanidae  
Lepadellidae  
Lindiidae  
Microcodonidae  
Mytilinidae  
Notommatidae

### Wheel Animals

Rotifers with Undifferentiated Cilia  
Sac-like Wheel Animals  
Sessile Wheel Animals  
Sac-like Wheel Animal  
Sessile Wheel Animals  
Six-"armed" Wheel Animals  
Tong-grabbing Wheel Animals  
Shell-less Wheel Animals  
Wheel Animals  
Sessile-footed Wheel Animals  
Shelled Wheel Animals  
Rotifers with Paired Trochi  
Gelatinous-colonial Wheel Animals  
Shelled Wheel Animals  
Shelled Wheel Animal  
Wheel Animals  
Wheel Animals  
Wheel Animals  
Wheel Animals  
Pseudo-segmented Wheel Animals



## Invertebrate fauna

Philodinavidae	Rotifers with Simplified Trochi
Philodinidae	Rotifers with Paired Trochi
Proalidae	Worm-like Wheel Animals
Scaridiidae	Wheel Animals
Synchaetidae	Sac-, Bell- or Cone-shaped Wheel Animals
Testudinellidae	Free-swimming Round-shelled Wheel Animals
Tetrasiphonidae	Wheel Animal
Trichocercidae	Comma-like Wheel Animals
Trichotriidae	Wheel Animals
Trochosphaeridae	Globular Wheel Animals

## Gastropoda

Achatinellidae  
Amphibolidae  
Ancylidae  
Assimineidae  
Athoracophoridae  
Bithyniidae  
Bulimulidae  
Camaenidae  
Caryodidae  
Cerastuidae  
Charopidae  
Corillidae  
Cyclophoridae  
Cystopeltidae  
Diplommatinidae  
Ellobiidae  
Glacidorbidae  
Helicarionidae  
Helicinidae  
Helicodiscidae  
Hydrobiidae  
Hydrocenidae  
Hydrococcidae  
Iravadiidae  
Lymnaeidae  
Megaspiridae  
Neritidae  
Planorbidae  
Pomatiopsidae  
Punctidae  
Pupillidae  
Pupinidae  
Rathouisiidae  
Rhytididae  
Subulinidae  
Succineidae  
Thiaridae  
Trochomorphidae  
Truncatellidae

## Snails

Conical-shelled Land Snails  
Supra-littoral Globose "Land" Snails  
Freshwater Limpets  
Freshwater, Land and Saltmarsh Snails  
Triangular Mantled Slugs  
Operculate Freshwater Snails  
Elongate High-spined Land Snails  
Camaenid Land Snails  
Giant Land Snails  
Land Snails  
Flattened and Turbinate Land Snails  
Land Snail  
Horny Circular Operculate Land Snails  
Australian "Half" Slugs  
Circular Operculate Land Snails  
Primitive Supralittoral Pulmonate Snails  
Freshwater Snails  
Helicarionid Land Snails  
Top-shaped Operculate Land Snails  
Stenopylis Land Snail  
Freshwater Operculate Snails  
Calcareous Operculate Land Snails  
Paucispiral Operculate Saltmarsh Snails  
Estuarine and Marine Operculate Snails  
Eutrophic Freshwater Snails  
Coelocion Land Snail  
Calcareous Operculate Marine and Estuarine Snails  
Freshwater Snails  
Salt-lake Snails  
Translucent Frosted Land Snails  
Pupa-shaped Shelled Land Snails  
Glossy and Porcellaneous Operculate Land Snails  
Carnivorous Primitive Slugs  
Carnivorous Land Snails  
Elongate Land Snails  
Amber Land Snails  
Freshwater Horny Operculate Snails  
Native Slug  
Supralittoral Calcareous Operculate Snails



## Invertebrate fauna

Viviparidae Freshwater Subspirial Horny Operculate Snails

### Insecta

Acanthosomatidae  
Achilidae  
Aenictopecheidae  
Aeshnidae  
Aleyrodidae  
Anthocoridae  
Aphididae  
Aphylidae  
Apidae  
Apioceridae  
Aradidae  
Archipetalidae  
Artheneidae  
Asilidae  
Atriplectididae  
Austrocorduliidae  
Austropetalidae  
Baetidae  
Belostomatidae  
Berytidae  
Blissidae  
Bombyliidae  
Buprestidae  
Calocidae  
Carabidae  
Ceratocombidae  
Cercopidae  
Chlorocyphidae  
Chorismagrionidae  
Cicadidae  
Cixiidae  
Coccidae  
Coenagrionidae  
Colletidae  
Colobathristidae  
Conoesucidae  
Cordulephyidae  
Corduliidae  
Coreidae  
Corixidae  
Cryptorhamphidae  
Cydidae  
Cymidae  
Delphacidae  
Diaspididae  
Dinidoridae  
Diphlebiidae  
Dipsocoridae

### Insects

Shield Bugs  
  
Aenictopecheidae  
Hawker, Duskhawker and Emperor Damselflies  
Whiteflies  
  
Aphids  
  
Social Bees  
Flower-loving Flies  
Flat bugs, Bark bugs  
Tasmanian Redspot Dragonfly  
  
Robber Flies  
Caddisflies  
Hawk, Mosquitohawk and Swiftwing Dragonflies  
Redspot Dragonflies  
Blue-winged Olive Mayflies, Small Mayflies  
  
Stilt bugs  
Chinch Bugs  
Bee Flies  
Jewel Beetles  
Caddisflies  
Ground Beetles  
  
Jewel Damselflies  
Pretty Relict Damselfly  
  
Bluetail and Thin Damselflies  
Short-tongued Bees  
  
Caddisflies  
Shutwing Dragonflies  
Tigerhawk and Emerald Dragonflies  
  
Waterboatmen  
  
Burrower Bugs  
  
Armoured Scales, Diaspids  
  
Rockmaster Damselflies



## Invertebrate fauna

Dytiscidae	Dytiscidine Water Beetles
Ecnomidae	Caseless Caddisflies
Enicocephalidae	
Eriococcidae	
Eurybrachyidae	
Flatidae	
Formicidae	Ants
Gelastocoridae	Toad Bugs
Geocoridae	
Gerridae	Water-striders
Glossosomatidae	Stone-case Caddisflies
Gomphidae	Dragon, Hunter and Vicetail Dragonflies
Gomphomacromiidae	Urly Dragonflies
Gyrinidae	Gyrinid Water Beetles
Halictidae	
Haliplidae	Haliplid Water Beetles
Helicophidae	Caddisflies
Helicopsychidae	Snail Case Caddisflies
Hemicorduliidae	Emerald and Swamp Emerald Dragonflies
Hemiphlebiidae	Ancient Greenling
Hesperiidae	Skippers, flats, awls & darts
Heterogastridae	
Hydrobiosidae	Caddisflies
Hydrometridae	Marsh Treaders, Water Measurers
Hydrophilidae	Water Beetle
Hydropsychidae	Net Spinning Caddisflies
Hydroptilidae	Micro Caddisflies
Hygrobiidae	Hygrobiid Water Beetles
Hyocephalidae	
Idiosolididae	
Isostictidae	Wiretail and Pin Damselflies
Kalotermitidae	Termite
Kokiriidae	Caddisflies
Largidae	
Leptoceridae	Long-horned Caddisflies
Leptophlebiidae	Prong Gilled Mayflies
Leptopodidae	Leptopodidae
Lestidae	Ringtail, Reedling and Dusky Spreadwing Damselflies
Lestoididae	Bluestreak Damselflies
Lestoniidae	
Libellulidae	Perchers, Archtails and other Dragonflies
Lindeniidae	Tiger Dragonflies
Lycaenidae	Blues, Coppers, Hairstreaks and Metalmarks
Lygaeidae	
Macromiidae	Cruiser Dragonflies
Mastotermitidae	Giant Northern Termite
Megachilidae	
Megapodagrionidae	Flatwing Damselflies
Membracidae	Horned Treehoppers
Mesoveliidae	
Miridae	Miridae





## Invertebrate fauna

Mydidae	Mydas Flies, Wasp-mimic Flies
Nabidae	
Naucoridae	
Nepidae	Water Scorpions
Nesameletidae	Mayflies
Ninidae	
Noteridae	Noterid Water Beetles
Notonectidae	Backswimmers
Nymphalidae	Browns, Nymphs, Danaines
Ochteridae	Velvety Shore Bugs
Oeconesidae	Caddisflies
Oniscigastridae	Mayflies
Oxycarenidae	
Oxygastridae	Orange Streamcruiser Dragonfly
Pachygronthidae	
Papilionidae	Swallowtails
Peloriidae	Moss Bugs
Pentatomidae	Stinkbugs
Petaluridae	Petaltail Dragonflies
Philopotamidae	Finger Net caddisflies, Silken Tube Spinners
Philorheithridae	Caddisflies
Pieridae	Whites and Yellows
Piesmatidae	
Plataspidae	
Plectrotarsidae	Caddisflies
Pleidae	Pygmy Backswimmers
Polycentropodidae	Caseless Caddisflies
Prosopistomatidae	Mayflies
Protoneuridae	Threadtail Damselflies
Pseudococcidae	Mealy Bugs
Pseudocorduliidae	Mistfly Dragonflies
Psyllidae	
Pyrrhocoridae	
Reduviidae	Assassin Bugs
Rhinotermitidae	Termite
Rhopalidae	
Rhyparochromidae	Seed Bugs
Schizopteridae	
Scutelleridae	
Stenopsychidae	Caddisflies
Stenotritidae	
Synlestidae	Whitetip and Needle Damselflies
Synthemistidae	Spottail and Tigertail Dragonflies
Tasimiidae	Tasimiidae
Telephlebiidae	Darner Dragonflies
Termitidae	Termite
Termopsidae	Termite
Tessaratomidae	
Tettigarctidae	
Thaumastocoridae	
Therevidae	Stiletto Flies



## Invertebrate fauna

Tingidae	Lacebugs
Triozidae	
Urothemistidae	Basker, Pennant and Baron Dragonflies
Veliidae	Small Water Striders, Riffle Bugs

### Malacostraca

Crabs, lobsters, shrimps and woodlice

Eusiridae	
Hadziidae	
Hyalidae	
Hypsimepodidae	Phreatoicidean Isopods
Melitidae	
Neoniphargidae	
Paracalliopiidae	
Paramelitidae	
Phreatoicidae	Phreatoicidean Isopods
Phreatoicopsinae	Phreatoicidean Isopods
Talitridae	sandfleas, sandhoppers, landhoppers

### Polychaeta

Bristleworms, Scale Worms, Fan Worms, Rag Worm

Aphroditidae	sea mice
Cirratulidae	Cirratulid worms
Sigalionidae	scale worm



## Vascular flora

### Cycadopsida

Cycadaceae  
Zamiaceae

### Cycads

Native Cycads  
Native Cycads

### Liliopsida

Alismataceae  
Amaryllidaceae  
Anarthriaceae  
Aponogetonaceae  
Araceae  
Arecaceae  
Asphodelaceae  
Asteliaceae  
Blandfordiaceae  
Boryaceae  
Burmanniaceae  
Campynemataceae  
Centrolepidaceae  
Colchicaceae  
Cyperaceae  
Dioscoreaceae  
Ecdeiocoleaceae  
Eriocaulaceae  
Flagellariaceae  
Haemodoraceae  
Hemerocallidaceae  
Hydrocharitaceae  
Hypoxidaceae  
Iridaceae  
Juncaceae  
Juncaginaceae  
Luzuriagaceae  
Musaceae  
Orchidaceae  
Pandanaceae  
Petermanniaceae  
Philesiaceae  
Philydraceae  
Poaceae  
Pontederiaceae  
Potamogetonaceae  
Restionaceae  
Ripogonaceae  
Ruppiaceae  
Smilacaceae  
Sparganiaceae  
Stemonaceae  
Taccaceae  
Thismiaceae  
Typhaceae  
Xanthorrhoeaceae

### Monocots

Water Plantains  
  
Pond Lilies  
Settlers Flax, Cunjevoi, Native Lilies  
Palms  
Native Leek  
Palm-Lilies and Allies  
Christmas Bells  
Pincushion Lillies  
Burmannias  
  
Centrolepid Sedges  
Nancies and Allies  
Sedges  
Native Yams  
  
Pipeworts  
Whip Vine  
Bloodroots, Conostyles, Kangaroo Paws and their Allies  
  
Swamp Lily, Eel Weed, Frogbit and Water Thyme  
Native Lilies  
Irises and Allies  
Rushes  
Water Ribbons  
Orange and Turquoise Berries  
Native Bananas  
Orchids  
Pandans and Allies  
  
Frogmouths and Stream Lilies  
Grasses  
Water Hyacinths and Allies  
Sea Grasses and Horned Pondweeds, Pondweed  
Restiona Sedges  
  
Lawyer Vines, Supplejack, Wombat Berry and Scrambling Lily  
Floating Bur Reed  
Stemona Climbers  
Arrowroot and Allies  
Fairy Lanterns  
Cumbungi and Allies  
Grass Trees, Lomandras and Allies



## Vascular flora

Xyridaceae  
Zingiberaceae

Xyris Herbs  
Native Ginger and Allies

### Magnoliopsida

Achariaceae  
Aizoaceae  
Akaniaceae  
Amaranthaceae  
Anacardiaceae  
Aphanopetalaceae  
Asteraceae  
Atherospermataceae  
Austrobaileyaceae  
Balanopaceae  
Balanophoraceae  
Bombacaceae  
Boraginaceae  
Burseraceae  
Calycanthaceae  
Cardiopteridaceae  
Caryophyllaceae  
Casuarinaceae  
Chenopodiaceae  
Combretaceae  
Connaraceae  
Convolvulaceae  
Cunoniaceae  
Dichapetalaceae  
Dilleniaceae  
Droseraceae  
Elaeagnaceae  
Epacridaceae  
Ericaceae  
Erythroxylaceae  
Euphorbiaceae  
Eupomatiaceae  
Fabaceae  
Haloragaceae  
Hernandiaceae  
Himantandraceae  
Hydatellaceae  
Lauraceae  
Leeaceae  
Lentibulariaceae  
Limeaceae  
Linderniaceae  
Lythraceae  
Melastomataceae  
Meliaceae  
Menispermaceae  
Menyanthaceae

### Dicots

Pigfaces  
Turnip Wood  
Pigweed  
Bollygum, Native Plum  
  
Daisies and Allies  
  
Austrobaileyas  
Pimplebark  
Balanophoras  
Baobabs  
Forget-me-not  
Canarium and Garuga  
  
Peripterygium Vines  
Pin Cushion, Wort  
She-oaks  
Saltbushes and Allies  
Plums, Bullwaddies, Mangroves and Bushwillow  
Connara Climbers  
Bindweed, Morning Glory  
Christmas Bushes and Mararas  
Dichapetals  
Guinea Flowers  
Sundews  
Oleaster  
Southern Heaths  
Heathers and Rhododendrons  
Erythroxylum  
Spurges  
Bolwarra  
Peas  
Raspworts and Milfoils  
Hernandias and Valvantheras  
Galbulimimas  
Hydatellid Herbs  
Laurels, Camphorwood and Australian Walnuts  
Leeas  
Bladderworts  
  
Loosestrifes  
Native Lasiandra and Allies  
Rosewoods and Mahoganies  
Snake, Round-leaf and Pearl Vines  
Marshwort



## Vascular flora

Molluginaceae	Carpet Weed, Herb
Monimiaceae	Sassafras, Beech
Myrtaceae	Native Myrtles
Nelumbonaceae	Waterlilies
Nepenthaceae	Nepenthes Pitcher Plants
Nitrariaceae	
Nyctaginaceae	Tarvine, Pisonia and Birdlime Trees
Ochnaceae	Brackenridgea
Onagraceae	Water Primrose and Willowherbs
Opiliaceae	Oplilia Climbers
Orobanchaceae	
Phrymaceae	
Phyllanthaceae	
Phytolaccaceae	Introduced Monococcus
Picrodendraceae	
Portulacaceae	Purslane
Proteaceae	Banksias, Grevilleas and Allies
Putranjivaceae	
Rhizophoraceae	Mangroves
Rutaceae	Boronia, Correa, Citrus, Phebalium, Philotheca, Zieria and Allie
Sapindaceae	Tamarind, Whitewood, Tuckeroo, Hop Bushes
Scrophulariaceae	Figworts
Simaroubaceae	Native Plum and Allies
Solanaceae	Native Gooseberries, Wild Tomatos and Boxthorns
Sphenocleaceae	
Sterculiaceae	Kurrajongs and Bottletrees
Stylidiaceae	Triggerplants and Allies
Thymelaeaceae	Pimeleas
Tiliaceae	
Trimeniaceae	Trimenia
Vitaceae	
Winteraceae	Pepper Trees
Zygophyllaceae	Zygophyllaceae
<b>Pinopsida</b>	<b>Pines and Allies</b>
Araucariaceae	Araucaria Pines
Cupressaceae	Native Cypress
Podocarpaceae	Podocarp Pines



## Appendix 2 Acknowledgements

Thank you to the following organisations and individuals for providing species location data used in the Australian Natural Heritage Assessment Tool (ANHAT) to generate this Biodiversity Summary.

### **Council of Heads of Australian Faunal Collections (CHAFC)**

ANHAT acknowledges the Council of Heads of Australian Fauna Collections (CHAFC) for supply of data from the following CHAFC member institutions:

- Australian Museum
- CSIRO Australian National Insect Collection
- Museum and Art Gallery of the Northern Territory
- Museum Victoria
- Queen Victoria Museum and Art Gallery (Launceston)
- Queensland Museum
- South Australian Museum
- Tasmanian Museum and Art Gallery (Hobart)
- Western Australian Museum

The taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that of the CHAFC parent Museums.

### **Council of Heads of Australasian Herbaria (CHAH)**

ANHAT acknowledges the Council of Heads of Australasian Herbaria Inc. (CHAH Inc.) and partners in Australia's Virtual Herbarium (AVH) for the supply of data from the AVH. The AVH is a collaborative project of Australian State, Territory and Commonwealth herbaria through CHAH Inc. and includes:

- Australian National Herbarium (CANB)
- National Herbarium of New South Wales (NSW) Botanic Gardens Trust
- Herbarium of the Northern Territory (DNA, NT)
- Queensland Herbarium (BRI)
- State Herbarium of South Australia (AD)
- Tasmanian Herbarium (HO)
- National Herbarium of Victoria (MEL) Royal Botanic Gardens Melbourne
- Western Australian Herbarium (PERTH).

The taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that of the AVH parent Herbaria.



**Australian Government**

Department of Sustainability, Environment, Water, Population and Communities

### **Other Government Organisations**

- Commonwealth Department of Defence
- Commonwealth Department of Sustainability, Environment, Water, Population and Communities
- New South Wales - Department of Environment and Climate Change
- New South Wales - Department of Primary Industry, Forests NSW
- Northern Territory - Department of Natural Resources, Environment and the Arts
- Queensland - Environmental Protection Agency, WildNet
- South Australia - Department for Environment and Heritage (Biological Survey of South Australia Database)
- Tasmania - Department of Primary Industries and Water (Natural Values Atlas)
- Victoria - Department of Sustainability and Environment
- Western Australia - Department of Environment and Conservation

### **Non-government**

- Birds Australia
- Mr Russell Sheil - Rotifers of Australia
- Mr David Crosby - Lepidoptera of Victoria