



Biodiversity Summary for NRM Regions

Guide to Users

Background

What is the summary for and where does it come from?

This summary has been produced by the Department of Sustainability, Environment, Water, Population and Communities (SEWPC) for the Natural Resource Management Spatial Information System.

It highlights important elements of the biodiversity of the region in two ways:

- Listing species which may be significant for management because they are found only in the region, mainly in the region, or they have a conservation status such as endangered or vulnerable.
- Comparing the region to other parts of Australia in terms of the composition and distribution of its species, to suggest components of its biodiversity which may be nationally significant.

The summary was produced using the **Australian Natural Heritage Assessment Tool (ANHAT)**, which analyses data from a range of plant and animal surveys and collections from across Australia to automatically generate a report for each NRM region. Data sources (Appendix 2) include national and state herbaria, museums, state governments, CSIRO, Birds Australia and a range of surveys conducted by or for DEWHA.

Limitations

- ANHAT currently contains information on the distribution of over 30,000 Australian taxa. This includes all mammals, birds, reptiles, frogs and fish, 137 families of vascular plants (over 15,000 species) and a range of invertebrate groups. The list of families covered in ANHAT is shown in Appendix 1. **Groups not yet covered in ANHAT are not included in the summary.**
- The data used for this summary come from authoritative sources, but they are not perfect. All species names have been confirmed as valid species names, but it is not possible to confirm all species locations. The summary summarises the input data, so errors found in the original data would also be reflected in this summary.
- The scientific names and taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that found in government censuses, databases or other authoritative lists.



Reading the Biodiversity Summary

The summary is divided into two sections: **Highlights** and **Species List**.

Highlights section

This section draws attention to species of special interest, or characteristics of the biodiversity in the region which rate very highly compared to the rest of Australia.

It contains the following:

- Total number of nationally rare and threatened species found in the region and listed under the Environment Protection and Biodiversity Conservation (EPBC) Act.
- A list of families which have a very high level of species richness or endemism compared to the rest of Australia.
 - Species richness counts the number of different species found in a given area.
 - Endemism estimates the degree to which species found in a given area have small geographic ranges. The smaller the range of a species, the more it contributes to the endemism score.

In this summary, a threshold value of 2% was used. This means that compared to the rest of the country, the families listed in the summary may have a significant focus of diversity here, because all or part of the region has richness or endemism scores within the top 2% of areas in Australia.

- A count of the number of species which have more than 50% of their recorded range within the region. If a species shows a value of 100% it indicates its distribution is restricted to that particular region as all the available records are in that region.



Species List section

This section shows species which may be significant for biodiversity management in the region because:

- they are listed in the EPBC Act as critically endangered, endangered, vulnerable, or conservation dependent;
- their distribution lies entirely or primarily within the region.

For each plant or animal family listed, this section also gives the total number of species in the country, and how many of them are found in the region.

Note that this list covers species in the families listed in Appendix 1.

Many species found in the region will not be listed because they don't meet either of the two criteria above. The aim of providing a selected species list is to narrow the view from a very large number of species, to those which may be a focus of conservation activity in the region. Species which are largely restricted to the region may not have any conservation concerns, but may deserve attention because their future lies with the region and those who manage it.

A list of all species in the region belonging to the families listed in Appendix 1 is also available. For more information please see: www.environment.gov.au/heritage/anhat/index.html



Biodiversity Summary for NRM Region North East, Victoria

This summary was produced by the Department of Sustainability, Environment, Water, Population and Communities using the Australian Natural Heritage Assessment Tool (ANHAT). ANHAT is a database and decision support tool which uses over 33 million specimen and survey records for vertebrates, selected invertebrates and 137 vascular plant families (over 15,000 species). This Biodiversity Summary does not include exotic or extinct species.

Highlights

Species Restricted to this Region

The proportion of sampled range (%) as shown in the Species List is an indication of the distribution of the species in the region in relation to other parts of Australia.

There are 81 species with greater than 50% of their recorded range in the region.
Of these species, 58 species have 100% of their recorded range in the region.

See the Species List for details.

Threatened species (Environment Protection and Biodiversity Conservation Act)

Total number of threatened species (Environment Protection and Biodiversity Conservation Act) in this region which belong to the families covered by this Biodiversity Summary (Appendix 1)

20 species declared as endangered
32 species declared as vulnerable
1 species declared as conservation dependent

Species Richness

Compared to the rest of Australia parts of this region show a high level of richness for the following families. This means that the number of species in these families is in the top 2% compared to the rest of the country.

Vertebrate fauna

- Family Artamidae - Butcherbirds, Currawongs and Woodswallows
- Family Climacteridae - Treecreepers
- Family Galaxiidae - Galaxias, Salamanderfish
- Family Hirundinidae - Swallows and Martins
- Family Meliphagidae - Honeyeaters and Australian Chats
- Family Percichthyidae - Australian Freshwater Basses, Australian Freshwat
- Family Phalangeridae - Brushtail Possums, Cuscuses and Scaly-tailed Pos



- Family Retropinnidae - Southern Graylings, Southern Smelts
- Family Sparidae - Breams, Porgies, Seabreams

Invertebrate fauna

- Family Apidae - Social Bees
- Family Carabidae - Ground Beetles
- Family Cymidae -
- Family Cystopeltidae - Australian "Half" Slugs
- Family Gelastocoridae - Toad Bugs
- Family Gomphidae - Dragon, Hunter and Vicetail Dragonflies
- Family Halictidae -
- Family Hemicorduliidae - Emerald and Swamp Emerald Dragonflies
- Family Hexathelidae - Funnel-web Spiders
- Family Lestidae - Ringtail, Reedling and Dusky Spreadwing Damselflies
- Family Punctidae - Translucent Frosted Land Snails
- Family Succineidae - Amber Land Snails
- Family Synthemistidae - Spottail and Tigertail Dragonflies
- Family Telephlebiidae - Darner Dragonflies
- Family Tettigarctidae -
- Family Therevidae - Stiletto Flies
- Family Veliidae - Small Water Striders, Riffle Bugs

Vascular flora

- Family Asphodelaceae - Native Leek
- Family Asteliaceae - Palm-Lilies and Allies
- Family Asteraceae - Daisies and Allies
- Family Caryophyllaceae - Pin Cushion, Wort
- Family Ericaceae - Heathers and Rhododendrons
- Family Hypoxidaceae - Native Lilies
- Family Juncaceae - Rushes
- Family Onagraceae - Water Primrose and Willowherbs
- Family Poaceae - Grasses
- Family Scrophulariaceae - Figworts
- Family Thymelaeaceae - Pimeleas
- Family Winteraceae - Pepper Trees



Endemism

Compared to the rest of Australia parts of this region show a high level of endemism for the following families, placing them in the top 2% compared to the rest of the country.

Vertebrate fauna

- Family Burramyidae - Pygmy-possums
- Family Climacteridae - Treecreepers
- Family Emballonuridae - Sheath-tailed Bats
- Family Pardalotidae - Pardalotes
- Family Percichthyidae - Australian Freshwater Basses, Australian Freshwat
- Family Petauridae - Wrist-winged Gliders, Striped Possum and Leadbeaters
- Family Phalangeridae - Brushtail Possums, Cuscuses and Scaly-tailed Pos
- Family Potoroidae - Potoroos, Bettongs and the Musky Rat Kangaroo
- Family Retropinnidae - Southern Graylings, Southern Smelts
- Family Scincidae - Skinks
- Family Sparidae - Breams, Porgies, Seabreams
- Family Tetragonidae - Fortesques, Sailback Scorpionfishes, Waspfish

Invertebrate fauna

- Family Acanthosomatidae - Shield Bugs
- Family Austrocorduliidae - Hawk, Mosquitohawk and Swiftwing Dragonflies
- Family Carabidae - Ground Beetles
- Family Cymidae -
- Family Cystopeltidae - Australian "Half" Slugs
- Family Gelastocoridae - Toad Bugs
- Family Hexathelidae - Funnel-web Spiders
- Family Lycosidae - Wolf Spiders
- Family Lygaeidae -
- Family Ochteridae - Velvety Shore Bugs
- Family Punctidae - Translucent Frosted Land Snails
- Family Rhyparochromidae - Seed Bugs
- Family Synthemistidae - Spottail and Tigertail Dragonflies
- Family Telephlebiidae - Darner Dragonflies
- Family Termopsidae - Termite
- Family Tettigarctidae -
- Family Therevidae - Stiletto Flies

Vascular flora

- Family Asteliaceae - Palm-Lilies and Allies
- Family Asteraceae - Daisies and Allies
- Family Caryophyllaceae - Pin Cushion, Wort
- Family Cyperaceae - Sedges
- Family Hypoxidaceae - Native Lilies
- Family Juncaceae - Rushes
- Family Onagraceae - Water Primrose and Willowherbs
- Family Poaceae - Grasses
- Family Scrophulariaceae - Figworts
- Family Thymelaeaceae - Pimeleas
- Family Winteraceae - Pepper Trees



Australian Government

Department of Sustainability, Environment, Water, Population and Communities



Species List

Species are shown only if:

- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.

	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Vertebrate fauna				
Actinopterygii				
Percichthyidae				
	Australian Freshwater Basses, Australian Freshwater Blackfish, Australian Freshwater Cods, Temperate Seabasses		(7 out of 17 species in Australia)	
Gadopsis bispinosus	Twospine Blackfish		65	2007
This region rates highly for richness and endemism of Percichthyidae.				
Amphibia				
Hylidae				
	Tree-Frogs		(11 out of 81 species in Australia)	
Litoria booroolongensis	Booroolong Frog	Endangered	<1	1999
Litoria raniformis	Southern Bell-frog	Vulnerable	4	2000
Litoria spenceri	Spotted Tree Frog	Endangered	43	2005
Myobatrachidae				
	Myobatrachid or Southern Frogs		(17 out of 121 species in Australia)	
Pseudophryne corroboree	Southern Corroboree Frog	Endangered	3	



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Aves				
Meliphagidae	Honeyeaters and Australian Chats		(35 out of 72 species in Australia)	
<i>Xanthomyza phrygia</i>	Regent Honeyeater	Endangered	5	2006
This region rates highly for richness of Meliphagidae.				
Pardalotidae	Pardalotes		(3 out of 4 species in Australia)	
<i>Pardalotus quadragintus</i>	Forty-spotted Pardalote	Endangered	2	1993
This region rates highly for endemism of Pardalotidae.				
Pedionomidae	Plains-wanderer		(1 out of 1 species in Australia)	
<i>Pedionomus torquatus</i>	Plains-wanderer	Vulnerable	<1	1972
Procellariidae	Fulmars, Petrels, Prions and Shearwaters		(1 out of 22 species in Australia)	
<i>Pterodroma arminjoniana</i>	Herald Petrel	Endangered	25	1992
Psittacidae	Parrots		(15 out of 39 species in Australia)	
<i>Lathamus discolor</i>	Swift Parrot	Endangered	2	2006
<i>Polytelis swainsonii</i>	Superb Parrot	Vulnerable	<1	2000
Rostratulidae	Painted Snipe		(1 out of 1 species in Australia)	
<i>Rostratula benghalensis</i>	Painted Snipe	Vulnerable	<1	2006

Species are shown only if:

- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Mammalia				
Burramyidae				
	Pygmy-possums	(2 out of 5 species in Australia)		
<i>Burramys parvus</i>	Mountain pygmy-possum	Endangered	35	2005
This region rates highly for endemism of Burramyidae.				
Dasyuridae				
	Dasyurids (Quolls, Antechinus, Dunnarts and Allies)	(8 out of 55 species in Australia)		
<i>Dasyurus maculatus</i>	Spotted-tailed quoll	Vulnerable	1	2005
Macropodidae				
	Wallabies, Kangaroos and Tree-kangaroos	(5 out of 41 species in Australia)		
<i>Petrogale penicillata</i>	Brush-tailed rock-wallaby	Vulnerable	<1	1991
Muridae				
	Rats and Mice	(5 out of 60 species in Australia)		
<i>Pseudomys fumeus</i>	Smoky mouse	Endangered	7	1995
Petauridae				
	Wrist-winged Gliders, Striped Possum and Leadbeaters Possum	(4 out of 6 species in Australia)		
<i>Gymnobelideus leadbeateri</i>	Leadbeater's possum	Endangered	2	
This region rates highly for endemism of Petauridae.				
Potoroidae				
	Potoroos, Bettongs and the Musky Rat Kangaroo	(2 out of 11 species in Australia)		
<i>Potorous longipes</i>	Long-footed potoroo	Endangered	9	1998
This region rates highly for endemism of Potoroidae.				
Pteropodidae				
	Fruit-bats and Allies	(2 out of 11 species in Australia)		
<i>Pteropus poliocephalus</i>	Grey-headed flying-fox	Vulnerable	<1	1984

Species are shown only if:
 - listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
 - the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Vespertilionidae	Vespertilionid Bats	(13 out of 37 species in Australia)		
<i>Miniopterus schreibersii</i>	Bent-wing Bat	Conservation dependent	1	1999
Reptilia				
Pygopodidae	Legless lizards	(3 out of 38 species in Australia)		
<i>Delma impar</i>	Striped Legless Lizard	Vulnerable	2	1980
Scincidae	Skinks	(33 out of 393 species in Australia)		
<i>Liopholis guthega</i>	Guthega Skink		67	2005

This region rates highly for endemism of Scincidae.

Species are shown only if:

- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Invertebrate fauna			
Adinetida			
Adinetidae			
Rotifers with Undifferentiated Cilia (5 out of 9 species in Australia)			
<i>Adineta glauca</i>		100	
<i>Adineta ricciae</i>		100	
<i>Adineta steineri</i>		100	
Caenogastropoda			
Hydrobiidae			
Freshwater Operculate Snails (2 out of 330 species in Australia)			
<i>Austropyrgus bullerensis</i>		100	1988
Coleoptera			
Carabidae			
Ground Beetles (69 out of 2305 species in Australia)			
<i>Amblystomus parvus</i>		100	
<i>Eudalia castelnaui</i>		50	
<i>Lymnastis pilosus</i>		50	
<i>Mimotrechus scitulus</i>		100	
<i>Notonomus besti</i>		50	
<i>Notonomus dehiscens</i>		100	1951
<i>Notonomus froggatti</i>		67	
<i>Notonomus minimus</i>		50	
<i>Notonomus muelleri</i>		50	
<i>Percolestus blackburni</i>		100	1960
<i>Pericompsus yarrensis</i>		100	
<i>Promecoderus pygmaeus</i>		100	
<i>Sarticus blackburni</i>		75	1960
<i>Scopodes griffithi</i>		100	
<i>Tasmanitachoides wattense</i>		100	
<i>Trechodes secalioides</i>		100	1950
This region rates highly for richness and endemism of Carabidae.			
Collothecacea			
Collothecidae			
Sessile Wheel Animals (5 out of 15 species in Australia)			
<i>Collotheca tenuilobata</i>		100	

Species are shown only if:
 - listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
 - the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Eupulmonata				
Charopidae				
	Flattened and Turbinate Land Snails		(8 out of 642 species in Australia)	
<i>Discocharopa inexpectata</i>	Land Snail		100	2073
Flosculariacea				
Flosculariidae				
	Sessile-footed Wheel Animals		(20 out of 43 species in Australia)	
<i>Floscularia novae</i>	Sessile-footed Wheel Animal		100	
<i>Floscularia wallacei</i>	Wallaces Sessile-footed Wheel Animal		100	
<i>Octotrocha speciosa</i>	Sessile-footed Wheel Animal		50	
<i>Ptygura cf. ctenoidea</i>	Sessile-footed Wheel Animal		100	
<i>Ptygura intermedia</i>	Intermediate Sessile-footed Wheel Animal		100	
<i>Ptygura novae</i>	Sessile-footed Wheel Animal		100	
<i>Ptygura pectinifera</i>	Sessile-footed Wheel Animal		100	
<i>Ptygura tridorsicornis</i>	Sessile-footed Wheel Animal		100	
<i>Sinantherina novae</i>	Sessile-footed Wheel Animal		100	
<i>Sinantherina procera</i>	Sessile-footed Wheel Animal		100	
Hemiptera				
Pentatomidae				
	Stinkbugs		(8 out of 361 species in Australia)	
<i>Diemenia minuta</i>			100	
Rhyparochromidae				
	Seed Bugs		(2 out of 191 species in Australia)	
<i>Austroclerada neboissi</i>			50	
This region rates highly for endemism of Rhyparochromidae.				
Tingidae				
	Lacebugs		(1 out of 145 species in Australia)	
<i>Allocader leai</i>			100	

Species are shown only if:
- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Hymenoptera				
Colletidae				
	Short-tongued Bees	(13 out of 878 species in Australia)		
	<i>Trichocolletes marginatus</i>		100	1955
Formicidae				
	Ants	(31 out of 1944 species in Australia)		
	<i>Stigmacros rufa</i>		100	
Halictidae				
		(38 out of 438 species in Australia)		
	<i>Lasioglossum alpinum</i>		50	1980
	<i>Lasioglossum subrussatum</i>		50	1992
	<i>Lipotriches generosa</i>		50	1952
This region rates highly for richness of Halictidae.				
Odonata				
Austrocorduliidae				
	Hawk, Mosquitohawk and Swiftwing Dragonflies	(1 out of 10 species in Australia)		
	<i>Apocordulia macrops</i>	Nighthawk	60	1978
This region rates highly for endemism of Austrocorduliidae.				
Philodinavida				
Philodinavidae				
	Rotifers with Simplified Trochi	(1 out of 1 species in Australia)		
	<i>Philodinavus aussiensis</i>	Rotifer with Simplified Trochi	100	

Species are shown only if:

- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Philodinida				
Habrotrochidae				
	Rotifers with Paired Trochi		(2 out of 23 species in Australia)	
	<i>Habrotrocha ? flava</i>		100	
	<i>Habrotrocha sylvestris</i>		100	
Philodinidae				
	Rotifers with Paired Trochi		(13 out of 69 species in Australia)	
	<i>Macrotrachela ?decora</i>		100	
	<i>Macrotrachela ?nixa</i>		100	
	<i>Macrotrachela insolita</i>		100	
	<i>Macrotrachela kallosoma</i>		100	
	<i>Mniobia lineata</i>		50	
	<i>Mniobia magna</i>		50	
	<i>Rotaria ?laticeps</i>		100	
	<i>Rotaria ?quadrioculata</i>		100	
	<i>Rotaria exoculis</i>		50	
	<i>Rotaria neptunoida</i>		100	

Species are shown only if:

- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Ploimida				
Asplanchnidae				
Sac-like Wheel Animals (7 out of 13 species in Australia)				
<i>Asplanchna girodi</i>	Girods Sac-like Wheel Animal		57	
<i>Asplanchnopus multiceps</i>	Sac-like Wheel Animal		50	
<i>Cyrtonia tuba</i>	Sac-like Wheel Animal		50	
Brachionidae				
Sac-like Wheel Animal (27 out of 62 species in Australia)				
<i>Brachionus sericus</i>	Sac-like Wheel Animal		50	
<i>Brachionus variabilis</i>	Variable Sac-like Wheel Animal		50	
Dicranophoridae				
Tong-grabbing Wheel Animals (4 out of 41 species in Australia)				
<i>Aspelta psitta</i>	Tong-grabbing Wheel Animal		100	
<i>Encentrum gibbosum</i>	Tong-grabbing Wheel Animal		100	
<i>Encentrum putorius</i>	Tong-grabbing Wheel Animal		100	
Epiphanidae				
Shell-less Wheel Animals (4 out of 11 species in Australia)				
<i>Rhinoglena frontalis</i>	Shell-less Wheel Animal		50	
Euchlanidae				
Wheel Animals (4 out of 19 species in Australia)				
<i>Euchlanis parva</i>	Wheel Animal		100	
Ituridae				
Shelled Wheel Animals (3 out of 4 species in Australia)				
<i>Itura deridderae</i>	Shelled Wheel Animal		100	
<i>Itura myersi</i>	Myers Shelled Wheel Animal		100	
Lecanidae				
Shelled Wheel Animal (12 out of 78 species in Australia)				
<i>Lecane obtusa</i>	Obtuse Shelled Wheel Animal		100	

Species are shown only if:
 - listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
 - the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Lindiidae	Wheel Animals		(2 out of 6 species in Australia)	
<i>Lindia deridderae</i>	De Ridders Wheel Animal			67
Notommatidae	Pseudo-segmented Wheel Animals		(14 out of 93 species in Australia)	
<i>Cephalodella biungulata</i>	Pseudo-segmented Wheel Animal			100
<i>Cephalodella panarista</i>	Pseudo-segmented Wheel Animal			100
<i>Cephalodella sterea</i>	Pseudo-segmented Wheel Animal			100
<i>Cephalodella tenuiseta</i>	Pseudo-segmented Wheel Animal			100
<i>Cephalodella tinca</i>	Pseudo-segmented Wheel Animal			50
<i>Cephalodella ventripes</i>	Pseudo-segmented Wheel Animal			50
<i>Notommata cerberus</i>	Three-headed Pseudo-segmented Wheel			50
<i>Notommata cyrtopus</i>	Pseudo-segmented Wheel Animal			100
Proalidae	Worm-like Wheel Animals		(3 out of 15 species in Australia)	
<i>Proales daphnicola</i>	Worm-like Wheel Animal			75
Synchaetidae	Sac-, Bell- or Cone-shaped Wheel Animals		(8 out of 22 species in Australia)	
<i>Polyarthra longiremis</i>	Rotifer			67
<i>Synchaeta grandis</i>	Grand Sac-, Bell-, or Cone-shaped Wheel			100
<i>Synchaeta litoralis</i>	Litoral Sac-, Bell-, or Cone-shaped Wheel			50
Trichocercidae	Comma-like Wheel Animals		(17 out of 50 species in Australia)	
<i>Trichocerca birostris</i>	Comma-like Wheel Animal			100
<i>Trichocerca obtusidens</i>	Comma-like Wheel Animal			50

Species are shown only if:
 - listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
 - the proportion of the sampled range in the region is above 50%.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Vascular flora			
Asparagales			
Asparagaceae (8 out of 177 species in Australia)			
Arthropodium sp. south-east highlands	Vanilla Lily	60	1996
Hemerocallidaceae (11 out of 79 species in Australia)			
Dianella amoena	Matted Flax-lily	Endangered	1 2005
Orchidaceae Orchids (173 out of 1248 species in Australia)			
Arachnorchis concolor	Crimson Spider Orchid	Vulnerable	25 2007
Arachnorchis pallida	Rosy Spider-orchid	Endangered	17
Arachnorchis pilotensis	Mt Pilot Spider Orchid		100 2005
Arachnorchis valida	Robust Spider Orchid	Endangered	2 2005
Diuris lanceolata	Snake Orchid, Large Golden Moths	Endangered	11 1999
Diuris ochroma	Pale Golden Moths	Vulnerable	8 2005
Diuris pedunculata	Small Snake Orchid	Endangered	8 2003
Prasophyllum frenchii	Leek Orchid	Endangered	3 2005
Prasophyllum morgani	Mignonette Leek Orchid	Vulnerable	8
Prasophyllum petilum	Leek Orchid	Endangered	8 2000
Prasophyllum validum	Green Leek Orchid	Vulnerable	12 2000
Pterostylis cucullata	Leafy Greenhood	Vulnerable	6 2005
Asterales			
Asteraceae Daisies and Allies (206 out of 1019 species in Australia)			
Argyrotegium nitidulum	Shining Cudweed	Vulnerable	38 2007
Brachyscome muelleroides	Native Daisy	Vulnerable	5 1985
Brachyscome papillosa	Native Daisy	Vulnerable	2 1969
Cassinia scabrada	Cassinia		80 2004
Celmisia sericophylla	Native Daisy		56 2005
Olearia frostii	Frosts Daisy Bush		80 2007
Senecio garlandii	Senecio	Vulnerable	25 2005
Senecio macrocarpus	Large-fruit Groundsel	Vulnerable	2 2004
Stemmacantha australis	Australian Cornflower	Vulnerable	2

This region rates highly for richness and endemism of Asteraceae.

Species are shown only if:

- listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
- the proportion of the sampled range in the region is above 50%.



Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Ericales			
Epacridaceae			
Southern Heaths (42 out of 458 species in Australia)			
<i>Astrotricha crassifolia</i>	Vulnerable	6	1988
Fabales			
Fabaceae			
Peas (143 out of 2583 species in Australia)			
<i>Acacia dallachiana</i>		74	2000
<i>Acacia infecunda</i>		50	1995
<i>Acacia phasmoides</i>	Vulnerable	50	2001
<i>Acacia phlebophylla</i>		75	2006
<i>Acacia sporadica</i>		57	2005
<i>Glycine latrobeana</i>	Vulnerable	3	2005
<i>Pultenaea foliolosa</i>	Vulnerable	11	2004
<i>Pultenaea platyphylla</i>		52	2003
<i>Pultenaea setulosa</i>	Vulnerable	<1	1986
<i>Swainsona murrayana</i>	Vulnerable	<1	
<i>Swainsona recta</i>	Endangered	18	2004
Lamiales			
Scrophulariaceae			
Figworts (18 out of 99 species in Australia)			
<i>Euphrasia crassiuscula</i>		81	2007
<i>Euphrasia eichleri</i>	Vulnerable	88	2007
This region rates highly for richness and endemism of Scrophulariaceae.			
Malvales			
Thymelaeaceae			
Pimeleas (13 out of 110 species in Australia)			
<i>Kelleria laxa</i>	Vulnerable	100	2006
This region rates highly for richness and endemism of Thymelaeaceae.			
Myrtales			
Myrtaceae			
Native Myrtles (86 out of 2211 species in Australia)			
<i>Eucalyptus cadens</i>	Vulnerable	100	2007
<i>Eucalyptus chapmaniana</i>		55	2007
<i>Eucalyptus mitchelliana</i>		83	2007
<i>Kunzea peduncularis</i>		50	2000

Species are shown only if:
 - listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
 - the proportion of the sampled range in the region is above 50%.



	Common Name	EPBC Status	Proportion of sampled range in the region (%)	Most recent record
Poales				
Cyperaceae	Sedges	(90 out of 731 species in Australia)		
<i>Carex paupera</i>		Vulnerable	50	1992
This region rates highly for endemism of Cyperaceae.				
Poaceae				
	Grasses	(166 out of 1057 species in Australia)		
<i>Amphibromus fluitans</i>		Vulnerable	9	2005
<i>Poa orba</i>			100	2005
This region rates highly for richness and endemism of Poaceae.				
Proteales				
Proteaceae	Banksias, Grevilleas and Allies	(39 out of 1147 species in Australia)		
<i>Grevillea alpivaga</i>	<i>Grevillea</i>		100	2004
<i>Grevillea callichlaena</i>	<i>Grevillea</i>		100	2002
<i>Grevillea jephcottii</i>	Green Grevillea		78	1998
<i>Grevillea willisii</i>	Omeo Grevillea		80	1997
Sapindales				
Rutaceae	Boronia, Correa, Citrus, Phebalium, Philotheca, Zieria and Allies	(24 out of 496 species in Australia)		
<i>Phebalium lowanense</i>	Lowan Phebalium	Vulnerable	3	1972
<i>Zieria citriodora</i>	Lemon Scented Zieria	Vulnerable	25	2000
<i>Zieria floydii</i>	Zieria	Endangered	8	1988

Species are shown only if:
 - listed as Vulnerable, Critically Endangered, Endangered, or Conservation dependent under the EPBC Act;
 - the proportion of the sampled range in the region is above 50%.



Appendix 1

List of all families covered by the Australian Natural Heritage Assessment Tool

These families of plants and animals are included in NRM region summaries where they occur in the region.

The groups covered across Australia include:

- all vertebrates
 - i.e. mammals, birds, reptiles, frogs and fish (4,200 species)
- 137 families of vascular plants (> 15,000 species) comprising the majority of Australia's named plant species
- A range of invertebrate groups including:
 - numerous insect families (> 16,600 species)
 - all land snails (> 2,300 species)
 - selected spider families (> 1,100 species)
 - rotifers – aquatic wheel animals (> 700 species)

Vertebrate fauna

Actinopterygii

Ambassidae
 Apogonidae
 Ariidae
 Atherinidae
 Batrachoididae
 Belontiidae
 Blenniidae
 Brachionichthyidae
 Carangidae
 Cepolidae
 Chanidae
 Clinidae
 Clupeidae
 Cynoglossidae
 Diodontidae
 Eleotridae
 Elopidae
 Engraulidae
 Enoplosidae
 Ephippidae
 Galaxiidae
 Gerreidae
 Gobiidae
 Gonorynchidae
 Hemiramphidae

Ray-finned fish

Chanda Perches, Glassfishes, Perchlets
 Big Eyes, Cardinal Fishes, Cardinalfishes, Gobbleguts, Soldier
 Fork-tailed Catfishes
 Hardyheads, Silversides, Whitebait
 Bastard Stonefish, Frogfishes, Toadfishes
 Long Toms, Longtoms, Needle Fishes, Needlefishes
 Blennies, Fangblennies, Rockshippers
 Handfishes
 Amberjacks, Jacks, Pilotfishes, Pompanos, Queenfishes, Run
 Bandfishes
 Milkfish
 Snake Blennies, Weedfishes
 Herrings, Menhadens, Pilchards, Sardines, Shads, Sprats
 Tongue Soles
 Burrfishes, Porcupinefishes
 Gudgeons, Sleepers
 Ladyfish
 Anchovies
 Oldwife
 Batfishes, Spadefishes
 Galaxias, Salamanderfish
 Mojarras, Silver Biddies, Silver-bellies, Silverbellies, Silverbiddi
 Gobies
 Beaked Salmon, Beaked Sandfish, Ratfish
 Garfishes, Halfbeaks



Vertebrate fauna

Kuhliidae	Flagtails
Kurtidae	Nurseryfishes
Kyphosidae	Drummers, Halfmoons, Knifefishes, Microcanthids, Nibblers, S
Labridae	Wrasses, Parrotfishes, Rockwhittings
Leiognathidae	Pony Fishes, Ponyfishes, Slipmouths
Lutjanidae	Fusilers, Hussars, Snappers, Tropical Snappers
Megalopidae	Tarpons
Melanotaeniidae	Rainbowfishes
Microdesmidae	Dartfishes, Wormfishes
Monacanthidae	Leatherjackets
Mugilidae	Mulletts
Muraenidae	Moray Eels
Ophichthidae	Snake Eels, Worm Eels
Osteoglossidae	Saratoga
Ostraciidae	Boxfishes, Coffe Fishes, Cowfishes, Trunkfishes, Turretfishes
Paralichthyidae	Sand Flounders
Percichthyidae	Australian Freshwater Basses, Australian Freshwater Blackfish
Platycephalidae	Flatheads
Pleuronectidae	Right Handed Flatfishes, Righteye Flounders
Plotosidae	Eel-Tailed Catfishes
Polynemidae	Tassel-fishes, Threadfin Salmon, Threadfins
Pomacentridae	Damselfishes
Pomatomidae	Bluefish, Tailor
Pristigasteridae	Ilishas, Pellonas, Pristigasterids
Pseudomugilidae	Blue Eyes, Blue-eyes
Retropinnidae	Southern Graylings, Southern Smelts
Scatophagidae	Butterfishes, Scats
Sciaenidae	Croakers, Drums, Jewfishes
Serranidae	Basslets, Perchlets, Rockcods, Wirrahs
Siganidae	Mi Mi, Rabbit Fish, Rabbitfishes, Spinefoot
Sillaginidae	Sillagos, Whittings
Soleidae	Soles
Sparidae	Breams, Porgies, Seabreams
Synbranchidae	One-gilled Eel, Swamp Eels
Syngnathidae	Pipefishes, Seahorses
Synodontidae	Lizardfishes
Terapontidae	Grunters
Tetraodontidae	Blowfishes, Pufferfishes, Puffers, Toadfishes, Tobys
Tetrarogidae	Fortesques, Sailback Scorpionfishes, Waspfish
Toxotidae	Archerfishes, Rifle Fish
Zanclidae	Moorish Idol

Amphibia

Hylidae	Tree-Frogs
Microhylidae	Micro Tree-Frogs
Myobatrachidae	Myobatrachid or Southern Frogs
Ranidae	True Frogs

Aves

Acanthizidae	Scrubwrens, Thornbills and Allies
Accipitridae	Eagles, Hawks and Kites

Amphibians

Hylidae	Tree-Frogs
Microhylidae	Micro Tree-Frogs
Myobatrachidae	Myobatrachid or Southern Frogs
Ranidae	True Frogs

Birds

Acanthizidae	Scrubwrens, Thornbills and Allies
Accipitridae	Eagles, Hawks and Kites



Vertebrate fauna

Aegothelidae	Owlet Nightjars
Alaudidae	Larks
Alcedinidae	Kingfishers and Kookaburras
Anatidae	Swans, Ducks and Geese
Anhingidae	Darter
Anseranatidae	Magpie Goose
Apodidae	Swifts and Swiftlets
Ardeidae	Herons, Egrets and Bitterns
Artamidae	Butcherbirds, Currawongs and Woodswallows
Atrichornithidae	Scrub-birds
Burhinidae	Thicknees (Stone-Curlews)
Cacatuidae	Cockatoos
Campephagidae	Cuckoo-shrikes, Trillers and Minivets
Caprimulgidae	Nightjars
Casuariidae	Cassowary and Emus
Centropodidae	Pheasant Coucal
Charadriidae	Plovers, Dotterels and Lapwings
Ciconiidae	Black-necked Stork
Climacteridae	Treecreepers
Columbidae	Pigeons and Doves
Coraciidae	Dollarbird
Corcoracidae	Australasian Mud-nesters
Corvidae	Crows and Jays
Cuculidae	Cuckoos
Dicaeidae	Flower-peckers
Dicruridae	Fan-tails, Drongos and Monarchs
Diomedidae	Albatrosses
Estrildidae	Grass Finches
Eupetidae	Whipbirds, Quail-thrushes and Jewel-babblers
Falconidae	Falcons and Kestrels
Fregatidae	Frigatebirds
Glareolidae	Pratincoles
Gruidae	Cranes
Haematopodidae	Oystercatchers
Hirundinidae	Swallows and Martins
Hydrobatidae	Storm-petrels
Jacaniidae	Jacanas
Laridae	Gulls, Terns, Skuas and Jaegers
Maluridae	Fairy-wrens and Grasswrens
Megapodiidae	Mound-builders
Meliphagidae	Honeyeaters and Australian Chats
Menuridae	Lyrebirds
Meropidae	Rainbow Bee-eater
Motacillidae	Pipits and Wagtails
Muscicapidae	Old World Flycatchers and Thrushes
Nectariniidae	Sunbirds and Spiderhunters
Neosittidae	Australian Sitella
Oriolidae	Old World Orioles and Figbirds
Orthonychidae	Logrunners
Otididae	Australian Bustard
Pachycephalidae	Whistlers, Shrike-thrushes and Allies



Vertebrate fauna

Paradisaeidae	Birds-of-Paradise
Pardalotidae	Pardalotes
Pedionomidae	Plains-wanderer
Pelecanidae	Pelicans
Petroicidae	Australasian Robins
Phaethonitidae	Tropicbirds
Phalacrocoracidae	Cormorants and Shags
Phasianidae	Quail, Fowl and Allies
Pittidae	Pittas
Podargidae	Frogmouths
Podicipedidae	Grebes
Pomatostomidae	Australasian Babblers
Procellariidae	Fulmars, Petrels, Prions and Shearwaters
Psittacidae	Parrots
Ptilonorhynchidae	Bowerbirds
Rallidae	Crakes, Moorhens, Rails and Allies
Recurvirostridae	Stilts and Avocet
Rostratulidae	Painted Snipe
Scolopacidae	Waders (Snipe, Godwits, Curlew, Sandpipers and Allies)
Spheniscidae	Penguins
Strigidae	Hawk-type Owls
Sturnidae	Starlings and Mynas
Sulidae	Boobies and Gannets
Sylviidae	Old World Warblers
Threskiornithidae	Ibis and Spoonbills
Turcidae	Button-quail
Tytonidae	Barn-type Owls
Zosteropidae	White-eyes (Silvereyes)

Chondrichthyes

Alopiidae	Thresher Sharks
Dasyatidae	Stingrays
Lamnidae	Mackerel, White Pointer, Mako and Porbeagle Sharks
Pristidae	Sawfishes

Mammalia

Acrobatidae	Feathertailed Gliders
Burramyidae	Pygmy-possums
Dasyuridae	Dasyurids (Quolls, Antechinus, Dunnarts and Allies)
Delphinidae	Dolphins, Orcas, Pilot Whales and Melon-headed Whales
Emballonuridae	Sheath-tailed Bats
Hipposideridae	Leaf-nosed Bats
Kogiidae	Dwarf and Pygmy Sperm Whales
Macropodidae	Wallabies, Kangaroos and Tree-kangaroos
Megadermatidae	False Vampire (Ghost) Bats
Molossidae	Free-tailed Bats
Muridae	Rats and Mice
Myrmecobiidae	Numbat
Notoryctidae	Marsupial Mole
Ornithorhynchidae	Platypus
Otariidae	Eared Seals



Vertebrate fauna

Peramelidae	Bandicoots and Spiny Bandicoot
Petauridae	Wrist-winged Gliders, Striped Possum and Leadbeaters Possum
Phalangeridae	Brushtail Possums, Cuscuses and Scaly-tailed Possum
Phascolarctidae	
Phocidae	True Seals
Phocoenidae	Porpoises
Physeteridae	Sperm Whales
Potoroidae	Potoroos, Bettongs and the Musky Rat Kangaroo
Pseudocheiridae	Ring-tailed Possums and Greater Glider
Pteropodidae	Fruit-bats and Allies
Rhinolophidae	Horseshoe Bats
Tachyglossidae	Echidna
Tarsipedidae	Honey Possum
Thylacinidae	Thylacine
Thylacomyidae	Bilbies
Vespertilionidae	Vespertilionid Bats
Vombatidae	
Ziphiidae	Beaked Whales

Petromyzontida

Petromyzontidae	Lampreys
-----------------	----------

Reptilia

Acrochordidae	File snakes
Agamidae	Dragon lizards
Boidae	Pythons
Carettochelydidae	Pitted-shelled turtle
Chelidae	Side-necked Tortoises
Colubridae	Rear fang snakes
Crocodylidae	Crocodiles
Elapidae	Front fang snakes
Gekkonidae	Geckos
Pygopodidae	Legless lizards
Scincidae	Skinks
Typhlopidae	Worm-snakes and Blind-Snakes
Varanidae	Monitors

Reptiles

Sarcopterygii

Ceratodontidae	Lobe-finned fish
	Lungfishes



Invertebrate fauna

Arachnida

Actinopodidae	Two-doored Trapdoor Spiders
Araneidae	Orb-weaving Spiders
Barychelidae	Brush-footed Trapdoor Spiders
Chthoniidae	
Ctenizidae	Trapdoor Spiders
Cyrtachenidiidae	Trapdoor Spiders
Dipluridae	Funnel-web-like Spiders
Garypidae	
Hexathelidae	Funnel-web Spiders
Idiopidae	Trapdoor Spiders
Lycosidae	Wolf Spiders
Migidae	Brushless-legged Trapdoor Spiders
Nemesiidae	Funnel-web Spiders
Sparassidae	Huntsmen Spiders (formerly Heteropodidae)
Theraphosidae	Bird-eating Trapdoor Spiders

Spiders, mites and ticks

Bivalvia

Hyriidae	Freshwater Mussels
Sphaeriidae	Pea-shells

Bivalves

Chilopoda

Scolopendridae

Centipedes

Diplopoda

Dalodesmidae
Metopidiotrichidae
Pachybolidae
Paradoxosomatidae

Millipedes

Eurotatoria

Adinetidae	Rotifers with Undifferentiated Cilia
Asplanchnidae	Sac-like Wheel Animals
Atrochidae	Sessile Wheel Animals
Brachionidae	Sac-like Wheel Animal
Collothecidae	Sessile Wheel Animals
Conochilidae	Six-"armed" Wheel Animals
Dicranophoridae	Tong-grabbing Wheel Animals
Epiphanidae	Shell-less Wheel Animals
Euchlanidae	Wheel Animals
Flosculariidae	Sessile-footed Wheel Animals
Gastropodidae	Shelled Wheel Animals
Habrotrichidae	Rotifers with Paired Trochi
Hexarthridae	Gelatinous-colonial Wheel Animals
Ituridae	Shelled Wheel Animals
Lecanidae	Shelled Wheel Animal
Lepadellidae	Wheel Animals
Lindiidae	Wheel Animals
Microcodonidae	Wheel Animals
Mytilinidae	Wheel Animals
Notommatidae	Pseudo-segmented Wheel Animals

Wheel Animals



Invertebrate fauna

Philodinavidae	Rotifers with Simplified Trochi
Philodinidae	Rotifers with Paired Trochi
Proalidae	Worm-like Wheel Animals
Scaridiidae	Wheel Animals
Synchaetidae	Sac-, Bell- or Cone-shaped Wheel Animals
Testudinellidae	Free-swimming Round-shelled Wheel Animals
Tetrasiphonidae	Wheel Animal
Trichocercidae	Comma-like Wheel Animals
Trichotriidae	Wheel Animals
Trochosphaeridae	Globular Wheel Animals

Gastropoda

Achatinellidae
 Amphibolidae
 Ancyliidae
 Assimineidae
 Athoracophoridae
 Bithyniidae
 Bulimulidae
 Camaenidae
 Caryodidae
 Cerastuidae
 Charopidae
 Corillidae
 Cyclophoridae
 Cystopeltidae
 Diplommatinidae
 Ellobiidae
 Glacidorbidae
 Helicarionidae
 Helicinidae
 Helicodiscidae
 Hydrobiidae
 Hydrocenidae
 Hydrococcidae
 Iravadiidae
 Lymnaeidae
 Megaspiridae
 Neritidae
 Planorbidae
 Pomatiopsidae
 Punctidae
 Pupillidae
 Pupinidae
 Rathouisiidae
 Rhytididae
 Subulinidae
 Succineidae
 Thiaridae
 Trochomorphidae
 Truncatellidae

Snails

Conical-shelled Land Snails
 Supra-littoral Globose "Land" Snails
 Freshwater Limpets
 Freshwater, Land and Saltmarsh Snails
 Triangular Mantled Slugs
 Operculate Freshwater Snails
 Elongate High-spined Land Snails
 Camaenid Land Snails
 Giant Land Snails
 Land Snails
 Flattened and Turbinate Land Snails
 Land Snail
 Horny Circular Operculate Land Snails
 Australian "Half" Slugs
 Circular Operculate Land Snails
 Primitive Supralittoral Pulmonate Snails
 Freshwater Snails
 Helicarionid Land Snails
 Top-shaped Operculate Land Snails
 Stenopylis Land Snail
 Freshwater Operculate Snails
 Calcareous Operculate Land Snails
 Paucispiral Operculate Saltmarsh Snails
 Estuarine and Marine Operculate Snails
 Eutrophic Freshwater Snails
 Coelocion Land Snail
 Calcareous Operculate Marine and Estuarine Snails
 Freshwater Snails
 Salt-lake Snails
 Translucent Frosted Land Snails
 Pupa-shaped Shelled Land Snails
 Glossy and Porcellaneous Operculate Land Snails
 Carnivorous Primitive Slugs
 Carnivorous Land Snails
 Elongate Land Snails
 Amber Land Snails
 Freshwater Horny Operculate Snails
 Native Slug
 Supralittoral Calcareous Operculate Snails



Invertebrate fauna

Viviparidae Freshwater Subspirial Horny Operculate Snails

Insecta

Acanthosomatidae
 Achilidae
 Aenictopecheidae
 Aeshnidae
 Aleyrodidae
 Anthocoridae
 Aphididae
 Aphyllidae
 Apidae
 Apioceridae
 Aradidae
 Archipetalidae
 Artheneidae
 Asilidae
 Atriplectididae
 Austrocorduliidae
 Austropetalidae
 Baetidae
 Belostomatidae
 Berytidae
 Blissidae
 Bombyliidae
 Buprestidae
 Calocidae
 Carabidae
 Ceratocombidae
 Cercopidae
 Chlorocyphidae
 Chorismagrionidae
 Cicadidae
 Cixiidae
 Coccidae
 Coenagrionidae
 Colletidae
 Colobathristidae
 Conoesucidae
 Cordulephyidae
 Corduliidae
 Coreidae
 Corixidae
 Cryptorhamphidae
 Cydnidae
 Cymidae
 Delphacidae
 Diaspididae
 Dinidoridae
 Diphlebiidae
 Dipsocoridae

Insects

Shield Bugs
 Aenictopecheidae
 Hawker, Duskhawker and Emperor Damselflies
 Whiteflies
 Aphids
 Social Bees
 Flower-loving Flies
 Flat bugs, Bark bugs
 Tasmanian Redspot Dragonfly
 Robber Flies
 Caddisflies
 Hawk, Mosquitohawk and Swiftwing Dragonflies
 Redspot Dragonflies
 Blue-winged Olive Mayflies, Small Mayflies
 Stilt bugs
 Chinch Bugs
 Bee Flies
 Jewel Beetles
 Caddisflies
 Ground Beetles
 Jewel Damselflies
 Pretty Relict Damselfly
 Bluetail and Thin Damselflies
 Short-tongued Bees
 Caddisflies
 Shutwing Dragonflies
 Tigerhawk and Emerald Dragonflies
 Waterboatmen
 Burrower Bugs
 Armoured Scales, Diaspids
 Rockmaster Damselflies



Invertebrate fauna

Dytiscidae	Dytiscidine Water Beetles
Ecnomidae	Caseless Caddisflies
Enicocephalidae	
Eriococcidae	
Eurybrachyidae	
Flatidae	
Formicidae	Ants
Gelastocoridae	Toad Bugs
Geocoridae	
Gerridae	Water-striders
Glossosomatidae	Stone-case Caddisflies
Gomphidae	Dragon, Hunter and Vicetail Dragonflies
Gomphomacromiidae	Urly Dragonflies
Gyrinidae	Gyrinid Water Beetles
Halictidae	
Haliplidae	Haliplid Water Beetles
Helicophidae	Caddisflies
Helicopsychidae	Snail Case Caddisflies
Hemicorduliidae	Emerald and Swamp Emerald Dragonflies
Hemiphlebiidae	Ancient Greenling
Hesperiidae	Skippers, flats, awls & darts
Heterogastridae	
Hydrobiosidae	Caddisflies
Hydrometridae	Marsh Treaders, Water Measurers
Hydrophilidae	Water Beetle
Hydropsychidae	Net Spinning Caddisflies
Hydroptilidae	Micro Caddisflies
Hygrobiidae	Hygrobiid Water Beetles
Hyocephalidae	
Idiosolididae	
Isostictidae	Wiretail and Pin Damselflies
Kalotermitidae	Termite
Kokiriidae	Caddisflies
Largidae	
Leptoceridae	Long-horned Caddisflies
Leptophlebiidae	Prong Gilled Mayflies
Leptopodidae	Leptopodidae
Lestidae	Ringtail, Reedling and Dusky Spreadwing Damselflies
Lestoididae	Bluestreak Damselflies
Lestoniidae	
Libellulidae	Perchers, Archtails and other Dragonflies
Lindeniidae	Tiger Dragonflies
Lycaenidae	Blues, Coppers, Hairstreaks and Metalmarks
Lygaeidae	
Macromiidae	Cruiser Dragonflies
Mastotermitidae	Giant Northern Termite
Megachilidae	
Megapodagrionidae	Flatwing Damselflies
Membracidae	Horned Treehoppers
Mesoveliidae	
Miridae	Miridae



Invertebrate fauna

Mydidae	Mydas Flies, Wasp-mimic Flies
Nabidae	
Naucoridae	
Nepidae	Water Scorpions
Nesameletidae	Mayflies
Ninidae	
Noteridae	Noterid Water Beetles
Notonectidae	Backswimmers
Nymphalidae	Browns, Nymphs, Danaines
Ochteridae	Velvety Shore Bugs
Oeconesidae	Caddisflies
Oniscigastridae	Mayflies
Oxycarenidae	
Oxygastridae	Orange Streamcruiser Dragonfly
Pachygronthidae	
Papilionidae	Swallowtails
Peloriidae	Moss Bugs
Pentatomidae	Stinkbugs
Petaluridae	Petaltail Dragonflies
Philopotamidae	Finger Net caddisflies, Silken Tube Spinners
Philorheithridae	Caddisflies
Pieridae	Whites and Yellows
Piesmatidae	
Plataspidae	
Plectrotarsidae	Caddisflies
Pleidae	Pygmy Backswimmers
Polycentropodidae	Caseless Caddisflies
Prosopistomatidae	Mayflies
Protoneuridae	Threadtail Damselflies
Pseudococcidae	Mealy Bugs
Pseudocorduliidae	Mistfly Dragonflies
Psyllidae	
Pyrrhocoridae	
Reduviidae	Assassin Bugs
Rhinotermitidae	Termite
Rhopalidae	
Rhyparochromidae	Seed Bugs
Schizopteridae	
Scutelleridae	
Stenopsychidae	Caddisflies
Stenotritidae	
Synlestidae	Whitetip and Needle Damselflies
Synthemistidae	Spottail and Tigertail Dragonflies
Tasimiidae	Tasimiidae
Telephlebiidae	Darner Dragonflies
Termitidae	Termite
Termopsidae	Termite
Tessaratomidae	
Tettigarctidae	
Thaumastocoridae	
Therevidae	Stiletto Flies



Invertebrate fauna

Tingidae	Lacebugs
Triozidae	
Urothemistidae	Basker, Pennant and Baron Dragonflies
Veliidae	Small Water Striders, Riffle Bugs

Malacostraca

Crabs, lobsters, shrimps and woodlice

Eusiridae	
Hadziidae	
Hyalidae	
Hypsimepodidae	Phreatoicidean Isopods
Melitidae	
Neoniphargidae	
Paracalliopiidae	
Paramelitidae	
Phreatoicidae	Phreatoicidean Isopods
Phreatoicopsinae	Phreatoicidean Isopods
Talitridae	sandfleas, sandhoppers, landhoppers

Polychaeta

Bristleworms, Scale Worms, Fan Worms, Rag Worm

Aphroditidae	sea mice
Cirratulidae	Cirratulid worms
Sigalionidae	scale worm



Vascular flora

Cycadopsida

Cycadaceae
Zamiaceae

Cycads

Native Cycads
Native Cycads

Liliopsida

Alismataceae
Amaryllidaceae
Anarthriaceae
Aponogetonaceae
Araceae
Arecaceae
Asphodelaceae
Asteliaceae
Blandfordiaceae
Boryaceae
Burmanniaceae
Campynemataceae
Centrolepidaceae
Colchicaceae
Cyperaceae
Dioscoreaceae
Ecdeiocoleaceae
Eriocaulaceae
Flagellariaceae
Haemodoraceae
Hemerocallidaceae
Hydrocharitaceae
Hypoxidaceae
Iridaceae
Juncaceae
Juncaginaceae
Luzuriagaceae
Musaceae
Orchidaceae
Pandanaeae
Petermanniaceae
Philesiaceae
Philydraceae
Poaceae
Pontederiaceae
Potamogetonaceae
Restionaceae
Ripogonaceae
Ruppiaceae
Smilacaceae
Sparganiaceae
Stemonaceae
Taccaceae
Thismiaceae
Typhaceae
Xanthorrhoeaceae

Monocots

Water Plantains

Pond Lilies
Settlers Flax, Cunjevoi, Native Lilies
Palms
Native Leek
Palm-Lilies and Allies
Christmas Bells
Pincushion Lillies
Burmannias

Centrolepid Sedges
Nancies and Allies
Sedges
Native Yams

Pipeworts
Whip Vine
Bloodroots, Conostyles, Kangaroo Paws and their Allies

Swamp Lily, Eel Weed, Frogbit and Water Thyme
Native Lilies
Irises and Allies
Rushes
Water Ribbons
Orange and Turquoise Berries
Native Bananas
Orchids
Pandans and Allies

Frogmouths and Stream Lilies
Grasses
Water Hyacinths and Allies
Sea Grasses and Horned Pondweeds, Pondweed
Restiona Sedges

Lawyer Vines, Supplejack, Wombat Berry and Scrambling Lily
Floating Bur Reed
Stemona Climbers
Arrowroot and Allies
Fairy Lanterns
Cumbungi and Allies
Grass Trees, Lomandras and Allies



Vascular flora

Xyridaceae
Zingiberaceae

Xyris Herbs
Native Ginger and Allies

Magnoliopsida

Achariaceae
Aizoaceae
Akaniaceae
Amaranthaceae
Anacardiaceae
Aphanopetalaceae
Asteraceae
Atherospermataceae
Austrobaileyaceae
Balanopaceae
Balanophoraceae
Bombacaceae
Boraginaceae
Burseraceae
Calycanthaceae
Cardiopteridaceae
Caryophyllaceae
Casuarinaceae
Chenopodiaceae
Combretaceae
Connaraceae
Convolvulaceae
Cunoniaceae
Dichapetalaceae
Dilleniaceae
Droseraceae
Elaeagnaceae
Epacridaceae
Ericaceae
Erythroxylaceae
Euphorbiaceae
Eupomatiaceae
Fabaceae
Haloragaceae
Hernandiaceae
Himantandraceae
Hydatellaceae
Lauraceae
Leeaceae
Lentibulariaceae
Limeaceae
Linderniaceae
Lythraceae
Melastomataceae
Meliaceae
Menispermaceae
Menyanthaceae

Dicots

Pigfaces
Turnip Wood
Pigweed
Bollygum, Native Plum

Daisies and Allies

Austrobaileyas
Pimplebark
Balanophoras
Baobabs
Forget-me-not
Canarium and Garuga

Peripterygium Vines
Pin Cushion, Wort
She-oaks
Saltbushes and Allies
Plums, Bullwaddies, Mangroves and Bushwillow
Connara Climbers
Bindweed, Morning Glory
Christmas Bushes and Mararas
Dichapetals
Guinea Flowers
Sundews
Oleaster
Southern Heaths
Heathers and Rhododendrons
Erythroxylum
Spurges
Bolwarra
Peas
Raspworts and Milfoils
Hernandias and Valvantheras
Galbulimimas
Hydatellid Herbs
Laurels, Camphorwood and Australian Walnuts
Leeas
Bladderworts

Loosestrifes
Native Lasiandra and Allies
Rosewoods and Mahoganies
Snake, Round-leaf and Pearl Vines
Marshwort



Vascular flora

Molluginaceae	Carpet Weed, Herb
Monimiaceae	Sassafras, Beech
Myrtaceae	Native Myrtles
Nelumbonaceae	Waterlilies
Nepenthaceae	Nepenthes Pitcher Plants
Nitrariaceae	
Nyctaginaceae	Tarvine, Pisonia and Birdlime Trees
Ochnaceae	Brackenridgea
Onagraceae	Water Primrose and Willowherbs
Opiliaceae	Oplilia Climbers
Orobanchaceae	
Phrymaceae	
Phyllanthaceae	
Phytolaccaceae	Introduced Monococcus
Picrodendraceae	
Portulacaceae	Purslane
Proteaceae	Banksias, Grevilleas and Allies
Putranjivaceae	
Rhizophoraceae	Mangroves
Rutaceae	Boronia, Correa, Citrus, Phebalium, Philotheca, Zieria and Allie
Sapindaceae	Tamarind, Whitewood, Tuckeroo, Hop Bushes
Scrophulariaceae	Figworts
Simaroubaceae	Native Plum and Allies
Solanaceae	Native Gooseberries, Wild Tomatos and Boxthorns
Sphenocleaceae	
Sterculiaceae	Kurrajongs and Bottletrees
Stylidiaceae	Triggerplants and Allies
Thymelaeaceae	Pimeleas
Tiliaceae	
Trimeniaceae	Trimenia
Vitaceae	
Winteraceae	Pepper Trees
Zygophyllaceae	Zygophyllaceae
Pinopsida	Pines and Allies
Araucariaceae	Araucaria Pines
Cupressaceae	Native Cypress
Podocarpaceae	Podocarp Pines



Appendix 2 Acknowledgements

Thank you to the following organisations and individuals for providing species location data used in the Australian Natural Heritage Assessment Tool (ANHAT) to generate this Biodiversity Summary.

Council of Heads of Australian Faunal Collections (CHAFC)

ANHAT acknowledges the Council of Heads of Australian Fauna Collections (CHAFC) for supply of data from the following CHAFC member institutions:

- Australian Museum
- CSIRO Australian National Insect Collection
- Museum and Art Gallery of the Northern Territory
- Museum Victoria
- Queen Victoria Museum and Art Gallery (Launceston)
- Queensland Museum
- South Australian Museum
- Tasmanian Museum and Art Gallery (Hobart)
- Western Australian Museum

The taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that of the CHAFC parent Museums.

Council of Heads of Australasian Herbaria (CHAH)

ANHAT acknowledges the Council of Heads of Australasian Herbaria Inc. (CHAH Inc.) and partners in Australia's Virtual Herbarium (AVH) for the supply of data from the AVH. The AVH is a collaborative project of Australian State, Territory and Commonwealth herbaria through CHAH Inc. and includes:

- Australian National Herbarium (CANB)
- National Herbarium of New South Wales (NSW) Botanic Gardens Trust
- Herbarium of the Northern Territory (DNA, NT)
- Queensland Herbarium (BRI)
- State Herbarium of South Australia (AD)
- Tasmanian Herbarium (HO)
- National Herbarium of Victoria (MEL) Royal Botanic Gardens Melbourne
- Western Australian Herbarium (PERTH).

The taxonomic concepts used in this report reflect an ANHAT view of the data and not necessarily that of the AVH parent Herbaria.



Other Government Organisations

- Commonwealth Department of Defence
- Commonwealth Department of Sustainability, Environment, Water, Population and Communities
- New South Wales - Department of Environment and Climate Change
- New South Wales - Department of Primary Industry, Forests NSW
- Northern Territory - Department of Natural Resources, Environment and the Arts
- Queensland - Environmental Protection Agency, WildNet
- South Australia - Department for Environment and Heritage (Biological Survey of South Australia Database)
- Tasmania - Department of Primary Industries and Water (Natural Values Atlas)
- Victoria - Department of Sustainability and Environment
- Western Australia - Department of Environment and Conservation

Non-government

- Birds Australia
- Mr Russell Sheil - Rotifers of Australia
- Mr David Crosby - Lepidoptera of Victoria