

LITERATURE CITED FOR THE AMPHIBIA

- Aitken, A.W. (1870). On the New Zealand frog (*Leiopelma hochstetteri*), with an account of a remarkable feature in the history of some species of Australian frogs. *Transactions and Proceedings of the New Zealand Institute* 2: 87-88
- Altig, R. (1970). A key to the tadpoles of the continental United States and Canada. *Herpetologica* 26: 180-207
- Anastasi, A., Erspamer, V. & Endean, R. (1975). Structure of uperolein, a physalaemin-like endecapeptide occurring in the skin of *Uperoleia rugosa* and *Uperoleia marmorata*. *Experientia* 31: 394-395
- Anderson, C. & Campbell, G. (1989). Innervation of the gastrointestinal canal of the toad *Bufo marinus* by neurons containing 5-hydroxytryptamine-like immunoreactivity. *Cell and Tissue Research* 255: 601-609
- Anonymous (1953). Love croak of the frog recorded at Bassendean. *Broadcaster* Vol. 20 No. 1002: 1-4
- Anstis, M. (1976). Breeding biology and larval development of *Litoria verreauxi* (Anura: Hylidae). *Transactions of the Royal Society of South Australia* 100: 193-202
- Arak, A. (1983). Male-male competition and mate choice in anuran amphibians. Pp. 181-210 in Bateson, P. (ed.) *Mate Choice*. Cambridge University Press : Cambridge 462 pp.
- Archer, M., Godthelp, H., Hand, S.J. & Megirian, D. (1989). Fossil mammals of Riversleigh, northwestern Queensland: preliminary overview of biostratigraphy, correlation and environmental change. *Australian Zoologist* 25: 29-65
- Ayre, D.J., Coster, P., Bailey, W.J. & Roberts, J.D. (1984). Calling tactics in *Crinia georgiana* (Anura: Myobatrachidae): alternation and variation in call duration. *Australian Journal of Zoology* 32: 463-470
- Bagnara, J.T. (1976). Colour change. Pp. 1-52 in Lofts, B. (ed.) *Physiology of the Amphibia*. Vol. 3. Academic Press : New York
- Bagnara, J.T. & Ferris, W. (1975). The presence of phyllomedusine melanosomes and pigments in Australian hylids. *Copeia* 1975: 592-595
- Bailey, W.J. & Roberts, J.D. (1981). The bioacoustics of the burrowing frog *Heleioporus* (Leptodactylidae). *Journal of Natural History* 15: 693-702
- Bakker, H.R. & Bradshaw, S.D. (1977). Effect of hypothalamic lesions on water metabolism of the toad *Bufo marinus*. *Journal of Endocrinology* 75: 161-172
- Bancroft, T.L. (1891). Exhibit: Two apparently new infusor parasites in the blood of a frog *Hyla nasuta*, one of them is referable to the genus *Trypanosoma*. *Proceedings of the Royal Society of Queensland* 8: xiii
- Banks, C. (1980). *Keeping Reptiles and Amphibians as Pets*. Nelson : Melbourne 129 pp.
- Barendse, W. (1984). Speciation in the genus *Crinia* (Anura: Myobatrachidae) in southern Australia: a phylogenetic analysis of allozyme data supporting endemic speciation in southwestern Australia. *Evolution* 38: 1238-1250
- Barker, J. & Grigg, G. (1977). *A Field Guide to Australian Frogs*. Rigby : Adelaide 229 pp.
- Barlow, B.A. (1984). Proposal for delineation of botanical regions in Australia. *Brunonia* 7: 195-201

- Baustian, M. (1988). The contribution of lymphatic pathways during recovery from hemorrhage in the toad *Bufo marinus*. *Physiological Zoology* 61: 555-563
- Baverstock, P.R., Christidis, L., Krieg, M. & Birrell, J. (1991). Immunological evolution of albumin in the estrildine finches (Aves: Passeriformes) is far from clock-like. *Australian Journal of Zoology* 39: 417-425
- Beebe, T.J.C. (1977). Environmental change as a cause of Natterjack Toad (*Bufo calamita*) declines in Britain. *Biological Conservation* 11: 87-102
- Benirschke, K. & Tsu, T.C. (1971). *Chromosome Atlas: Fish, Amphibians, Reptiles and Birds* 1: 1-14
- Bentley, P.J. (1971). *Endocrines and Osmoregulation. A comparative account of the regulation of salt and water in Vertebrates*. Springer Verlag : New York 300 pp.
- Bentley, P.J. & Main, A.R. (1972). Effect of vasotocin on cutaneous water uptake by an Australian frog, *Crinia georgiana*. *Copeia* 1972: 885-886
- Bentley, P.J. & Shield, J.W. (1973). Respiration in some urodele and anuran Amphibia: 2. In air, role of the lungs and skin. *Comparative Biochemistry and Physiology* 46A: 29-38
- Bentley, P.J., Lee, A.K. & Main, A.R. (1958). Comparison of dehydration and hydration of two genera of frogs (*Heleioporus* and *Neobatrachus*) that live in areas of varying aridity. *Journal of Experimental Biology* 35: 677-684
- Berven, K.A. (1981). Mate choice in the wood frog, *Rana sylvatica*. *Evolution* 35 : 707-722
- Bevins, C.L. & Zasloff, M. (1990). Peptides from frog skin. *Annual Review of Biochemistry* 59: 395-414
- Blair, W.F. (1956). Call difference as an isolating mechanism in southwestern toads (genus *Bufo*). *Texas Journal of Science* 8: 87-106
- Blair, W.F. (1972). *Evolution in the Genus Bufo*. University of Texas Press : Austin 459 pp.
- Blake, A.J.D. (1973). Taxonomy and relationships of Australian myobatrachine frogs (Leptodactylidae): a numerical approach. *Australian Journal of Zoology* 21: 119-149
- Blaustein, A.R. & Wake, D.B. (1990). Declining amphibian Populations: a global phenomenon? *Trends in Ecology and Evolution* 5: 203-204
- Blom, W.M. (1988). Late Quaternary sediments and sea-levels in Bass Basin, southeastern Australia - a preliminary report. *Search* 19: 94-96
- Blum, J.P. & Menzies, J.I. (1988). Notes on *Xenobatrachus* and *Xenorhina* (Amphibia: Microhylidae) from New Guinea with a description of nine new species. *Alytes* 7: 125-163
- Bock, W.J. & Shear, C.R. (1972). A staining method for gross dissection of vertebrate muscles. *Anatomische Anzeiger* 130: 222-227
- Bolt, J.R. (1969). Lissamphibian origins: possible protolissamphibian from the Lower Permian of Oklahoma. *Science* 166: 888-891
- Bolt, J.R. (1977). Dissorophoid relationships and ontogeny, and the origin of the Lissamphibia. *Journal of Paleontology* 51: 235-249
- Bonnemains, J., Forsyth, E. & Smith, B. (eds) (1988). *Baudin in Australian Waters. The Artwork of the French Voyage of Discovery to the Southern Lands 1800-1804*. Oxford University Press : Melbourne 347 pp.

- Boulenger, G.A. (1882). *Catalogue of the Batrachia Salientias. Ecaudata in the collection of the British Museum*. 2nd edition. British Museum : London 503 pp.
- Boulenger, G.A. (1920). A monograph of the south Asian, Papuan, Melanesian and Australian frogs of the genus *Rana*. *Records of the Indian Museum* 20: 1-223
- Bowler, J.M. (1982). Aridity in the late Tertiary and Quaternary of Australia. Pp. 35-45 in Barker, W.R. & Greenslade, P.J.M. (eds) *Evolution of the Flora and Fauna of Arid Australia*. Peacock Publications : Frewville
- Bradford, D.F. & Seymour, R.S. (1985). Energy conservation during the delayed hatching period in the frog *Pseudophryne bibroni*. *Physiological Zoology* 58: 491-496
- Bradford, D.S. & Seymour, R.S. (1988a). Influence of water potential on growth and survival of the embryo, and gas conductance of the egg, in a terrestrial breeding frog, *Pseudophryne bibroni*. *Physiological Zoology* 61: 470-474
- Bradford, D.S. & Seymour, R.S. (1988b). Influence of environmental PO₂ on embryonic oxygen consumption, rate of development, and hatching in the frog, *Pseudophryne bibroni*. *Physiological Zoology* 61: 475-482
- Brady, A.J. (1964). Physiology of the amphibian heart. Pp. 211-250 in Moore, J.A. (ed.) *Physiology of the Amphibia*. Academic Press : New York
- Brattstrom, B.H. (1962). Homing in the giant toad, *Bufo marinus*. *Herpetologica* 18: 176-180
- Brattstrom, B.H. (1968). Thermal acclimation in anuran amphibians as a function of latitude and altitude. *Comparative Biochemistry and Physiology* 24: 93-111
- Brattstrom, B.H. (1970). Thermal acclimation in Australian amphibians. *Comparative Biochemistry and Physiology* 35: 69-103
- Breder, C.M. (1946). Amphibians and reptiles of the Rio Chucunaque drainage, Darien, Panama, with notes on their life histories and habits. *Bulletin of the American Museum of Natural History* 86: 375-436
- Briggs, E.A. (1940). *Anatomy of Animal Types for Students of Zoology*. Angus & Robertson : London 290 pp.
- Brook, A.J. (1975). The distribution of anuran amphibians in Victoria. *Victorian Naturalist* 92: 104-120
- Brook, A.J. (1979a). *Atlas of Frogs of Victoria*. University of Melbourne : Melbourne 25 pp.
- Brook, A.J. (1979b). *Atlas of Frogs of Tasmania*. University of Melbourne : Melbourne 9 pp.
- Brook, A.J. (1981). *Atlas of Frogs of South Australia*. University of Melbourne : Melbourne 27 pp.
- Brook, A.J. (1982). *Atlas of Frogs of Victoria*. 2nd edition. University of Melbourne : Melbourne 36 pp.
- Brook, A.J. (1983). *Atlas of Australian Anura: Progress Report*. University of Melbourne : Melbourne 50 pp.
- Brown, D.R., Everett, A.W. & Bennett, M.R. (1989). Compartmental and topographical distributions of axons in nerves to the amphibian (*Bufo marinus*) glutaeus muscle. *Journal of Comparative Neurology* 284: 231-241

- Brown, L.E. & Littlejohn, M.J. (1972). Male release call in the *Bufo americanus* group. Pp. 310-323 in Blair, W.F. (ed.) *Evolution in the Genus Bufo*. University of Texas Press : Austin
- Brzoska, J. & Schneider, H. (1978). Modification of prey catching behaviour by learning in the common toad, *B. b. bufo* L. (Anura, Amphibia): changes in response to visual objects and effects of auditory stimuli. *Behaviour Processes* 3: 125-136
- Burbidge, N.T. (1960). The phytogeography of the Australian Region. *Australian Journal of Botany* 8: 75-211
- Burton, T.C. (1980). The phylogenetic and functional significance of cutaneous muscles in microhylid frogs. *Herpetologica* 36: 256-264
- Burton, T.C. (1983a). Musculature. Pp. 69-83 in Tyler, M. J. (ed.) *The Gastric Brooding Frog*. Croom Helm : London & Canberra 163 pp.
- Burton, T.C. (1983b). The musculature of the Papuan frog *Phrynomantis stictogaster* (Anura: Microhylidae). *Journal of Morphology* 175: 307-323
- Burton, T.C. (1984). A new character to distinguish the Australian microhylid genera *Cophixalus* and *Sphenophryne*. *Journal of Herpetology* 18: 205-207
- Burton, T.C. (1986). A reassessment of the Papuan subfamily Asterophryinae (Anura: Microhylidae). *Records of the South Australian Museum* 19: 405-450
- Burton, T.C. (1990). The New Guinea genus *Copiula* Mehely (Anura: Microhylidae): a new diagnostic character and a new species. *Transactions of the Royal Society of South Australia* 114: 87-93
- Butlin, R. (1987). Speciation by reinforcement. *Trends in Ecology and Evolution* 2: 8-13
- Buttemer, W.A. (1990). Effect of temperature on evaporative water loss of the Australian tree frogs *Litoria caerulea* and *Litoria chloris*. *Physiological Zoology* 63: 1043-1057
- Calaby, J.H. (1956). The food habits of the frog *Myobatrachus gouldii* (Gray). *West Australian Naturalist* 5: 93-96
- Cameron, E.E. & Cogger, H.G. (1992). The herpetofauna of the Weipa Region, Cape York Peninsula. *Technical Reports of the Australian Museum* 7: 1-200
- Carey, C. (1993). Hypothesis concerning the causes of the disappearance of Boreal Toads from the mountains of Colorado. *Conservation Biology* 7: 355-362
- Carpenter, C.C. & Gillingham, J.C. (1987). Water hole fidelity in the marine toad, *Bufo marinus*. *Journal of Herpetology* 21: 158-161
- Carroll, R.L. (1977). Patterns of amphibian evolution: an extended example of the incompleteness of the fossil record. Pp. 405-437 in Hallam, A. (ed.) *Patterns of Evolution*. Elsevier : Amsterdam
- Carter, D.B. (1979). Structure and function of the subcutaneous lymph sacs in the Anura (Amphibia). *Journal of Herpetology* 13: 321-327
- Cei, J.M. (1968). Remarks on the geographical distribution and phyletic trends of South American toads. *Pearce Sellards Series Texas Memorial Museum* 13: 3-20
- Chappell, J. (1978). Chronological methods and the ranges and rates of Quaternary physical changes. Pp. 1-34 in Walker, D. & Guppy, J.C. (eds) *Biology and Quaternary Environments*. Australian Academy of Science : Canberra

- Chappell, J. (1983a). Cool wet to cool dry to warm: one cause or many? Pp. 129-131 in Anon. (ed.) *Proceedings of the First CLIMANZ Conference held at Howman's Gap, Victoria Australia, February 8-13, 1981*. 2 Vols. Australian National University : Canberra
- Chappell, J. (1983b). Sea level changes, 0 to 40 kA. Pp. 121-122 in Anon. (ed.) *Proceedings of the First CLIMANZ Conference held at Howman's Gap, Victoria Australia, February 8-13, 1981*. 2 Vols. Australian National University : Canberra
- Chen, C. & Osuch, M.V. (1969). Biosynthesis of bufadienolides -3 β -hydroxycholestanates as precursors in *Bufo marinus* bufadienolides synthesis. *Biochemical Pharmacology* 18: 1797-1802
- Cleland, J.B. & Johnston, T.H. (1910). The haematozoa of Australian batrachians. *Journal and Proceedings of the Royal Society of New South Wales* 44: 252-260
- Clyne, F.H. (1968). *Water and ionic relations of selected Australian frogs*. MSc thesis, Monash University, Melbourne
- Cogger, H.G., Cameron, E.E. & Cogger, H.M. (1983). *Zoological Catalogue of Australia. Vol. 1 Amphibia and Reptilia*. Australian Government Publishing Service : Canberra 313 pp.
- Collett, T.S., Udin, S.B. & Finch, D.J. (1987). A possible mechanism for binocular depth judgments in anurans. *Experimental Brain Research* 66: 35-40
- Cooper, E.L. (1976). Immunity mechanisms. Pp. 164-272 in Lofts, B. (ed.) *Physiology of the Amphibia*. Vol. 3. Academic Press : New York
- Cope, E.D. (1865). Sketch of the primary groups of Batrachia Salientia. *Natural History Reviews* 5: 97-120
- Cope, E.D. (1866). On the structure and distribution of the genera of arciferous Anura. *Journal of the Academy of Natural Sciences, Philadelphia, Series 2* 6: 67-112
- Cope, E.D. (1867). On the families of the raniform Anura. *Journal of the Academy of Natural Sciences, Philadelphia, Series 2* 6: 189-206
- Copland, S.J. (1957). Presidential address: Australian tree frogs of the genus *Hyla*. *Proceedings of the Linnean Society of New South Wales* 82: 9-108
- Corben, C.J., Ingram, G.J. & Tyler, M.J. (1974). Gastric brooding: unique form of parental care in an Australian frog. *Science* 186: 946-947
- Covacevich, J. & Archer, M. (1975). The distribution of the cane toad, *Bufo marinus*, in Australia and its effects on indigenous vertebrates. *Memoirs of the Queensland Museum* 17: 305-310
- Cracraft, J. (1982). Geographic differentiation, cladistics, and vicariance biogeography: reconstructing the tempo and mode of evolution. *American Zoologist* 22: 411-424
- Cree, A. (1985). Water balance and nitrogen excretion of two introduced frogs (*Litoria raniformis* and *L. ewingi*). *New Zealand Journal of Zoology* 12: 341-348
- Crook, G.A. & Tyler, M.J. (1981). Structure and function of the tibial gland of the Australian frog *Limnodynastes dumerili* Peters. *Transactions of the Royal Society of South Australia* 105: 49-52
- Czechura, G.V. (1978). An apparent case of altitudinal displacement between two frogs of the genus *Sphenophryne* (Anura: Microhylidae) in north-east Queensland. *North Queensland Naturalist* 44: 4-6

- Czechura, G.V. & Ingram, G.J. (1990). *Taudactylus diurnus* and the case of the disappearing frogs. *Memoirs of the Queensland Museum* 29: 361-365
- Dakin, W.J. (1920). Notes on the habits and reproduction of the great Western Burrowing Frog *Heleioporus albopunctatus*. *Australian Zoologist* 1: 241-244
- Daly, J.W., Garraffo, H.M., Pannell, L.K., Spande, T.F., Severini, C. & Erspamer, V. (1990). Alkaloids from Australian frogs (Myobatrachidae): pseudophrynamines and pumiliotoxins. *Journal of Natural Products* 53: 407-421
- Daly, J.W., Highet, R.J. & Myers, C.W. (1984). Occurrence of skin alkaloids in non-dendrobatid frogs from Brazil (Bufonidae), Australia (Myobatrachidae) and Madagascar (Mantellinae). *Toxicon* 22: 905-919
- Dassouli, A., Chevalier, J. & Ripoche, P. (1989). 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Purification and characterization. *European Journal of Cell Biology* 49: 180-188
- Daugherty, C.H. & Maxson, L.R. (1982). A biochemical assessment of the evolution of myobatrachine frogs. *Herpetologica* 38: 341-348
- Davies M., McDonald, K.R. & Adams, M. (1986a). A new green tree frog (Anura: Hylidae) from Queensland, Australia. *Proceedings of the Royal Society of Victoria* 98: 63-71
- Davies, M. (1978). Variation in the cranial osteology of the Australo-Papuan hylid frog *Litoria infrafrenata* (Anura: Hylidae). *Records of the South Australian Museum* 17: 337-345
- Davies, M. (1983). Skeleton. Pp. 58-68 in Tyler M.J. (ed.) *The Gastric Brooding Frog*. Croom Helm : London
- Davies, M. (1984). Osteology of the myobatrachine frog *Arenophryne rotunda* Tyler (Anura: Leptodactylidae) and comparisons with other myobatrachine genera. *Australian Journal of Zoology* 32: 789-802
- Davies, M. (1989a) Ontogeny of bone and the role of heterochrony in the myobatrachine genera *Uperoleia*, *Crinia* and *Pseudophryne* (Anura: Leptodactylidae: Myobatrachinae). *Journal of Morphology* 200: 269-300
- Davies, M. (1989b). Developmental biology of the Australopapuan hylid frog *Litoria eucnemis* (Anura: Hylidae). *Transactions of the Royal Society of South Australia* 113: 215-220
- Davies, M. (1991). Descriptions of the tadpoles of some Australian limnodynastine leptodactylid frogs. *Transactions of the Royal Society of South Australia* 115: 67-76
- Davies, M. (1992). Early development of *Limnodynastes terraereginae* and *L. fletcheri* (Anura: Leptodactylidae: Limnodynastinae). *Transactions of the Royal Society of South Australia* 116: 117-122
- Davies, M. & Burton, T.C. (1982). Osteology and myology of the gastric brooding frog *Rheobatrachus silus* Liem (Anura: Leptodactylidae). *Australian Journal of Zoology* 30: 503-521
- Davies, M. & Littlejohn, M.J. (1986). Frogs of the genus *Uperoleia* Gray (Anura: Leptodactylidae) in south-eastern Australia. *Transactions of the Royal Society of South Australia* 109: 111-143
- Davies, M. & McDonald, K.R. (1979a). A new species of stream-dwelling hylid from northern Queensland. *Transactions of the Royal Society of South Australia* 103: 169-176

- Davies, M. & McDonald, K.R. (1979b). A study of intraspecific variation in the green tree frog *Litoria chloris* (Boulenger) (Hylidae). *Australian Zoologist* 20: 347-359
- Davies, M. & McDonald, K.R. (1985). A redefinition of *Uperoleia rugosa* (Andersson) (Anura: Leptodactylidae). *Transactions of the Royal Society of South Australia* 109: 37-42
- Davies, M. & Richards, S.J. (1990). Developmental biology of the Australian hylid frog *Nyctimystes dayi* (Anura: Hylidae). *Transactions of the Royal Society of South Australia* 114: 207-211
- Davies, M., Martin, A.A. & Watson, G.F. (1983). Redefinition of the *Litoria latopalmata* species group (Anura: Hylidae). *Transactions of the Royal Society of South Australia* 107: 87-108
- Davies, M., McDonald, K.R. & Corben, C. (1986b). The genus *Uperoleia* Gray (Anura: Leptodactylidae) in Queensland, Australia. *Proceedings of the Royal Society of Victoria* 98: 147-188
- Davies, M., Watson, G.F., McDonald, K.R., Trenerry, M.P. & Werren, G. (1993). A new species of *Uperoleia* (Anura: Leptodactylidae: Myobatrachinae) from northeastern Australia. *Memoirs of the Queensland Museum* 33: 167-174
- Davies, N.B. & Halliday, T.R. (1979). Competitive mate searching in male common toads, *Bufo bufo*. *Animal Behaviour* 27: 1253-1267
- Dawson, A.B. (1951). Functional, and degenerate or rudimentary glomeruli in the kidney of two species of Australian frog, *Cyclorana (Chiroleptes) platycephalus* and *alboguttatus* (Günther). *Anatomical Records* 109: 417-430
- De Deckker, P. Kershaw, A.P. & Williams, M.A.J. (1988). Past environmental analogues. Pp. 473-488 in Pearman, G.I. (ed.) *Greenhouse. Planning for Climate Change*. CSIRO, Division of Atmospheric Research : Melbourne
- de la Lande, I.S., O'Brien, P.E., Shearman, D.J.C., Taylor, P. & Tyler, M.J. (1984). On the possible role of prostaglandin E 2 in intestinal stasis in the gastric brooding frog *Rheobatrachus silus*. *Australian Journal of Experimental Biology and Medical Science* 62: 317-323
- de Vis, C.W. (1884b). On new species of *Hyla*. *Proceedings of the Royal Society of Queensland* 1: 128-130
- Delvignier, B.L.J. (1986). *Myxidium immersum* (protozoa: Myxospora) of the cane toad, *Bufo marinus*, in Australian Anura, with a synopsis of the genus in amphibians. *Australian Journal of Zoology* 34: 843-853
- Delvignier, B.L.J. (1987). Opalinidae in Australian Anura. *Proceedings of the Royal Society of Queensland* 98: 93-122
- Delvignier, B.L.J. (1988). On some Nyctotheridae of the Australian Anura with a description of *Nyctotheroides raffae* n.sp. *Proceedings of the Royal Society of Queensland* 99: 21-34
- Delvignier, B.L.J. (1989). Occurrence of the protozoans *Lankesterella hylae* and *Haemogregarina* sp. in the blood of the green tree frog, *Litoria caerulea*. *Memoirs of the Queensland Museum* 27: 267-274
- Delvignier, B.L.J. & Freeland, W.J. (1989). On some trypanosomes of the Australian Anura. *Proceedings of the Royal Society of Queensland* 100: 79-87
- Delvignier, B.L.J. & Jones, M.K. (1988). A preliminary note on the intestinal flagellates of the Australian Anura. *Memoirs of the Queensland Museum* 25: 333-334

- Dennington, S.L. (1990). The *Litoria ewingi* complex (Anura: Hylidae) in south-eastern Australia. IX. Variation in mitochondrial DNA across a narrow zone of hybridization between *L. ewingi* and *L. paraewingi*. *Australian Journal of Zoology* 38: 53-63
- Dessauer, H.C., Cole, C.J. & Hafner, M.S. (1990). Collection and storage of tissues. Pp. 25-41 in Hillis, D.M. & Moritz, C. (eds) *Molecular Systematics*. Sinauer Associates Inc. : Sunderland, Massachusetts
- Dobzhansky, T. (1950). *Genetics and the Origin of Species*. 2nd edition. Columbia University Press : New York 446 pp.
- Domm, A.J. & Janssens, P.A. (1973). Nitrogen metabolism during development in the corroboree frog, *Pseudophryne corroboree* Moore. *Comparative Biochemistry and Physiology* 38A: 163-173
- Donnellan, S.C., Adams, M. & Aplin, K.P. (1989). A biochemical and morphological study of *Rana* (Anura: Ranidae) from the Chimbu Province, Papua New Guinea. *Herpetologica* 45: 336-343
- Donnellan, S.C., Mahony, M.J. & Davies, M. (1990). A new species of *Mixophyes* (Anura: Leptodactylidae) and first record of the genus from New Guinea. *Herpetologica* 46: 266-274
- Dubois, A. (1983). Classification et nomenclature supragénérique des amphibiens anoures. *Bulletin Mensuel Société Linné Lyon* 52: 270-276
- Dubois, A. (1984). La nomenclature supragénérique des amphibiens anoures. *Mémoires Muséum National d'Histoire Naturelle, Paris, Série A Zoologie* 131: 1-64
- Dubois, A. (1985). Miscellanea nomenclatoria batrachologica (7). *Alytes* 4: 61-78
- Duellman, W.E. (1970). Hylid frogs of Middle America. Vols 1 & 2. *Monograph of the Museum of Natural History, University of Kansas* 1: 1-753
- Duellman, W.E. (1975). On the classification of frogs. *Occasional Papers of the Museum of Natural History, University of Kansas* 42: 1-14
- Duellman, W.E. (1978). The biology of an equatorial herpetofauna in Amazonian Ecuador. *University of Kansas Museum of Natural History Miscellaneous Publications* 65: 1-352
- Duellman, W.E. (1993). Amphibian species of the world: additions and corrections. *University of Kansas Museum of Natural History Special Publication* No. 21: 1-372
- Duellman, W.E. & Trueb, L. (1986). *Biology of Amphibians*. McGraw-Hill : New York 670 pp.
- Dumsday, B. (1990). Resting heart rate of the toad *Bufo marinus*: a long-term study of individual differences and environmental influences. *Physiological Zoology* 63: 420-431
- Dunlap, D.G. (1960). The comparative myology of the pelvic appendage in the Salientia. *Journal of Morphology* 106: 1-76
- Easteal, S. (1981). The history of introductions of *Bufo marinus* (Amphibia: Anura) a natural experiment in evolution. *Biological Journal of the Linnean Society* 16: 93-113
- Easteal, S. (1986). *Bufo marinus*. *Catalogue of American Amphibians and Reptiles* 395: 1-4

- Easteal, S. & Floyd, R.B. (1986). The ecological genetics of introduced populations of the giant toad *Bufo marinus* (Amphibia: Anura): dispersal and neighbourhood size. *Biological Journal of the Linnean Society* 27: 17-45
- Edney, P.A., Kershaw, A.P. & De Deckker, P. (1990). A late Pleistocene and Holocene vegetation and environmental record from Lake Wangoom, Western Plains of Victoria, Australia. *Palaeogeography, Palaeontology, Palaeoecology* 80: 325-343
- Eggermont, J.J. (1988). Mechanisms of sound localization in anurans. Pp. 307-336 in Fritzsche, B., Ryan, M.J., Wilczynski, W., Hetherington, T.E. & Walkowiak, W. (eds) *The Evolution of the Amphibian Auditory System*. John Wiley & Sons : New York
- Ehmann, H. & Swan, G. (1985). Reproduction and development in the marsupial frog, *Assa darlingtoni* (Leptodactylidae, Anura). Pp. 279-285 in Grigg, G., Shine, R. & Ehmann, H. (eds) *Biology of Australasian Frogs and Reptiles*. Surrey Beatty & Sons and Royal Zoological Society of New South Wales : Sydney
- Emerson, S.B. (1983). Functional anatomy of frog pelvic girdles. The epicoracoid cartilages. *Journal of Zoology* 201: 293-308
- Emlen, S.T. & Oring, L.W. (1978). Ecology, sexual selection, and the evolution of mating systems. *Science* 197: 215-223
- Erspamer, V. & Melchiorri, P. (1983). Actions of amphibian skin peptides on the central nervous system and the anterior pituitary. Pp. 37-106 in Muller, E.E. & MacLeod, R.M. (eds) *Neuroendocrine Perspectives. Vol. 2*. Elsevier Science Publishers : Amsterdam
- Erspamer, V., Erspamer, G.F. & Linari, G. (1977). Occurrence of tachykinins (physalemin- or substance P-like peptides) in the amphibian skin and their actions on smooth muscle preparations. Pp. 67-74 in von Euler, U.S. & Pernow, B. (eds) *Substance P*. Raven Press : New York
- Erspamer, V., Erspamer, G.F., Mazzanti, G. & Endean, R. (1984). Active peptides in the skin of one hundred amphibian species from Australia and New Guinea. *Comparative Biochemistry and Physiology* 77C: 99-108
- Erspamer, V., Negri, L., Erspamer, G.F. & Endean, R. (1975). Uperolein and other active peptides in the skin of the Australian leptodactylid frogs *Uperoleia* and *Taudactylus*. *Archiv für Pharmacologie* 289: 41-54
- Erspamer, V., Roseghini, M., Endean, R. & Anastasi, A. (1966). Biogenic amines and active polypeptides in the skin of Australian anurans. *Nature* 212: 204
- Estes, R. & Reig, O.A. (1973). The early fossil record of frogs: a review of the evidence. Pp. 11-63 in Vial, J.L. (ed.) *Evolutionary Biology of the Anurans: Contemporary Research on Major Problems*. University of Missouri Press : Columbia
- Estes, R. & Wassersug, R. (1963). A Miocene toad from Colombia, South America. *Brevoria* 193: 1-13
- Ewert, J.-P. (1987). Neuroethology of releasing mechanisms: prey catching in toads. *Behaviour Brain Science* 10: 337-405
- Ewert, J.-P. & Arbib, M.A. (1989). *Visuomotor Coordination, Amphibians, Comparisons, Models, and Robots*. Plenum Press : New York 923 pp.
- Ewert, J.-P. & Ingle, D.J. (1971). Excitatory effects following habituation of prey-catching activity in frogs and toads. *Journal of Comparative Physiology and Psychology* 77: 369-374

- Ewert, J.-P. & Kehl, W. (1978). Configurational prey selection by individual experience in the toad *Bufo bufo*. *Journal of Comparative Physiology* 126: 105-114
- Fanning, J.C., Tyler, M.J. & Shearman, D.J.C. (1982). Converting a stomach to a uterus: the microscopic structure of the stomach of the gastric brooding frog, *Rheobatrachus silus*. *Gastroenterology* 82: 62-70
- Farris, J.S., Kluge, A.G. & Mickevich, M.F. (1982). Phylogenetic analysis, the monothetic group method, and myobatrachid frogs. *Systematic Zoology* 31: 317-327
- Flanigan, J., Withers, P.C., Storey, K. & Guppy, M. (1990). Changes in enzyme binding and activity during aestivation in the frog *Neobatrachus pelobatoides*. *Comparative Biochemistry and Physiology* 96B: 67-71
- Flanigan, J.E., Withers, P.C. & Guppy, M. (1991). *In vitro* metabolic depression of tissues from the aestivating frog *Neobatrachus pelobatoides*. *Journal of Experimental Biology* 161: 273-283
- Fletcher, J.J. (1890). Contributions to a more exact knowledge of the geographical distribution of Australian Batrachia. No. 1. *Proceedings of the Linnean Society of New South Wales, Series 2* 5: 667-676
- Fletcher, J.J. (1891). Contributions to a more exact knowledge of the geographical distribution of Australian Batrachia. No. 2. *Proceedings of the Linnean Society of New South Wales, Series 2* 6: 263-274
- Fletcher, J.J. (1893). Contributions to a more exact knowledge of the geographical distribution of Australian Batrachia. No. 3. *Proceedings of the Linnean Society of New South Wales, Series 2* 7: 7-19
- Fletcher, J.J. (1894). Contributions to a more exact knowledge of the geographical distribution of Australian Batrachia. No. 4. *Proceedings of the Linnean Society of New South Wales, Series 2* 8: 524-533
- Fletcher, J.J. (1897). Contributions to a more exact knowledge of the geographical distribution of Australian Batrachia. No.5. *Proceedings of the Linnean Society of New South Wales* 12: 660-684
- Floyd, R.B. (1983a). Thermal physiology of *Bufo marinus* embryos and larvae: the ecological significance of laboratory observations. PhD thesis, Griffith University, Brisbane
- Floyd, R.B. (1983b). Ontogenetic change in the temperature tolerance of larval *Bufo marinus* (Anura: Bufonidae). *Comparative Biochemistry and Physiology* 75A: 267-271
- Floyd, R.B. (1984). Variation in temperature preference with stage of development of *Bufo marinus*. *Journal of Herpetology* 18: 153-158
- Floyd, R.B. (1985). Effects of photoperiod and starvation on the temperature tolerance of larvae of the giant toad, *Bufo marinus*. *Copeia* 1985: 625-631
- Floyd, R.B. & Benbow, K.F. (1984). Nocturnal activity of a population of cane toads. *Koolewong* 13: 12-14
- Foote, C.L. (1964). Intersexuality in amphibians. Pp. 233-272 in Armstrong, C.N. & Marshall, A.J. (eds) *Intersexuality in Vertebrates Including Man*. Academic Press : London
- Ford, L.S. & Cannatella, D.C. (1993). The major clades of frogs. *Herpetological Monographs* 7: 94-117

- Fox, H. (1983). *Amphibian Morphogenesis*. Humana Press : Clifton, New Jersey 301 pp.
- Foxon, G.E.H. (1964). Blood and respiration. Pp. 151-209 in Moore, J.A. (ed.) *Physiology of the Amphibia*. Academic Press : New York
- Freeland, W.J. (1986). Populations of cane toad *Bufo marinus* in relation to time since colonization. *Australian Wildlife Research* 13: 321-329
- Freeland, W.J. & Kerin, S.H. (1988). Within-habitat relationships between invading *Bufo marinus* and Australian species of frog during the tropical dry season. *Australian Wildlife Research* 15: 293-305
- Freeland, W.J. & Martin, K.C. (1985). The rate of expansion by *Bufo marinus* in northern Australia, 1980-84. *Australian Wildlife Research* 12: 555-559
- Freeland, W.J., Delvinqueir, B.L.J. & Bonnin, B. (1986a). Food and parasitism of the cane toad *Bufo marinus* in relation to time since colonization. *Australian Wildlife Research* 13: 489-499
- Freeland, W.J., Delvinquier, B.L.J. & Bonnin, B. (1986b). Decline of cane toad *Bufo marinus* populations: status of urban toads. *Australian Wildlife Research* 13: 597-601
- Friend, G.R. & Cellier, K.M. (1990). Wetland herpetofauna of Kakadu National Park, Australia: seasonal richness trends, habitat preferences and the effects of feral ungulates. *Journal of Tropical Ecology* 6: 131-152
- Frishkopf, B., Capranica, R.R. & Goldstein, M.H. (1968). Neural coding in the bullfrog's auditory system : a teleological approach. *Proceedings of the Institute Electrical and Electronic Engineering* 56: 969-980
- Frost, D.R. (ed.) (1985). *Amphibian Species of the World. A taxonomic and geographical reference*. Allen Press and The Association of Systematics Collections : Lawrence 732 pp.
- Fry, D.B. (1912). Description of *Austrochaperina*, a new genus of Engystomatidae from north Australia. *Records of the Australian Museum* 9: 87-106
- Futuyma, D.J. (1986). *Evolutionary Biology*. Sinauer Associates : Sunderland 600 pp.
- Gadow, H. (1901). *Amphibia and Reptiles*. Cambridge Natural History. Vol. 8. Macmillan : London 668 pp.
- Gallien, L. (1974). Intersexuality. Pp. 523-549 in Lofts, B. (ed.) *Physiology of the Amphibia*. Vol. 2. Academic Press : New York
- Gartside, D.F. (1982). The *Litoria ewingi* complex (Anura: Hylidae) in south-eastern Australia. 6. Geographic variation in transferrins of four taxa. *Australian Journal of Zoology* 30: 103-113
- Geiser, F. & Seymour, R.S. (1989). Influence of temperature and water potential on survival of hatched, terrestrial larvae of the frog, *Pseudophryne bibronii*. *Copeia* 1989: 207-209
- Gibbins, I.L. & Tyler, M.J. (1983). Changes in the organization and ultrastructure of the smooth muscle cells in the stomach of the gastric brooding frog, *Rheobatrachus silus*, during brooding. *Cell and Tissue Research* 231: 451-456
- Gilbert, J. (1843). Letter to the editor of the *Enquirer* newspaper. 19 April, 1843, Perth

- Gilles, C.D. & Peberdy, E.F. (1917a). The anatomy of *Hyla caerulea* White. 1. The pectoral girdle and vertebral column. *Proceedings of the Royal Society of Queensland* 29: 45-54
- Gilles, C.D. & Peberdy, E.F. (1917b). The anatomy of *Hyla caerulea* White. 2. The skull. *Proceedings of the Royal Society of Queensland* 29: 117-122
- Gillespie, J.H. (1991). *The Causes of Molecular Evolution*. Oxford University Press : New York 336 pp.
- Godwin, G.J. & Roble, S.M. (1983). Mating success in male treefrogs, *Hyla chrysoscelis* (Anura: Hylidae). *Herpetologica* 39: 141-146
- Goin, C.J. & Goin, O.B. (1962). *Introduction to Herpetology*. Freeman : San Francisco 341 pp.
- Gollman, B. (1991). A developmental table of *Crinia signifera* Girard, 1853 (Anura, Myobatrachidae). *Alytes* 9: 51-58
- Gollman, B. & Gollman, G. (1991). Embryonic development of the myobatrachine frogs *Geocrinia laevis*, *Geocrinia victoriana*, and their natural hybrids. *Amphibia-Reptilia* 12: 103-110
- Gorbman, A. (1964). Endocrinology of the Amphibia. Pp. 371-425 in Moore, J.A. (ed.) *Physiology of the Amphibia*. Academic Press : New York
- Gosner, K.L. (1960). A simplified table for staging anuran embryos and larvae with notes on identification. *Herpetologica* 16: 183-190
- Gregerman, R.I. (1952). Adrenalin and hydroxytyramine in the parotid gland venom of the toad, *Bufo marinus*. *Journal of General Physiology* 35: 483-487
- Grey, G. (1841). *Journals of Two Expeditions of Discovery in North-West and Western Australia during the years 1837, 1838 and 1839. Vol. 2*. T & W Boone : London 482 pp.
- Griffiths, I. (1954). On the 'otic element' in Amphibia Salientia. *Proceedings of the Zoological Society of London* 124: 35-50
- Griffiths, I. (1963). The phylogeny of the Salientia. *Biological Reviews of the Cambridge Philosophical Society* 38: 241-292
- Günther, A. (1858). *Catalogue of the Batrachia Salientia in the Collection of the British Museum*. British Museum : London 160 pp.
- Günther, A. (1867). Additions to the knowledge of Australian reptiles and fishes. *Annals and Magazine of Natural History, Series 3* 20: 45-68
- Habermehl, G. (1965). Über eine alkaloidartige Substanz aus der Haut von *Pseudophryne corroboree*. *Zeitschrift Naturforschung* 206: 1129
- Hall, F.G. (1966). Hemoglobin functions in the blood of *Bufo marinus*. *Journal of Cellular Physiology* 68: 69-73
- Hamley, T. & Georges, A. (1985). The Australian snapping tortoise *Elseya latisternum*: a successful predator on the introduced cane toad? *Australian Zoologist* 21: 607-610
- Hass, C.A., Highton, R. & Maxson, L.R. (1992). Relationships among the eastern *Plethodon*: evidence from immunology. *Journal of Herpetology* 26: 137-141
- Heatwole, H. (1984). Adaptations of amphibians to aridity. Pp. 177-222 in Cogger, H.G. & Cameron, E.E. (eds) *Arid Australia*. Australian Museum : Sydney
- Heatwole, H. & Heatwole, A. (1968). Motivational aspects of feeding behaviour in toads. *Copeia* 1968: 692-698

- Heatwole, H., Cameron, E. & Webb, G.J.W. (1971). Studies on anuran water balance. 2. Desiccation in the Australian frog, *Notaden bennetti*. *Herpetologica* 27: 365-378
- Hecht, M.K. (1963). A re-evaluation of the early history of the frogs. 2. *Systematic Zoology* 12: 20-35
- Heel, M.E., Hugo, D.S. & Watts, R.J. (1985). Predation by the bandicoot, *Isoodon obesulus*, on the frog, *Heleioporus eyrei*. Do acoustic cues aid in the location of prey? BSc (Hons) thesis, University of Western Australia, Perth
- Henle, K. (1985). The status of *Bufo poeppigii* (Anura, Bufonidae). *Studies of Neotropical Fauna and Environment* 20: 167-174
- Hero, J.-M., Littlejohn, M. & Marantelli, G. (1991). *Frogwatch Field Guide to Victorian Frogs*. Department of Conservation and Environment, Victoria : East Melbourne 108 pp.
- Heyer, W.R. & Liem, D.S. (1976). Analysis of intergeneric relationships of the Australian frog family Myobatrachidae. *Smithsonian Contributions to Zoology* No. 233: 1-29
- Heyer, W.R., Daugherty, C.H. & Maxson, L.R. (1982). Systematic resolution of the genera of the *Crinia* complex (Amphibia: Anura: Myobatrachidae). *Proceedings of the Biological Society of Washington* 95: 423-427
- Heyer, W.R., Rand, A.S., daCruz, C.A.G. & Peixoto, O.L. (1988). Decimations, extinctions, and colonizations of frog populations in southeast Brazil and their evolutionary implications. *Biotropica* 20: 230-235
- Hillman, S.S. (1976). Cardiovascular correlates of maximal oxygen consumption rate in anuran amphibians. *Journal of Comparative Physiology B* 109: 199-207
- Hillman, S.S. (1987). Dehydrational effects of cardiovascular and metabolic capacity in two amphibians. *Physiological Zoology* 60: 608-613
- Hillman, S.S. & Withers, P.C. (1987). The hemodynamic consequences of hemorrhage and hypernatremia in two amphibians. *Journal of Comparative Physiology B* 157: 807-812
- Hillman, S.S., Zygmunt, A. & Baustain, M. (1987). Transcapillary forces during dehydration in two amphibians. *Physiological Zoology* 60: 339-345
- Hiscock, J. & Straznicki, C. (1989). Morphological characterization of substance P-like immunoreactive amacrine cells in the anuran retina. *Vision Research* 29: 293-301
- Horton, D. (1972). Evolution in the genus *Egernia* (Lacertilia: Scincidae). *Journal of Herpetology* 6: 101-109
- Horton, P. (1982). Diversity and systematic significance of anuran tongue musculature. *Copeia* 1982: 595-602
- Horton, P. (1984). The female anuran reproductive system in relation to reproductive mode. PhD thesis, University of Adelaide, Adelaide
- Hostetler, J.R. & Cannon, M.S. (1974). The anatomy of the parotoid gland in Bufonidae with some histochemical findings. 1. *Bufo marinus*. *Journal of Morphology* 142: 225-240
- Howard, R.D. (1988). Sexual selection on male body size and mating behaviour in American toads, *Bufo americanus*. *Animal Behaviour* 36: 1796-1808
- Humphries, R.B. (1977). *Environmental adaptations of frogs*. Paper number 371 Section 11 Zoology, presented at the 48th ANZAAS Conference, Melbourne

- Humphries, R.B. (1979). Dynamics of a breeding frog community. PhD thesis, Australian National University, Canberra
- Humphries, R.B. (1981). The structure of a temperate frog community. Pp. 159 in Banks, C.B. & Martin, A.A. (eds) *Proceedings of the Melbourne Herpetological Symposium May 19-21, 1980*. Zoological Board of Victoria & Royal Melbourne Zoological Gardens : Parkville, Melbourne
- Hutchings, R.W. (1979). A native predator of the cane toad (*Bufo marinus*). *North Queensland Naturalist* 45: 4-5
- Hutchinson, M.N. (1990). *Leiopisma trilineatum* (Gray, 1838), an addition to the herpetofauna of South Australia. *Transactions of the Royal Society of South Australia* 114: 99-101
- Hutchinson, M.N. & Maxson, L.R. (1986). Immunological evidence on relationships of some Australian terrestrial frogs (Anura: Hylidae: Pelodyadinae). *Australian Journal of Zoology* 34: 575-582
- Hutchinson, M.N. & Maxson, L.R. (1987a). Phylogenetic relationships among Australian tree frogs (Anura: Hylidae: Pelodyadinae): an immunological approach. *Australian Journal of Zoology* 35: 61-74
- Hutchinson, M.N. & Maxson, L.R. (1987b). Biochemical studies on the relationships of the gastric-brooding frogs, genus *Rheobatrachus*. *Amphibia-Reptilia* 8: 1-11
- Hutchinson, M.N. & Maxson, L.R. (1987c). Albumin evolution, paraphyly and the relationships of the Australian frog *Megistolotis lignarius* (Anura: Limnodynastinae). *Systematic Zoology* 36: 387-394
- Hutchison, V.H. & Dupré, R.K. (1992). Thermoregulation. Pp. 206-249 in Feder, M.E. & Burggren, W. (eds) *Environmental Physiology of the Amphibians*. University of Chicago Press : Chicago 646 pp.
- Hutchison, V.H., Whitford, W.G. & Kohl, M. (1968). Relation of body size and surface area to gas exchange in anurans. *Physiological Zoology* 41: 65-85
- Inglis, W.G. (1968). Allopatric speciation in the nematode parasites of frogs of southern Western Australia. *Journal of the Zoological Society of London* 156: 405-413
- Ingram, G. (1983). Natural History. Pp. 16-35 in Tyler, M.J. (ed.) *The Gastric Brooding Frog*. Croom Helm : London
- Ingram, G.J. & Corben, C.J. (1975). A new species of *Kyarranus* (Anura: Leptodactylidae) from Queensland, Australia. *Memoirs of the Queensland Museum* 17: 335-339
- Ingram, G.J. & Corben, C.J. (1990). *Litoria electrica*: a new tree frog from western Queensland. *Memoirs of the Queensland Museum* 28: 475-478
- Ingram, G.J. & Raven, R.J. (eds) (1991). *An Atlas of Queensland's Frogs, Reptiles, Birds & Mammals*. Board of Trustees, Queensland Museum : Brisbane 391 pp.
- Jaeger, R.G. (1976). A possible prey-call window in anuran auditory perception. *Copeia* 1976: B> 833-834

- Jagger, W.S. (1988). Optical quality of the eye of the cane toad *Bufo marinus*. *Vision Research* 28: 105-114
- Jarvik, E. (1963). The composition of the intermandibular division of the head in fish and tetrapods and the diphyletic origin of the tetrapod tongue. *Kungliga Svenska Vetenskapsakademiens Handlingar* 9: 1-74
- Jaslow, A.P., Hetherington, T.E. & Lombard, R.E. (1988). Structure and function of the amphibian middle ear. Pp. 69-91 in Fritsch, B., Ryan, M.J., Wilczynski, W., Hetherington, T.E. & Walkowiak, W. (eds) *The Evolution of the Amphibian Auditory System*. John Wiley & Sons : New York
- Jenkins, C.F.H. (1982). Notes on the biogeographical regions of Australia. *Journal of the Royal Society of Western Australia* 65: 115-118
- Johnson, C.R. (1969a). Aggregation as a means of water conservation in juvenile *Limnodynastes* from Australia. *Herpetologica* 25: 275-276
- Johnson, C.R. (1969b). Water absorption response of some Australian anurans. *Herpetologica* 25: 171-172
- Johnson, C.R. (1970). Observations on body temperature, critical thermal maxima and tolerance to water loss in the Australian hylid, *Hyla caerulea* (White). *Proceedings of the Royal Society of Queensland* 82: 47-50
- Johnson, C.R. (1971a). Thermal relations and water balance in the day frog, *Taudactylus diurnus*, from an Australian rain forest. *Australian Journal of Zoology* 19: 35-39
- Johnson, C.R. (1971b). Thermal relations in some southern and eastern Australian anurans. *Proceedings of the Royal Society of Queensland* 82: 87-94
- Johnson, C.R. (1971c). Daily variation in the thermal tolerance of *Litoria caerulea* (Anura: Hylidae). *Comparative Biochemistry and Physiology* 40A: 1109-1111
- Johnston, T.H. & Simpson, E.R. (1942). Some nematodes from Australian frogs. *Transactions of the Royal Society of South Australia* 66: 172-179
- Jones, E.I. (1933). Observations on the pectoral musculature of the Amphibia Salientia. *Annals and Magazine of Natural History, Series 10* 12: 403-420
- Kalb, H.J. & Zug, G.R. (1990). Age estimates for a population of American toads, *Bufo americanus* (Salientia: Bufonidae), in northern Virginia. *Brimleyana* 16: 79-86
- Keast, A. (1958). The genus *Psophodes* Vigors and Horsfield, and its significance in demonstrating a possible pathway for the origin of Eyrean species from Bassian ones. *Emu* 58: 247-255
- Kershaw, A.P. (1986). Climatic change and aboriginal burning in north-east Australia during the last two glacial/interglacial cycles. *Nature* 322: 47-49
- Kesteven, H.L. (1944). Part 2. The Amphibia. Pp. 133-276 in *The evolution of the skull and the cephalic muscles. A comparative study of this development and adult morphology. Memoirs of the Australian Museum* 8: 1-316
- Kikkawa, J. & Pearse, K. (1969). Geographical distribution of land birds in Australia—a numerical analysis. *Australian Journal of Zoology* 17: 821-840
- Kikkawa, J., Monteith, G. & Ingram, G.J. (1981). Cape York Peninsula: Major region of faunal interchange. Pp. 1695-1742 in Keast, A. (ed.) *Ecological Biogeography of Australia*. [Monographiae Biologicae Vol. 41]. Dr W. Junk : The Hague

- King, M. (1980). C-banding studies on Australian hylid frogs: secondary constriction structure and the concept of euchromatin transformation. *Chromosoma* 80: 191-217
- King, M. (1981). A cytotaxonomic analysis of Australian hylid frogs of the genus *Litoria*. Pp. 169-175 in Banks, C.B. & Martin, A.A. (eds) *Proceedings of the Melbourne Herpetological Symposium May 19-21, 1980*. Zoological Board of Victoria & Royal Melbourne Zoological Gardens : Parkville, Melbourne
- King, M., Tyler, M.J., Davies, M. & King, D. (1979). Karyotypic studies on *Cyclorana* and associated genera of Australian frogs. *Australian Journal of Zoology* 27: 699-708
- Kluge, A.G. (1981). The life history, social organisation, and parental behavior of *Hyla rosenbergi* Boulenger, a nest-building gladiator frog. *Miscellaneous Publications Museum of Zoology, University of Michigan* No. 160
- Krakauer, T. (1968). The ecology of the neotropical toad, *Bufo marinus*, in South Florida. *Herpetologica* 24: 214-221
- Krakauer, T. (1970). Tolerance limits of the toad, *Bufo marinus*, in South Florida. *Comparative Biochemistry and Physiology* 33: 15-26
- Landor, E.W. (1847). *The Bushman; or Life in a New Country*. Richard Bentley : London 438 pp.
- Laurent, R.F. (1979). Esquisse d'une phylogénèse des anoures. *Bulletin Societe Zoologique France* 104: 397-422
- Laurent, R.F. (1986). Sous classe des lissamphibiens. Systematique. Pp. 594-797 in Grasse, P.-P. and Delsol, M. (eds) *Traite de Zoologie, Tome 14 1B*. Masson : Paris
- Ledo, W. & Tyler, M.J. (1973). The type locality of the leptodactylid frog *Neobatrachus centralis* Parker. *South Australian Naturalist* 47 : 75-76
- Lee, A.K. (1967). Studies in Australian Amphibia 2. Taxonomy, ecology, and evolution of the genus *Heleioporus* Gray (Anura: Leptodactylidae). *Australian Journal of Zoology* 15: 367-439
- Lee, A.K. (1968). Water economy of the burrowing frog, *Heleioporus eyrei* (Gray). *Copeia* 1968: 741-745
- Lee, A.K. & Mercer, E.H. (1967). Cocoon surrounding desert adapted frogs. *Science* 157: 87-88
- Leong, A.S.-Y., Tyler, M.J. & Shearman, J.C. (1986). Gastric brooding: a new form in a recently discovered Australian frog of the genus *Rheobatrachus*. *Australian Journal of Zoology* 34: 205-209
- Liem, D.S. (1973). A new genus of frog of the family Leptodactylidae from SE Queensland, Australia. *Memoirs of the Queensland Museum* 16: 459-470
- Liem, D.S. (1974). A review of the *Litoria nannotis* species group and a description of a new species of *Litoria* from north Queensland. *Memoirs of the Queensland Museum* 17: 151-168
- Liem, D.S. & Hosmer, W. (1973). Frogs of the genus *Taudactylus* with descriptions of two new species. *Memoirs of the Queensland Museum* 16: 435-457
- Liggins, G.W. & Grigg, G.C. (1985). Osmoregulation of the cane toad, *Bufo marinus*, in salt water. *Comparative Biochemistry and Physiology* 82A: 613-619
- Littlejohn, M.J. (1959). Call differentiation in a complex of seven species of *Crinia* (Anura: Leptodactylidae). *Evolution* 13: 452-468

- Littlejohn, M.J. (1963). Frogs of the Melbourne area. *Victorian Naturalist* 79: 296-304
- Littlejohn, M.J. (1964). Geographic isolation and mating call differentiation in *Crinia signifera*. *Evolution* 18: 262-266
- Littlejohn, M.J. (1965). Premating isolation in the *Hyla ewingi* complex (Anura: Hylidae). *Evolution* 19: 234-243
- Littlejohn, M.J. (1967). Patterns of zoogeography and speciation in south-eastern Australian amphibia. Pp. 150-174 in Weatherley, A.H. (ed.) *Australian Inland Waters and Their Fauna*. Australian National University Press : Canberra
- Littlejohn, M.J. (1981). The Amphibia of mesic southern Australia: a zoogeographical perspective. Pp. 1301-1330 in Keast, A. (ed.) *Ecological Biogeography of Australia*. [Monographiae Biologicae Vol. 41]. Dr W. Junk : The Hague
- Littlejohn, M.J. & Harrison, P.A. (1985). The functional significance of the diphasic advertisement call of *Geocrinia victoriana* (Anura: Leptodactylidae). *Behavioral Ecology and Sociobiology* 16: 363-373
- Littlejohn, M.J. & Lee, A.K. (1955). Frogs, their calls and habits. *Scope* 2: 22-23
- Littlejohn, M.J. & Main, A.R. (1959). Call structure in two genera of Australian burrowing frogs. *Copeia* 1959: 266-270
- Littlejohn, M.J. & Martin, A.A. (1964). The *Crinia laevis* complex (Anura: Leptodactylidae) in southeastern Australia. *Australian Journal of Zoology* 12: 70-83
- Littlejohn, M.J. & Martin, A.A. (1965). A new species of *Crinia* (Anura, Leptodactylidae) from South Australia. *Copeia* 1965: 319-324
- Littlejohn, M.J. & Martin, A.A. (1969). Acoustic interactions between two species of leptodactylid frogs. *Animal Behaviour* 17: 785-791
- Littlejohn, M.J. & Martin, A.A. (1974). The Amphibia of Tasmania. Pp. 251-289 in Williams, W.D. (ed.) *Biogeography and Ecology in Tasmania*. [Monographiae Biologicae Vol. 25]. Dr W. Junk : The Hague
- Littlejohn, M.J. & Roberts, J.D. (1975). Acoustic analysis of an intergrade zone between two call races of the *Limnodynastes tasmaniensis* complex (Anura: Leptodactylidae) in south-eastern Australia. *Australian Journal of Zoology* 23: 113-122
- Littlejohn, M.J. & Watson, G.F. (1985). Hybrid zones and homogamy in Australian frogs. *Annual Review of Ecology and Systematics* 16: 85-112
- Littlejohn, M.J., Watson, G.F. & Loftus-Hills, J.J. (1971). Contact hybridization in the *Crinia laevis* complex (Anura: Leptodactylidae). *Australian Journal of Zoology* 19: 85-100
- Llinás, R. & Precht, W. (eds) (1976). *Frog Neurobiology: a Handbook*. Springer Verlag : Berlin 1046 pp.
- Lofts, B. (1974). Reproduction. Pp. 107-218 in Lofts, B. (ed.) *Physiology of the Amphibia*. Vol. 2. Academic Press : New York
- Loftus-Hills, J.J. (1971). Neural correlates of acoustic behaviour in the Australian bullfrog *Limnodynastes dorsalis* (Anura: Leptodactylidae). *Zeitschrift für Vergleichende Physiologie* 74: 140-152

- Loftus-Hills, J.J. (1973a). Neural mechanisms underlying acoustic behaviour of the frog *Pseudophryne semimarmorata* (Anura: Leptodactylidae). *Animal Behaviour* 21: 781-787
- Loftus-Hills, J.J. (1973b). Comparative aspects of auditory function in Australian anurans. *Australian Journal of Zoology* 21: 353-367
- Loftus-Hills, J.J. & Johnstone, B.M. (1970). Auditory function, communication, and the brain-evoked response in anuran amphibians. *Journal of the Acoustical Society of America* 47: 1131-1138
- Loveridge, A. (1935). Australian amphibia in the Museum of Comparative Zoology, Cambridge, Massachusetts. *Bulletin of the Museum of Comparative Zoology* 78: 1-60
- Loveridge, J.P. (1970). Observations on nitrogenous excretion and water relations of *Chiromantis xerampelina* (Amphibia, Anura). *Arnoldia* 5: 1-6
- Lundelius, E.L. (1983). Climatic implications of late Pleistocene and Holocene faunal associations in Australia. *Alcheringa* 7: 125-149
- Lynch, J.D. (1971). Evolutionary relationships, osteology and zoogeography of leptodactyloid frogs. *University of Kansas Museum of Natural History, Miscellaneous Publications* 53: 1-238
- Lynch, J.D. (1973). The transition from archaic to advanced frogs. Pp. 133-182 in Vial, J.J. (ed.) *Evolutionary Biology of the Anurans: Contemporary research on major problems*. University of Missouri : Columbia, Missouri
- Mackerras, I.H. (1962). Speciation in Australian Tabanidae. Pp. 328-358 in Leeper, G.W. (ed.) *The Evolution of Living Organisms*. Melbourne University Press : Parkville
- Maclean, J.L. (1975). *The Potential of Aquaculture in Australia*. Australian Government Publishing Service : Canberra 133 pp.
- Macleay, W. (1877). The batrachians of the Chevert Expedition. *Proceedings of the Linnean Society of New South Wales* 2: 135-138
- MacNally, R.C. (1979). Social organisation and interspecific interactions in two sympatric species of *Ranidella* (Anura). *Oecologia* 42: 293-306
- MacNally, R.C. (1983). Trophic relationships of two sympatric species of *Ranidella* (Anura). *Herpetologica* 39: 130-140
- Madison, D.M. (1977). Chemical communication in amphibians and reptiles. Pp. 135-168 in Muller-Schwarze, D. & Mozell, M.M. (eds) *Chemical Signals in Vertebrates*. Plenum Press : New York
- Mahony, M.J. & Roberts, J.D. (1986). Two new species of desert burrowing frogs of the genus *Neobatrachus* (Anura: Myobatrachidae) from Western Australia. *Records of the Western Australian Museum* 13: 155-170
- Mahony, M.J. & Robinson, E.S. (1980). Polyploidy in the Australian leptodactylid frog genus *Neobatrachus*. *Chromosoma* 81: 199-212
- Mahony, M.J. & Robinson, E.S. (1986). Nucleolar organiser region (NOR) location in karyotypes of Australian ground frogs (Family Myobatrachidae). *Genetica* 68: 119-127
- Mahony, M.J., Tyler, M.J. & Davies, M. (1984). A new species of the genus *Rheobatrachus* (Anura: Leptodactylidae) from Queensland. *Transactions of the Royal Society of South Australia* 108: 155-162

- Main, A.R. (1957). Studies in Australian Amphibia. I. The genus *Crinia* Tschudi in south-western Australia and some species from south-eastern Australia. *Australian Journal of Zoology* 5: 30-55
- Main, A.R. (1965a). *Frogs of Southern Western Australia*. Western Australian Naturalists' Club : Perth 73 pp.
- Main, A.R. (1965b). The inheritance of dorsal pattern in *Crinia* species (Anura Leptodactylidae). *Journal of the Royal Society of Western Australia* 48: 60-64
- Main, A.R. (1968). Ecology, Systematics and Evolution of Australian Frogs. *Advances in Ecological Research* 5: 37-86
- Main, A.R. & Bentley, P.J. (1964). Water relations of Australian burrowing frogs and tree frogs. *Ecology* 45: 379-381
- Main, A.R., Lee, A.K. & Littlejohn, M.J. (1958). Evolution in three genera of Australian frogs. *Evolution* 12: 224-233
- Main, A.R., Littlejohn, M.J. & Lee, A.K. (1959). Ecology of Australian frogs. Pp. 396-411 in Keast, A, Crocker, R.L. & Christian, C.S. (eds) *Biogeography and Ecology in Australia*. [Monographiae Biologicae Vol. 8]. Dr. W. Junk : The Hague
- Main, B.Y. (1962). Adaptive responses and speciation in the spider genus *Aganippe* Cambridge. Pp. 359-369 in Leeper, G.W. (ed.) *The Evolution of Living Organisms*. Melbourne University Press : Parkville
- Main, B.Y. (1990). Restoration of biological scenarios: the role of museum collections. *Proceedings of the Ecological Society of Australia* 16: 397-409
- Malone, B.S. (1985). Mortality during the early life history stages of the Baw Baw frog, *Philoria frosti* (Anura: Myobatrachidae). Pp. 1-5 in Grigg, G., Shine, R. & Ehmann, H. (eds) *Biology of Australasian Frogs and Reptiles*. Surrey Beatty & Sons and Royal Zoological Society of New South Wales : Sydney
- Marchant, L.R. (1982). *France Australe*. A study of French explorations and attempts to found a penal colony and strategic base in south western Australia. Artlook Books : Perth 384 pp.
- Mares, M.A. (1972). Notes on *Bufo marinus* tadpole aggregations. *Texas Journal of Science* 23: 433-435
- Marks, E.N. (1960). Mosquitoes biting frogs. *Australian Journal of Science* 23: 89
- Marks, E.N. (1980). Mosquitoes (Diptera: Culicidae) of Cape York Peninsula, Australia. Pp. 59-76 in Stevens, N.C. & Bailey, A. (eds) *Contemporary Cape York Peninsula*. Royal Society of Queensland : Brisbane
- Marshall, E. & Grigg, G.C. (1980). Acclimation of CTM, LD 50 and rapid loss of acclimation of thermal preferendum in tadpoles of *Limnodynastes peronii* (Anura, Myobatrachidae). *Australian Zoologist* 20: 447-455
- Martin, A.A. (1965). Tadpoles in the Melbourne area. *Victorian Naturalist* 8: 139-149
- Martin, A.A. (1967a). The biology of tadpoles. *Australian Natural History* 15: 326-330
- Martin, A.A. (1967b). Australian amphibian life histories: some evolutionary and ecological aspects. Pp. 175-191 in Weatherly, A.H. (ed.) *Australian Inland Waters and Their Fauna*. Australian National University : Canberra
- Martin, A.A. (1969). Emergence from hibernation in an Australian burrowing frog. *Copeia* 1969: 176-178

- Martin, A.A. (1969). Emergence from hibernation in an Australian burrowing frog. *Copeia* 1969: 176-178
- Martin, A.A. (1972a). Studies in Australian Amphibia. 3. The *Limnodynastes dorsalis* complex (Anura: Leptodactylidae). *Australian Journal of Zoology* 20: 165-211
- Martin, A.A. & Cooper, A.K. (1972). The ecology of terrestrial anuran eggs, genus *Crinia* (Leptodactylidae). *Copeia* 1972: 163-168
- Martin, A.A. & Littlejohn, M.J. (1982). *Tasmanian Amphibians*. Fauna of Tasmania Handbook No. 6. University of Tasmania : Hobart 52 pp.
- Martin, A.A. & Watson, G.F. (1971). Life history as an aid to generic delimitation in the family Hylidae. *Copeia* 1971: 78-89
- Martin, A.A., Watson, G.F., Gartside, D.F. & Loftus-Hills, J.J. (1979). A new species of the *Litoria peroni* complex (Anura: Hylidae) from eastern Australia. *Proceedings of the Linnean Society of New South Wales* 103: 23-35
- Martin, H.E. (1973). Palynology and historical ecology of some cave excavations in the Australian Nullarbor. *Australian Journal of Botany* 21: 283-316
- Martin, R.F. (1972b). Evidence from osteology. Pp. 37-70 in Blair, W.F. (ed.) *Evolution in the Genus Bufo*. University of Texas Press : Austin
- Maxson, L.R. (1981). Albumin evolution and its phylogenetic implications in African toads of the genus *Bufo*. *Herpetologica* 37: 96-104
- Maxson, L.R. (1984). Molecular probes of phylogeny and biogeography in toads of the widespread genus *Bufo*. *Molecular Biology and Evolution* 1: 345-356
- Maxson, L.R. (1992). Tempo and pattern in anuran speciation and phylogeny: an albumin perspective. Pp. 41-57 in Adler, K. (ed.) *Herpetology: Current Research on the Biology of Amphibians and Reptiles. Proceedings of the First World Congress of Herpetology*. Society for the Study of Amphibians and Reptiles : Oxford, Ohio
- Maxson, L.R. & Maxson, R.D. (1990). Proteins II: Immunological techniques. Pp. 127-155 in Hillis, D.M. & Moritz, C. (eds) *Molecular Systematics*. Sinauer Associates : Sunderland
- Maxson, L.R. & Roberts, J.D. (1984). Albumin and Australian frogs: molecular data a challenge to speciation model. *Science* 225: 957-958
- Maxson, L.R. & Roberts, J.D. (1985). An immunological analysis of the phylogenetic relationships between two enigmatic frogs, *Myobatrachus* and *Arenophryne*. *Journal of Zoology, London* 207: 289-300
- Maxson, L.R., Ondrula, D.P. & Tyler, M.J. (1985). An immunological perspective on evolutionary relationships in Australian frogs of the hylid genus *Cyclorana*. *Australian Journal of Zoology* 33: 17-22
- Maxson, L.R., Tyler, M.J. & Maxson, R.D. (1982). Phylogenetic relationships of *Cyclorana* and the *Litoria aurea* species-group (Anura: Hylidae): a molecular perspective. *Australian Journal of Zoology* 30: 643-651
- Mayhew, W.W. (1968). Biology of desert amphibians and reptiles. Pp. 196-356 in Brown, G.W. (ed.) *Desert Biology. Vol. 1*. Academic Press : New York
- Mayr, E. (1942). *Systematics and the Origin of Species*. Columbia University Press : New York 334 pp.

- McDonald, K.R. (1990). *Rheobatrachus* Liem and *Taudactylus* Straughan & Lee (Anura: Leptodactylidae) in Eungella National Park, Queensland: distribution and decline. *Transactions of the Royal Society of South Australia* 114: 187-194
- McDonald, K.R. (1992). Distribution patterns and conservation status of the North Queensland rainforest frogs. *Conservation Technical Report No. 1*. Queensland Department of Environment and Heritage : Townsville 57 pp.
- McDonald, K.R. & Davies, M. (1990). Morphology and biology of the Australian tree frog *Litoria pearsoniana* (Copland) (Anura: Hylidae). *Transactions of the Royal Society of South Australia* 114: 145-156
- McDonald, K.R. & Tyler, M.J. (1984). Evidence of gastric brooding in the Australian leptodactylid frog *Rheobatrachus vitellinus*. *Transactions of the Royal Society of South Australia* 108: 226
- Melnick, D.J. (1990). Molecules, evolution and time. *Trends in Ecology and Evolution* 5: 172-173
- Menzies, J.I. (1987). A taxonomic revision of Papuan *Rana* (Amphibia: Ranidae). *Australian Journal of Zoology* 35: 373-418
- Menzies, J.I. & Tippett, J. (1976). Chromosome numbers of Papuan hylid frogs and the karyotype of *Litoria infrafrenata* (Amphibia: Anura: Hylidae). *Journal of Herpetology* 10: 167-173
- Menzies, J.I. & Tyler, M.J. (1977). The systematics and adaptations of some Papuan microhylid frogs which live underground. *Journal of Zoology* 183: 431-464
- Miller, K. & Zoghby, G.M. (1986). Thermal acclimation of locomotor performance in anuran amphibians. *Canadian Journal of Zoology* 64: 1956-1960
- Monteith, G.B. (1987). History of biological collecting at Cape York, Queensland 1770-1970. *Queensland Naturalist* 28: 42-51
- Moore, F.R. & Gatten, R.E. (1989). Locomotor performance of hydrated, dehydrated and osmotically stressed anuran amphibians. *Herpetologica* 45: 101-110
- Moore, G.F. (1884). *Diary of ten years of an early settler in Western Australia: also a Descriptive Vocabulary of the Language of the Aborigines*. Facsimile edition 1978. T. Stannage (ed.) University of Western Australia Press : Perth 423 pp.
- Moore, J.A. (1946). Incipient intraspecific isolation mechanisms in *Rana pipiens*. *Genetics* 31: 304-326
- Moore, J.A. (1954). Geographic and genetic isolation in Australian Amphibia. *American Naturalist* 88: 65-74
- Moore, J.A. (1961). The frogs of eastern New South Wales. *Bulletin of the American Museum* 121: 149-386
- Moravec, F. (1990). Some nematode parasites of frogs from Papua New Guinea and Australia. *Vestník Československé Společnosti Zoologické* 54: 268-286
- Morescalchi, A. (1977). New developments in vertebrate cytotaxonomy. I. Cytotaxonomy of the amphibians. *Genetica* 50: 179-193
- Morton, S.R., Masters, P. & Hobbs, T.J. (1993). Estimates of abundance of burrowing frogs in spinifex grasslands of the Tanami Desert, Northern Territory. *The Beagle, Records of the Northern Territory Museum of Arts and Sciences* 10 : 67-70
- Musgrave, A. (1932). *Bibliography of Australian Entomology 1775-1930*. Royal Zoological Society of New South Wales : Sydney 380 pp.

- Nakajima, T., Yasuhara, T., Erspamer, V., Erspamer, G.F., Negri, L. & Edean, R. (1980). Physalaemin- and bombesin-like peptides in the skin of the Australian leptodactylid frog *Uperoleia rugosa*. *Chemical and Pharmaceutical Bulletin* 28: 689-695
- Nakanishi, M., Wilson, A.C., Nolan, R.A., Gorman, G.C. & Bailey, G.S. (1969). Phenoxyethanol: protein preservative for taxonomists. *Science* 163: 681-683
- Nanson, G.C., Price, D.M. & Short, S.A. (1992). Wetting and drying of Australia over the past 300 ka. *Geology* 20: 791-794
- Narins, P.M. & Capranica, R.R. (1976). Sexual differences in the auditory system of the tree frog *Eleutherodactylus coqui*. *Science* 192 : 378-380
- Narins, P.M. & Capranica, R.R. (1978). Communicative significance of the two-note call of the treefrog *Eleutherodactylus coqui*. *Journal of Comparative Physiology* 127: 1-9
- Narins, P.M. & Capranica, R.R. (1980). Neural adaptations for processing the two-note call of the Puerto Rican treefrog, *Eleutherodactylus coqui*. *Brain, Behavior and Evolution* 17 : 48-66
- Nguyen, V.S. & Straznicky, C. (1989). The development and the topographic organization of the retinal ganglion cell layer in *Bufo marinus*. *Experimental Brain Research* 75: 345-353
- Nicholls, G.E. (1916). The structure of the vertebral column in the Anura *Phaneroglossa* and its importance as a basis of classification. *Proceedings of the Linnean Society* 128: 80-92
- Nichols, O.G. & Bamford, M.J. (1985). Reptile and frog utilisation of rehabilitated bauxite minesites and dieback-affected sites in Western Australia's jarrah *Eucalyptus marginata* forest. *Biological Conservation* 34: 227-249
- Niven, B.S. (1988). Logical synthesis of an animals environment: sponges to non-human primates. 5. The cane toad, *Bufo marinus*. *Australian Journal of Zoology* 36: 169-194
- Nix, H.A. (1982). Environmental determinants of biogeography and evolution in Terra Australis. Pp. 47-66 in Barker, W.R. & Greenslade, P.J.M. (eds) *Evolution of the Flora and Fauna of Arid Australia*. Peacock Press : Frewville, Adelaide
- Noble, G.K. (1922). The phylogeny of the Salientia. 1. - The osteology and the thigh musculature; their bearing on classification and phylogeny. *Bulletin of the American Museum of Natural History* 46: 1-87
- Noble, G.K. (1931). *The Biology of the Amphibia*. McGraw-Hill Book Company : New York 577 pp.
- Nussbaum, D.G. (1992). Caecilians. Pp. 52-59 in Cogger, H.G. & Zweifel, R.G. (eds) *Reptiles and Amphibians*. Smithsonian : New York
- Odendaal, F.J. & Bull, C.M. (1980). Influence of water speed on tadpoles of *Ranidella signifera* and *R. riparia* (Anura: Leptodactylidae). *Australian Journal of Zoology* 28: 79-82
- Oka, Y., Ohtani, R., Satou, M. & Ueda, K. (1989). Location of forelimb motoneurons in the Japanese toad (*Bufo japonicus*): a horseradish peroxidase study. *Journal of Comparative Neurology* 286: 376-383
- Oliver, K.K. (1909). The structure of the truncus arteriosus in species of the genera *Hyla*, *Lymnodynastes*, *Chiroleptes*, *Heleioporus*, *Pseudophryne* and *Notaden*. *Proceedings of the Royal Society of Victoria* 22: 198-208

- Orchinik, M., Licht, P. & Crews, D. (1988). Plasma steroid concentrations change in response to sexual behavior in *Bufo marinus*. *Hormones and Behaviour* 22: 338-350
- Orton, G. (1953). The systematics of vertebrate larvae. *Systematic Zoology* 2: 63-75
- Osborne, W.S. (1989). Distribution, relative abundance and conservation status of corroboree frogs, *Pseudophryne corroboree* Moore (Anura: Myobatrachidae). *Australian Wildlife Research* 16: 537-547
- Osborne, W.S. (1990). Declining frog populations and extinctions in the Canberra region. *Bogong* 11: 4-7
- Owen, L. & Moorhouse, D.E. (1980). The description of the male *Pseudorictularia disparilis* (Irwin-Smith, 1922) (Nematoda, Physalopteridae) from northern Australia. *Bulletin du Muséum National d'Histoire Naturelle, Paris 4e série* 2A: 1013-1017
- Packer, W.C. (1963). Dehydration, hydration, and burrowing behavior in *Heleioporus eyrei* (Gray) (Leptodactylidae). *Ecology* 44: 643-651
- Packer, W.C. (1966). Embryonic and larval development of *Heleioporus eyrei* (Amphibia: Leptodactylidae). *Copeia* 1966: 92-97
- Pang, P.K., Uchiyama, M. & Sawyer, W.H. (1982). Endocrine and neural control of amphibian function. *Federation Proceedings of the American Societies for Experimental Biology* 41: 2365-2370
- Pang, P.K.T. & Sawyer, W.H. (1978). Renal and vascular responses of the bullfrog (*Rana catesbeiana*) to mesotocin. *American Journal of Physiology* 235: F151-F155
- Parker, H.W. (1934). *A Monograph of the Frogs of the Family Microhylidae*. British Museum : London 208 pp.
- Parker, H.W. (1940). Australasian frogs of the family Leptodactylidae. *Novitates Zoologicae* 42: 1-106
- Pechmann, J.H.K., Scott, D.E., Semlitsch, R.D., Caldwell, J.P., Vitt, L.J., & Gibbons, J.W. (1991). Declining amphibian populations: the problem of separating human impacts from natural fluctuations. *Science* 253: 892-895
- Peile, A.R. (1978). Gugadja aborigines and frogs. *Herpetofauna* 10: 9-14
- Pemberton, C.E. (1949). Longevity of the tropical American toad, *Bufo marinus* L. *Science* 110: 512
- Pengilley, R. (1973). Breeding biology of some species of *Pseudophryne* (Anura: Leptodactylidae) of the southern highlands, New South Wales. *Australian Zoologist* 18: 15-30
- Péron, F.A. (1807). *Voyage de Découvertes, aux Terres Australes, exécuté par ordre de sa Majesté l'Empereur et Roi, sur les corvettes le Géographe le Naturaliste, et la goëlette le Casuarina pendant les années 1800-1804...rédigé par Péron et continué par M.L. de Freycinet (Atlas par M.M. Leseur et Petit)*. L'Imprimerie Impériale : Paris 2 Vols and Atlas
- Pianka, E. & Schall, J. (1981). Species densities of Australian vertebrates. Pp. 1675-1694 in Keast, A. (ed.) *Ecological Biogeography of Australia*. [Monographiae Biologicae Vol. 41]. Dr W. Junk : The Hague
- Pigram, C.J. & Davies, H.L. (1987). Terranes and the accretion history of the New Guinea orogen. *BMR Journal of Australian Geology and Geophysics* 10: 193-211

- Pisani, G. (1973). A guide to preservation techniques for amphibians and reptiles. *Society for the Study of Amphibians and Reptiles Miscellaneous Publication* No 1: 1-22
- Platz, J.E. & Lathrop, A. (1993). Body size and age assessment among advertising male chorus frogs. *Journal of Herpetology* 27 : 109-111
- Ponse, K. (1926). Changement expérimental du sexe et intersexualité chez le crapaud (nouveaux résultats). *Comptes Rendus des Seances de la Société de Physique et d'Histoire Naturelle de Genève* 43: 19-22
- Porter, K.R. (1972). *Herpetology*. W.B. Saunders Co. : Philadelphia 524 pp.
- Rage, J.-C. & Rocek, Z. (1986). *Triadobatrachus* revisited. Pp. 255-258 in Rocek, Z. (ed.) *Studies in Herpetology*. Charles University : Prague
- Rage, J.-C. & Rocek, Z. (1989). Redescription of *Triadobatrachus massinoti* (Piveteua, 1936), an annuran amphibian from the Early Triassic. *Palaeontographica* 206: 1-16
- Rawlinson, P.A. (1974). Biogeography and ecology of the reptiles of Tasmania and the Bass Strait area. Pp. 291-338 in Williams, W.D. (ed.) *Biogeography and Ecology in Tasmania [Monographiae Biologicae Vol. 25]*. Dr W. Junk : The Hague
- Reed, C.A. & Borowsky, R. (1966). The 'world's largest toad' and other herpetological specimens from southern Suriname. *Studies of the Fauna of Suriname and the Guyanas* 12: 159-171
- Reeder, W.G. (1964). The digestive system. Pp. 99-149 in Moore, J.A. (ed.) *Physiology of the Amphibia*. Academic Press : New York
- Regal, P.J. & Gans, C. (1976). Functional aspects of the evolution of frog tongues. *Evolution* 30: 718-734
- Richards, S.J. (1992). The tadpole of the Australopapuan frog *Rana daemeli*. *Memoirs of the Queensland Museum* 32: 138
- Richards, S.J. & James, C. (1992). Foot-flagging displays of some Australian frogs. *Memoirs of the Queensland Museum* 32: 302
- Roberts, J.D. (1978). Redefinition of the Australian leptodactylid frog *Neobatrachus pictus* Peters. *Transactions of the Royal Society of South Australia* 102: 97-105
- Roberts, J.D. (1981). Terrestrial breeding in the Australian leptodactylid frog *Myobatrachus gouldii* (Gray). *Australian Wildlife Research* 8: 451-462
- Roberts, J.D. (1984). Terrestrial egg deposition and direct development in *Arenophryne rotunda* Tyler, a myobatrachid frog from coastal sand dunes at Shark Bay, W.A. *Australian Wildlife Research* 11: 191-200
- Roberts, J.D. (1985). Population density estimates for *Arenophryne rotunda*: is the round frog rare? Pp. 463-467 in Grigg, G., Shine, R. & Ehmann, H. (eds) *Biology of Australasian Frogs and Reptiles*. Surrey Beatty & Sons and Royal Zoological Society of New South Wales : Sydney
- Roberts, J.D. (1990). The biology of *Arenophryne rotunda* (Anura: Myobatrachidae): a burrowing frog from Shark Bay, Western Australia. Pp. 287-297 in Berry, P.F., Bradshaw, S.D. & Wilson, B.R. (eds) *Research in Shark Bay*. Report of the France-Australe Bicentenary Expedition Committee. Western Australian Museum : Perth

- Roberts, J.D. (1993). Hybridisation between the western and northern call races of the *Limnodynastes tasmaniensis* complex (Anura : Myobatrachidae) on the Murray River in South Australia. *Australian Journal of Zoology* 41: 101-122
- Roberts, J.D. & Maxson, L.R. (1985). The biogeography of southern Australian frogs: molecular data reject multiple invasion and Pleistocene divergence models. Pp. 83-89 in Grigg, G., Shine, R. & Ehmann, H. (eds) *Biology of Australasian Frogs and Reptiles*. Surrey Beatty & Sons and Royal Zoological Society of New South Wales : Sydney
- Roberts, J.D. & Maxson, L.R. (1986). Phylogenetic relationships in the genus *Limnodynastes* (Anura: Myobatrachidae): a molecular perspective. *Australian Journal of Zoology* 34: 561-573
- Roberts, J.D. & Maxson, L.R. (1988). Speciation processes in southeastern Australian anurans: a critique. *Proceedings of the Academy of Natural Sciences of Philadelphia* 140: 295-307
- Roberts, J.D. & Maxson, L.R. (1989). A molecular perspective on relationships of Australian *Pseudophryne* (Anura: Myobatrachidae). *Systematic Zoology* 38: 154-165
- Roberts, J.D. & Seymour, R.S. (1989). Non-foamy egg masses in *Limnodynastes tasmaniensis* (Anura: Myobatrachidae) from South Australia. *Copeia* 1989: 488-492
- Roberts, J.D., Mahony, M., Kendrick, P. & Majors, C.M. (1991). A new species of burrowing frog, *Neobatrachus* (Anura: Myobatrachidae), from the eastern wheatbelt of Western Australia. *Records of the Western Australian Museum* 15: 23-32
- Roberts, J.D., Wardell-Johnson, G. & Barendse, W. (1990). Extended descriptions of *Geocrinia vitellina* and *Geocrinia alba* (Anura: Myobatrachidae) from south-western Australia, with comments on the status of *G. lutea*. *Records of the Western Australian Museum* 14: 427-437
- Robertson, J.G.M. (1984). Acoustic spacing by breeding males of *Uperoleia rugosa* (Anura: Leptodactylidae). *Zeitschrift für Tierpsychologie* 64: 283-297
- Robertson, J.G.M. (1986). Female choice, male strategies and the role of vocalizations in the Australian frog *Uperoleia rugosa*. *Animal Behaviour* 34: 773-784
- Robinson, S.L. & Tyler, M.J. (1972). The catecholamine content of the adrenal glands of frogs as an index of phylogenetic relationship. *General and Comparative Pharmacology* 3: 167-170
- Romer, A.S. (1966). *Vertebrate Palaeontology*. 3rd edition. University of Chicago Press : Chicago 468 pp.
- Roseghini, M., Erspamer, V. & Endean, R. (1976). Indole-, imidazole- and phenyl-alkylamines of the skin of one hundred amphibian species from Australia, and Papua New Guinea. *Comparative Biochemistry and Physiology* 540C: 31-43
- Roth, J.J. (1973). Vascular supply to the ventral pelvic region of anurans as related to water balance. *Journal of Morphology* 140: 443-460
- Rouille, Y., Michel, G., Chauvet, M.T., Chauvet, J. & Acher, R. (1989). Hydrins, hydroosmotic neurohypophysial peptides: osmoregulatory adaptation in amphibians through vasotocin precursor processing. *Proceedings of the National Academy of Sciences* 86: 5272-5275

- Ruibal, R. (1962). The adaptive value of bladder water in the toad *Bufo cognatus*. *Physiological Zoology* 35: 218-223
- Ryan, M.J. (1983). Sexual selection and communication in a neotropical frog, *Physalaemus pustulosus*. *Evolution* 37: 261-272
- Sabath, M.D., Boughton, W.C. & Easteal, S. (1981). Expansion of the range of the introduced toad, *Bufo marinus*, in Australia from 1935 to 1974. *Copeia* 1981: 677-680
- Salthe, S.N. (1963). The egg capsules in the Amphibia. *Journal of Morphology* 113: 161-171
- Salthe, S.N. (1965). Increase in volume of the perivitelline chamber during development of *Rana pipiens* Schreber. *Physiological Zoology* 38: 80-98
- Sanders, J. & Davies, M. (1984). Burrowing behaviour and associated hindlimb morphology of some Australian hylid and leptodactylid frogs. *Australian Zoologist* 21: 123-142
- Savage, J. (1986). Nomenclatural notes on the Anura (Amphibia). *Proceedings of the Biological Society of Washington* 99: 42-43
- Savage, J.M. (1973). The geographic distribution of frogs: patterns and predictions. Pp. 351-445 in Vial, J.L. (ed.) *Evolutionary Biology of the Anurans*. University of Missouri Press : Columbia
- Scalia, F. (1976). Structure of the olfactory and accessory olfactory systems. Pp. 213-233 in Llinás, R. & Precht, W. (eds) *Frog Neurobiology: a Handbook*. Springer Verlag : Berlin
- Scherer, S. (1990). The protein molecular clock. Time for a re-evaluation. *Evolutionary Biology* 24: 83-106
- Schmid, M. (1978). Chromosome banding in Amphibia. 1. Constitutive heterochromatin and nucleolus organizer regions in *Bufo* and *Hyla*. *Chromosoma* 66: 361-388
- Schwartz, J.J. (1987). The function of call alternation in anuran amphibians: a test of three hypotheses. *Evolution* 41: 461-471
- Seabrook, W. (1991). Range expansion of the introduced cane toad *Bufo marinus* in New South Wales. *Australian Zoologist* 27: 58-62
- Serventy, D.L. & Whittell, H.M. (1951). *Handbook of the Birds of Western Australia*. 2nd edition. Paterson Press : Perth 384 pp.
- Seymour, R.S. & Bradford, D.F. (1987). Gas exchange through the jelly capsule of the terrestrial frog, *Pseudophryne bibroni*. *Journal of Comparative Physiology B* 157: 477-481
- Seymour, R.S. & Roberts, J.D. (1991). Embryonic respiration and oxygen distribution in foamy and nonfoamy egg masses of the frog, *Limnodynastes tasmaniensis*. *Physiological Zoology* 65: 1322-1340
- Seymour, R.S., Geiser, F. & Bradford, D.F. (1991a). Gas conductance of the jelly capsule of terrestrial frog eggs correlates with embryonic stage, not metabolic demand or ambient PO₂. *Physiological Zoology* 64: 673-687
- Seymour, R.S., Geiser, F. & Bradford, D.F. (1991b). Metabolic cost of development in terrestrial frog eggs (*Pseudophryne bibronii*). *Physiological Zoology* 64: 688-696

- Shea, G. & Johnston, G. (1988). A new species of *Notaden* (Anura: Leptodactylidae) from the Kimberley Division of Western Australia. *Transactions of the Royal Society of South Australia* 112: 29-37
- Sherman, E. (1980). Cardiovascular responses of the toad *Bufo marinus* to thermal stress and water deprivation. *Comparative Biochemistry and Physiology* 66A: 643-650
- Shi, L.-B. & Verkman, A.S. (1989). Very high water permeability in vasopressin-induced endocytic vesicles from toad urinary bladder. *Journal of General Physiology* 94: 1101-1115
- Shoemaker, V.H. & Nagy, K.A. (1977). Osmoregulation in amphibians and reptiles. *Annual Review of Physiology* 39: 449-471
- Shoemaker, V.H. & Waring, H. (1968). Effect of hypothalamic lesions on the water-balance response of a toad (*Bufo marinus*). *Comparative Biochemistry and Physiology* 24: 47-54
- Simon, M.P. (1983). The ecology of parental care in a terrestrial breeding frog from New Guinea. *Behavioral Ecology and Sociobiology* 14: 61-67
- Simpson, G.G. (1953). *Evolution and Geography. An Essay on Historical Biogeography with Special Reference to Mammals*. Oregon State System of Higher Education : Eugene 64 pp.
- Singh, G. & Luly, J. (1991). Changes in vegetation and seasonal climate since the last full glacial at Lake Frome, South Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 84: 75-86
- Smith, D.G. & Campbell, G. (1976). The anatomy of the pulmonary vascular bed in the toad *Bufo marinus*. *Cell and Tissue Research* 165: 199-213
- Snyder, G.K., Gannon, B. & Baudinette, R.V. (1990). Organisation of the vascular supply to the brain of the toad *Bufo marinus*. *Australian Journal of Zoology* 38: 375-386
- Softly, A. & Nairn, M.E. (1975). A newly reported toxic Australian frog (genus *Heleioporus*). *Medical Journal of Australia* 1: 560-561
- Speare, R. (1990). A review of the diseases of the cane toad, *Bufo marinus*, with comments on biological control. *Australian Wildlife Research* 17: 387-410
- Spencer, B. (1896). Part 2. Amphibia. Pp. 152-175 in *Report on the Work of the Horn Expedition to Central Australia. Part 1. Introduction, Narrative, Summary of Results, Supplement to Biological Report, Map*. Melville, Mullen & Slade : Melbourne
- Spencer, B. & Gillen, F.J. (1912). *Across Australia*. Macmillan : London 515 pp.
- Sprent, J.F.A. (1985). Ascaridoid nematodes of amphibians and reptiles: *Seuratascaris* n.g. *Annales de Parasitologie Humaine et Comparée* 3: 231-246
- Starrett, P. (1968). The phylogenetic significance of the jaw musculature in anuran amphibians. PhD dissertation, University of Michigan, Michigan
- Steindachner, F. (1868). ber eine neue Hylorana-Art von Cap-York in Australien. Sitzungsberichte der Akademie der Wissenschaften. *Mathematisch-Naturwissenschaftliche Classe, Wien* 57: 532-536
- Stephenson, E.M. (1968). Temperature tolerance of cultivated amphibian cells in relation to latitudinal distribution of donors. *Australian Journal of Biological Sciences* 21: 741-757

- Straughan, I.R. (1966). The natural history of the cane toad in Queensland. *Australian Natural History* 15: 230-232
- Straughan, I.R. (1969). *Hyla inermis* (Peters) a species hitherto erroneously referred to the leptodactylid genus *Cyclorana* (Anura: Hylidae: Leptodactylidae). *Zoologische Mededelingen, Leiden* 43: 207-212
- Straughan, I.R. & Lee, A.K. (1966). A new genus and species of leptodactylid frog from Queensland. *Proceedings of the Royal Society of Queensland* 77: 63-66
- Straughan, I.R. & Main, A.R. (1966). Speciation and polymorphism in the genus *Crinia* Tschudi (Anura: Leptodactylidae) in Queensland. *Proceedings of the Royal Society of Queensland* 78: 11-28
- Sweet, G. (1896). On the variation in the spinal nerves of *Hyla aurea*. *Proceedings of the Royal Society of Victoria* 9: 264-296
- Sweet, G. (1907). The anatomy of some Australian Amphibia. A. The openings of the nephrostomes from the coelom. *Proceedings of the Royal Society of Victoria* 20: 222-238
- Swinton, W.E. (1973). *Fossil Amphibians and Reptiles*. 5th edition. British Museum (Natural History) : London 133 pp.
- Swofford, D.L. & Olsen, G.J. (1990). Phylogeny construction. Pp. 411-501 in Hillis, D.M. & Moritz, C. (eds) *Molecular Systematics*. Sinauer Associates : Sunderland
- Taigen, T.L. & Pough, F.H. (1985). Metabolic correlates of anuran behaviour. *American Zoologist* 25: 987-997
- Taigen, T.L. & Wells, K.D. (1985). Energetics of vocalisation by an anuran amphibian (*Hyla versicolor*). *Journal of Comparative Physiology* 155: 163-170
- Taigen, T.L., Emerson, S.B. & Pough, F.H. (1982). Ecological correlates of anuran exercise physiology. *Oecologia* 52: 49-56
- Taigen, T.L., Wells, K.D. & Marsh, R.L. (1985). The enzymatic basis of high metabolic rates in calling frogs. *Physiological Zoology* 58: 719-726
- Tate, R. (1889). On the influence of physiographic changes in the distribution of life in Australia. *Report of the Australian Association for the Advancement of Science* 1: 312-325
- Taylor, P., Scroop, G.C., Tyler, M.J. & Davies, M. (1982). An ontogenetic and interspecific study of the renin-angiotensin system in Australian anuran Amphibia. *Comparative Biochemistry and Physiology* 73A: 187-191
- Taylor, P.M. & Tyler, M.J. (1986). Pepsin in the toad *Bufo marinus*. *Comparative Biochemistry and Physiology* 84A: 669-672
- Taylor, P.M., Tyler, M.J. & Shearman, D.J.C. (1985). Gastric acid secretion in the toad *Bufo marinus* with the description of a new technique for *in vivo* monitoring. *Comparative Biochemistry and Physiology* 81A: 325-327
- Thompson, M.B. (1981). The systematic status of the genus *Australocrinia* Heyer & Liem (Anura: Leptodactylidae). *Australian Journal of Zoology* 29: 93-102
- Townsend, D.S., Stewart, M.M., Pough, F.H. & Brussard, P.F. (1981). Internal fertilization in an oviparous frog. *Science* 212: 469-471
- Trenerry, M.P. (1988). The ecology of tadpoles in a tropical rainforest stream. BSc (Hons) thesis, James Cook University, Townsville
- Trewavas, E. (1933). The hyoid and larynx of the Anura. *Philosophical Transactions of the Royal Society of London, Series B* 222: 401-527

- Trueb, L. (1973). Bones, frogs and evolution. Pp. 65-132 in Vial, J. (ed.) *Evolutionary Biology of the Anurans: Contemporary Research on Major Problems*. University of Missouri Press : Columbia
- Tschudi, J.J. (1838). Classification der batrachier, mit Berücksichtigung der fossilen Tiere dieser Abteilung der Reptilien. Petitpierre : Neuchâtel 102 pp.
- Tufts, B.L., Mense, D.C. & Randall, D.J. (1987). The effects of forced activity on circulating catecholamines and pH and water content of erythrocytes in the toad. *Journal of Experimental Biology* 128: 411-418
- Turner, C.D. & Bagnara, J.T. (1976). *General Endocrinology*. 4th edition. W.B. Saunders : Philadelphia 579 pp.
- Tyler, M.J. (1962). On the preservation of anuran tadpoles. *Australian Journal of Science* 25: 222
- Tyler, M.J. (1964). Two new species of Australian frogs of the hylid genus *Nyctimystes*. *Transactions of the Royal Society of South Australia* 88: 111-114
- Tyler, M.J. (1971a). The phylogenetic significance of vocal sac structure in hylid frogs. *University of Kansas Publications, Museum of Natural History* 19: 319-360
- Tyler, M.J. (1971b). Observations on anuran myo-integumental attachments associated with the vocal sac apparatus. *Journal of Natural History* 5: 255-231
- Tyler, M.J. (1971c). The occurrence of the musculus cutaneous pectoris in the Anura. *Herpetologica* 27: 150-152
- Tyler, M.J. (1972a). An analysis of the lower vertebrate faunal relationships of Australia and New Guinea. Pp. 231-256 in Walker, D. (ed.) *Bridge and Barrier: The Natural and Cultural History of Torres Strait*. Australian National University : Canberra
- Tyler, M.J. (1972b). Superficial mandibular musculature, vocal sacs and the phylogeny of the Australopapuan leptodactylid frogs. *Records of the South Australian Museum* 16(9): 1-20
- Tyler, M.J. (1973). On the systematic position and geographic distribution of the Australian frog *Chiroleptes alboguttatus* Günther. *Proceedings of the Royal Society of Queensland* 85: 27-32
- Tyler, M.J. (1974a). First frog fossils from Australia. *Nature* 248: 711-712
- Tyler, M.J. (1974b). Superficial mandibular musculature and vocal sac structure in Anura. MSc thesis, University of Adelaide, Adelaide
- Tyler, M.J. (1976a). A new genus and two new species of leptodactylid frogs from Western Australia. *Records of the Western Australian Museum* 4: 45-52
- Tyler, M.J. (1976b). *Frogs*. Collins : Sydney 256 pp.
- Tyler, M.J. (1976c). Comparative osteology of the pelvic girdle of Australian frogs and description of new fossil genus. *Transactions of the Royal Society of South Australia* 100: 3-14
- Tyler, M.J. (1978). *Amphibians of South Australia*. Government Printer : Adelaide 84 pp.
- Tyler, M.J. (1979a). Herpetofaunal relationships of South America with Australia. Pp. 73-106 in Duellman, W.E. (ed.) *The South American Herpetofauna: its Origin, Evolution and Dispersal*. Monograph No. 7. University of Kansas, Museum of Natural History : Lawrence

- Tyler, M.J. (1979b). The introduction and current distribution in the New Hebrides of the Australian hylid frog *Litoria aurea*. *Copeia* 1979: 355-356
- Tyler, M.J. (1982a). *Frogs*. 2nd edition. Collins : Sydney 256 pp.
- Tyler, M.J. (1982b). The hylid frog genus *Litoria* Tschudi: an overview. *Proceedings of the New Zealand Herpetological Symposium, Occasional Publication* No. 2 pp. 103-112
- Tyler, M.J. (1983a). Phylogenetic relationships. Pp. 136-140 in Tyler, M.J. (ed.) *The Gastric Brooding Frog*. Croom Helm : London
- Tyler, M.J. (1983c). Introduction. Pp. 1-4 in Tyler, M.J. (ed.). *The Gastric Brooding Frog*. Croom Helm : London
- Tyler, M.J. (1985a). Gastric brooding: a phenomenon unique to Australian frogs. *Search* 16: 157-159
- Tyler, M.J. (1985b). Reproductive modes in Australian Amphibia. Pp. 265-267 in Grigg, G., Shine, R. & Ehmann, H. (eds) *Biology of Australasian Frogs and Reptiles*. Surrey Beatty & Sons and Royal Zoological Society of New South Wales : Sydney
- Tyler, M.J. (1987a). Frog and cane toad skin secretions. Pp. 329-339 in Covacevich, J., Davie, P. & Pearn, J. (eds) *Toxic Plants and Animals. A guide for Australia*. Queensland Museum : Brisbane
- Tyler, M.J. (1987b). Frogs and Toads. Pp. 90-95 in Blackshaw, J.K. & Allan, D.J. (eds) *Principles of Laboratory Animal Management*. Australian Society of the Study of Animal Behaviour : Blacktown, New South Wales
- Tyler, M.J. (1989a). *Australian Frogs*. Viking O'Neil : Melbourne 220 pp.
- Tyler, M.J. (1989b). A new species of *Lechriodus* (Anura: Leptodactylidae) from the Tertiary of Queensland with a redefinition of the ilial characteristics of the genus. *Transactions of the Royal Society of South Australia* 113: 15-21
- Tyler, M.J. (1990). Biogeography. Pp. 223-226 in Tyler, M. J. , Twidale, C.R., Davies, M. & Wells, C.B. (eds) *Natural History of the North East Deserts*. Royal Society of South Australia : Adelaide
- Tyler, M.J. (1991a). *Kyarranus* Moore (Anura, Leptodactylidae) from the Tertiary of Queensland. *Proceedings of the Royal Society of Victoria* 103: 47-51
- Tyler, M.J. (1991b). Declining amphibian populations-a global phenomenon? An Australian perspective. *Alytes* 9: 43-50
- Tyler, M.J. (1991c). A new large species of *Litoria* (Anura: Hylidae) from the Tertiary of Queensland. *Transactions of the Royal Society of South Australia* 115: 103-105
- Tyler, M.J. (1991d). *Crinia* Tschudi (Anura: Leptodactylidae) from the Cainozoic of Queensland, with the description of a new species. *Transactions of the Royal Society of South Australia* 115: 99-101
- Tyler, M.J. (1991e). Australian fossil frogs. Pp. 592-604 in Vickers-Rich, P, Monaghan, J.M., Baird, R.F. & Rich, T.H. (eds) *Vertebrate Palaeontology of Australasia*. Pioneer Design Studio with Monash University Publications Committee : Melbourne
- Tyler, M.J. (1992). *Encyclopedia of Australian Animals. Frogs*. Collins Angus & Robertson : Pymble 109 pp.

- Tyler, M.J. & Anstis, M. (1975). Taxonomy and biology of the frogs of the *Litoria citropa* complex (Anura: Hylidae). *Records of the South Australian Museum* 17: 41-50
- Tyler, M.J. & Carter, D.B. (1981). Oral birth of the young of the gastric brooding frog *Rheobatrachus silus*. *Animal Behaviour* 29: 280-282
- Tyler, M.J. & Davies, M. (1977). A new species of hylid frog from northern Australia. *Copeia* 1977: 620-623
- Tyler, M.J. & Davies, M. (1978a). Species groups within the Australo-Papuan hylid frog genus *Litoria* Tschudi. *Australian Journal of Zoology, Supplementary Series* 63: 1-47
- Tyler, M.J. & Davies, M. (1978b). Phylogenetic relationships of Australian hyline and neotropical phyllomedusine frogs of the family Hylidae. *Herpetologica* 34: 219-224
- Tyler, M.J. & Davies, M. (1979a). A new species of cave dwelling, hylid frog from Mitchell Plateau, Western Australia. *Transactions of the Royal Society of South Australia* 103: 149-153
- Tyler, M.J. & Davies, M. (1979b). Redefinition and evolutionary origin of the Australopapuan hylid frog genus *Nyctimystes* Stejneger. *Australian Journal of Zoology* 27: 755-772
- Tyler, M.J. & Davies, M. (1979c). Foam nest construction by Australian leptodactylid frogs (Amphibia, Anura, Leptodactylidae). *Journal of Herpetology* 13: 509-510
- Tyler, M.J. & Davies, M. (1980). Systematic status of *Kankanophryne* Heyer & Liem (Anura: Leptodactylidae). *Transactions of the Royal Society of South Australia* 104: 17-20
- Tyler, M.J. & Davies, M. (1983a). Superficial features. Pp. 5-15 in Tyler, M. J. (ed.) *The Gastric Brooding Frog*. Crook Helm : London
- Tyler, M.J. & Davies, M. (1983b). Larval development. Pp. 44-57 in Tyler, M. J. (ed.) *The Gastric Brooding Frog*. Crook Helm : London
- Tyler, M.J. & Davies, M. (1985). A new species of *Litoria* (Anura: Hylidae) from New South Wales, Australia. *Copeia* 1985: 145-149
- Tyler, M.J. & Davies, M. (1986). *Frogs of the Northern Territory*. Conservation Commission of the Northern Territory : Alice Springs 77 pp.
- Tyler, M.J. & Dobson, J.J. (1973). On the identity, authorship and fate of the type specimens of *Rana caerulea*. *Herpetologica* 29: 373-375
- Tyler, M.J. & Lungershausen, K. (1986). The ultrastructure of male nuptial pads in some Australopapuan frogs. *Transactions of the Royal Society of South Australia* 110: 37-41
- Tyler, M.J., Crook, G.A. & Davies, M. (1983a). Reproductive biology of the frogs of the Magela Creek system, Northern Territory. *Records of the South Australian Museum* 18: 415-440
- Tyler, M.J., Davies, M. & King, M. (1978). The Australian frog, *Chiropleptes dahlii* Boulenger: its systematic position, morphology, chromosomes and distribution. *Transactions of the Royal Society of South Australia* 102: 17-24
- Tyler, M.J., Davies, M. & Martin, A.A. (1977). A new species of large green tree frog from northern Western Australia. *Transactions of the Royal Society of South Australia* 101: 133-138

- Tyler, M.J., Davies, M. & Martin, A.A. (1978). A new species of hylid frog from the Northern Territory. *Transactions of the Royal Society of South Australia* 102: 151-157
- Tyler, M.J., Davies, M. & Martin, A.A. (1981a). Australian frogs of the leptodactylid genus *Uperoleia* Gray. *Australian Journal of Zoology, Supplementary Series* 73: 1-64
- Tyler, M.J., Davies, M. & Martin, A.A. (1981b). New and rediscovered frogs from the Derby-Broome area of Western Australia. *Records of the Western Australian Museum* 9: 147-172
- Tyler, M.J., Davies, M. & Martin, A.A. (1982). Biology, morphology and distribution of the Australian fossorial frog *Cyclorana cryptotis* (Anura: Hylidae). *Copeia* 1981: 260-264
- Tyler, M.J., Davies, M. & Walker, K.F. (1985). Abrasion injuries in burrowing frogs (Amphibia: Anura) from the Northern Territory, Australia. *Zoologischer Anzeiger* 214: 54-60
- Tyler, M.J., Davies, M. & Watson, G.F. (1986). The frog fauna of Groote Eylandt, Northern Territory, Australia. *Zoological Journal of the Linnean Society* 88: 91-101
- Tyler, M.J., Davies, M. & Watson, G.F. (1991). The frog fauna of Melville Island, Northern Territory. *The Beagle, Records of the Northern Territory Museum of Arts and Sciences* 8: 1-9
- Tyler, M.J., Hand, S.J. & Ward, V.J. (1992). Analysis of the frequency of *Lechriodus intergerivus* Tyler (Anura: Leptodactylidae) in Oligo-Miocene local faunas of Riversleigh Station, Queensland. *Proceedings of the Linnean Society of New South Wales* 112: 105-109
- Tyler, M.J., Martin, A.A. & Davies, M. (1979). Biology and systematics of a new limnodynastine genus (Anura: Leptodactylidae) from north-western Australia. *Australian Journal of Zoology* 27: 135-150
- Tyler, M.J., Roberts, J.D. & Davies, M. (1980). Field observations on *Arenophryne rotunda* Tyler: a leptodactylid frog of coastal sand dunes. *Australian Wildlife Research* 7: 295-304
- Tyler, M.J., Shearman, D.J.C., Franco, R., O'Brien, P., Seamark, R.F. & Kelly, R. (1983b). Inhibition of gastric acid secretion in the gastric brooding frog, *Rheobatrachus silus*. *Science* 220: 609-610
- Tyler, M.J., Smith, L.A. & Johnston, R. (1984). *Frogs of Western Australia*. Western Australian Museum : Perth 109 pp.
- Tyler, M.J., Watson, G.F. & Martin, A.A. (1981c). The Amphibia: diversity and distribution. Pp. 1275-1301 in Keast, A. (ed.) *Ecological Biogeography of Australia*. [Monographiae Biologicae Vol. 41]. W. Junk : The Hague
- Valerio, C.E. (1971). Ability of some tropical tadpoles to survive without water. *Copeia* 1971: 364-365
- van Beurden, E. (1980). Energy metabolism of dormant Australian water-holding frogs (*Cyclorana platycephalus*). *Copeia* 1980: 787-799

- van Beurden, E. (1982). Desert adaptations of *Cyclorana platycephalus*: an holistic approach to desert-adaptation in frogs. Pp. 235-240 in Barker, W.R. & Greenslade, P.J.M. (eds) *Evolution of the Flora and Fauna of Arid Australia*. Peacock Publications : South Australia
- van Beurden, E. (1984). Survival strategies of the Australian water-holding frog, *Cyclorana platycephalus*. Pp. 223-234 in Cogger, H.G. & Cameron, E.E. (eds) *Arid Australia*. Australian Museum : Sydney
- van Oordt, P.G.W.J. (1974). Cytology of the adenohipophysis. Pp. 53-106 in Lofts, B. (ed.) *Physiology of the Amphibia*. Vol. 2. Academic Press : New York
- Veevers, J.J. & Eittreim, S.L. (1988). Reconstruction of Antarctica and Australia at breakup (95 ± 5 Ma) and before rifting (160 Ma). *Australian Journal of Earth Sciences* 35: 355-362
- Villa, J. & Townsend, D.S. (1983). Viable frog eggs eaten by phorid fly larvae. *Journal of Herpetology* 17: 278-281
- Vitalis, T.Z. & Shelton, G. (1990). Breathing in *Rana pipiens*: the mechanism of ventilation. *Journal of Experimental Biology* 154: 537-556
- Wallace, A.R. (1876). *The Geographical Distribution of Animals*. With a study of the relations of living and extinct faunas as elucidating the past changes of the earth's surface. Macmillan : London Vol. 1 503 pp.; Vol. 2 607 pp.
- Walsberg, G.E. (1986). Comparison of two techniques for estimating the maximum aerobic capacity of amphibians. *Herpetologica* 42: 389-394
- Walton, M. & Anderson, B.D. (1988). The aerobic cost of saltatory locomotion in the Fowler's toad (*Bufo woodhousei fowleri*). *Journal of Experimental Biology* 136: 273-288
- Warburg, M.R. (1965). Studies on the water economy of some Australian frogs. *Australian Journal of Zoology* 13: 317-330
- Warburg, M.R. (1967). On thermal and water balance of three central Australian frogs. *Comparative Biochemistry and Physiology* 20: 27-43
- Wardell-Johnson, G. & Roberts, J.D. (1991). The survival status of the *Geocrinia rosea* (Anura: Myobatrachidae) complex in riparian corridors: biogeographical implications. Pp. 167-175 in Saunders, D.A. & Hobbs, R.J. (eds) *Nature Conservation 2: The Role of Corridors*. Surrey Beatty & Sons : Sydney
- Watson, G.F. (1972). The *Litoria ewingi* complex (Anura: Hylidae) in south-eastern Australia. II. Genetic incompatibility and delimitation of a narrow hybrid zone between *L. ewingi* and *L. paraewingi*. *Australian Journal of Zoology* 20: 423-433
- Watson, G.F. & Littlejohn, M.J. (1985). Patterns of distribution, speciation and vicariance biogeography of southeastern Australian amphibians. Pp. 91-97 in Grigg, G., Shine, R. & Ehmann, H. (eds) *Biology of Australasian Frogs and Reptiles*. Surrey Beatty & Sons and Royal Zoological Society of New South Wales : Sydney
- Watson, G.F. & Martin, A.A. (1968). Postmating isolation in the *Hyla ewingi* complex (Anura: Hylidae). *Evolution* 22: 664-666
- Watson, G.F. & Martin, A.A. (1973). Life history, larval morphology and relationships of Australian leptodactylid frogs. *Transactions of the Royal Society of South Australia* 97: 33-45

- Watson, G.F., Littlejohn, M.J., Gartside, D.F. & Loftus-Hills, J.J. (1985). The *Litoria ewingi* complex (Anura: Hylidae) in south-eastern Australia. 8. Hybridization between *L. ewingi* and *L. verreauxi alpina* in the Mount Baw Baw area, south central Victoria. *Australian Journal of Zoology* 33: 143-152
- Watson, G.F., Loftus-Hills, J.J. & Littlejohn, M.J. (1971). The *Litoria ewingi* complex (Anura: Hylidae) in southeastern Australia. 1. A new species from Victoria. *Australian Journal of Zoology* 19: 401-416
- Weatherilt, C.D.M. (1987). Physiological responses to prolonged water deprivation and soil moisture in the semi-arid frogs *Heleioporus eyrei* and *Neobatrachus pelobatoides*. BSc (Hons) thesis, University of Western Australia, Perth
- Wells, K.D. (1977). The social behaviour of anuran amphibians. *Animal Behaviour* 25: 666-693
- Wever, E.G. (1973). The ear and hearing in the frog *Rana pipiens*. *Journal of Morphology* 141: 461-478
- White, A.W., Whitford, D. & Watson, G.F. (1980). Re-description of the Jervis Bay tree frog *Litoria jervisiensis* (Anura: Hylidae) with notes on the identity of Krefft's frog (*Litoria krefftii*). *Australian Zoologist* 20: 375-390
- White, J. (1790). *Journal of a voyage to New South Wales, with sixty-five plates of non-descript animals, birds, lizards, serpents, curious cones of trees and other natural productions*. Debrett : London 299 pp.
- Wilson, R.L. (1968). Systematics and faunal analysis of a Lower Pliocene vertebrate assemblage from Trego County, Kansas. *Contributions of the Museum of Paleontology, University of Michigan* 22: 75-126
- Winter, J. & McDonald, K. (1986). Eungella. The land of the cloud. *Australian Natural History* 22: 39-43
- Withers, P.C. (1993). Metabolic depression during aestivation in the Australian frogs, *Neobatrachus* and *Cyclorana*. *Australian Journal of Zoology* [in press]
- Withers, P.C. & Hillman, S.S. (1988). A steady-state model of maximal oxygen and carbon dioxide transport in anuran amphibians. *Journal of Applied Physiology* 64: 860-868
- Withers, P.C., Hillman, S.S. & Drewes, R.C. (1984). Evaporative water loss and skin lipids of anuran amphibians. *Journal of Experimental Zoology* 232: 11-17
- Withers, P.C., Hillman, S.S. & Kimmel, P.B. (1988a). Effects of activity, hemorrhage, and dehydration on plasma catecholamine levels in the marine toad (*Bufo marinus*). *General and Comparative Endocrinology* 72: 63-71
- Withers, P.C., Hillman, S.S., Simmons, L.A. & Zygumt, A.C. (1988b). Cardiovascular adjustments to enforced activity in the anuran amphibian, *Bufo marinus*. *Comparative Biochemistry and Physiology* 89A: 45-49
- Woodruff, D.S. (1976a). Courtship, reproductive rates, and mating system in three Australian *Pseudophryne* (Amphibia, Anura, Leptodactylidae). *Journal of Herpetology* 10: 313-318
- Woodruff, D.S. (1976b). Embryonic mortality in *Pseudophryne* (Anura: Leptodactylidae). *Copeia* 1976: 445-449
- Woodruff, D.S. (1977). Male postmating brooding behavior in three Australian *Pseudophryne* (Anura: Leptodactylidae). *Herpetologica* 33: 296-303

- Zug, G. & Zug, P.B. (1979). The marine toad, *Bufo marinus*: a natural history resumé of native populations. *Smithsonian Contributions to Zoology* No. 284: 1-58
- Zug, G., Lindgren, E. & Pippett, J.R. (1975). Distribution and ecology of the marine toad, *Bufo marinus*, in Papua New Guinea. *Pacific Science* 29: 31-50
- Zweifel, R.G. (1962). A systematic review of the microhylid frogs of Australia. *American Museum of Novitates* 2113: 1-40
- Zweifel, R.G. (1965). Revisionary notes on Australian frogs of the genus *Sphenophryne*. *American Museum Novitates* 2114: 1-9
- Zweifel, R.G. (1971). Results of the Archbold Expeditions, No. 96. Relationships and distribution of *Genyophryne thomsoni*, a microhylid frog of New Guinea. *American Museum Novitates* 2469: 1-13
- Zweifel, R.G. (1985). Australian frogs of the family Microhylidae. *Bulletin of the American Museum of Natural History* 182: 265-388
- Zweifel, R.G. & Parker, F. (1969). A new species of microhylid frog (genus *Cophixalus*) from Australia. *American Museum Novitates* 2390: 1-10
- Zweifel, R.G. & Parker, F. (1977). A new species of frog from Australia (Microhylidae: *Cophixalus*). *American Museum Novitates* 2614: 1-10
- Zweifel, R.G. & Tyler, M.J. (1982). Amphibia of New Guinea. Pp. 759-801 in Gressitt, J.L. (ed.) *Biogeography and Ecology of New Guinea*. [Monographiae Biologicae Vol. 42]. Dr W. Junk : The Hague.